

**IBN HALDUN UNIVERSITY
SCHOOL OF GRADUATE STUDIES
DEPARTMENT OF PSYCHOLOGY**

MASTER THESIS

**RESILIENCE OF SYRIAN CHILDREN AND
ADOLESCENTS LIVING IN TURKEY**

FATMA SEVDE KURT AKKOYUN

THESIS SUPERVISOR: ASSIST. PROF. SENEM EREN

ISTANBUL, 2020

**IBN HALDUN UNIVERSITY
SCHOOL OF GRADUATE STUDIES
DEPARTMENT OF PSYCHOLOGY**

MASTER THESIS

**RESILIENCE OF SYRIAN CHILDREN AND
ADOLESCENTS LIVING IN TURKEY**

by

FATMA SEVDE KURT AKKOYUN

**A thesis submitted to the School of Graduate Studies in partial
fulfillment of the requirements for the degree of Master of Arts in
Clinical Psychology**

THESIS SUPERVISOR: ASSIST. PROF. SENEM EREN

ISTANBUL, 2020

ÖZ

TÜRKİYE’DE YAŞAYAN SURİYELİ ÇOCUK VE ERGENLERDE PSİKOLOJİK SAĞLAMLIK

Kurt-Akkoyun, Fatma Sevde

Klinik Psikoloji Yüksek Lisans Programı

Tez Danışmanı: Dr. Öğretim Üyesi Senem Eren

Ocak 2020, 122 sayfa

Psikolojik sağlamlık bireylerin psikolojik iyi oluşlarını koruyarak dirençli olmalarını sağlayan çok boyutlu bir yapıdır. Bu çalışmanın amacı, yaşı 10-18 arasında değişen 133 çocuğun psikolojik sağlamlık düzeylerinin algılanan sosyal destek, arkadaş ilişkileri, ebeveyn ilişkileri, depresyon, anksiyete, stres, ihlal, kaçınma, aşırı tepkisellik, duygusal problemler, travma sonrası stres bozukluğu, davranım (conduct) bozukluğu, hiperaktivite ve prososyal davranış açısından incelenmesidir. Katılımcılara Olayların Etkisi Ölçeği, Depresyon, Anksiyete, Stres Ölçeği (DASS-42), Çok Boyutlu Algılanan Sosyal Destek Ölçeği, Çocuk ve Genç Psikolojik Sağlamlık Ölçeği (ÇGPSÖ-12), Güçler ve Güçlükler Anketi (GGA) ve Aile Akran İlişkileri Ölçeği uygulanmıştır. Katılımcıların %44.4’ü (n=59) kızlardan ve %55.6’sı (n=74) erkeklerden oluşmuştur. Yapılan analizler sonucunda Suriye’de kırsal kesimde yaşayan ve Suriye’de okula giden çocuk ve ergenlerin psikolojik sağlamlığının daha yüksek olduğu bulunmuştur. Korelasyon analizleri sonucunda, psikolojik sağlamlığın aile, arkadaş, özel birinden algılanan sosyal destek ve toplam algılanan sosyal destek, ebeveynle birliktelik, arkadaş ilişkileri ve ebeveynin arabulucu oluşu ile pozitif yönde ilişkili olduğu; depresyon, anksiyete, stress, ihlal, kaçınma, aşırı tepkisellik ve duygusal problemler ile negatif yönde ilişkili olduğu; davranım bozukluğu, hiperaktivite, arkadaş problemleri, prososyal davranış ve ebeveynlerle yakınlık ile anlamlı bir ilişkisinin olmadığı bulunmuştur. Yapılan regresyon analizleri sonucunda aileden algılanan sosyal desteğin, arkadaş ilişkilerinin, hiperaktivitenin, depresyonun, anksiyetenin, stresin ve travma sonrası stres bozukluğunun bireylerin psikolojik sağlamlığını yordadığı bulunmuştur. Çalışma bulguları, literatürdeki araştırma sonuçlarıyla büyük oranda tutarlılık göstermektedir. Suriyeli çocukların ve ergenlerin psikolojik sağlamlığı üzerinde olumlu veya olumsuz etkiye sahip olabilecek faktörlerin

belirlenmesi önleme ve müdahale programlarının geliştirilmesi açısından önemli olacaktır.

Anahtar Kelimeler: Algılanan sosyal destek, anksiyete, arkadaş ilişkileri, çocuk, ebeveyn ilişkileri, ergen, depresyon, mülteci, Psikolojik sağlamlık, Suriyeli, stres, TSSB

ABSTRACT

RESILIENCE OF SYRIAN CHILDREN AND ADOLESCENTS LIVING IN TURKEY

Kurt-Akkoyun, Fatma Sevde

MA in Clinical Psychology

Thesis Supervisor: Assist. Prof. Senem Eren

January 2020, 122 Pages

Resilience is a multidimensional construct which helps individuals to be powerful and maintain their psychological well-being. The aim of this study was to investigate the resilience of 133 children aged 10-18 years in terms of perceived social support, peer relations, parent relations, depression, anxiety, stress, intrusion, avoidance, hyperarousal, emotional problems, PTSD, conduct problems, hyperactivity and prosocial behaviour. Impact of Event Scale-Revised (IES-R), Depression, Anxiety and Stress Scale (DASS-42), The Multidimensional Scale of Perceived Social Support (MSPSS), Child and Youth Resilience Measure (CYRM-12), Strengths and Difficulties Questionnaire (SDQ) and Family Peer Relationship Questionnaire (FPRQ) were administered to the participants. The sample in the study included 59 (44.4%) girls and 74 (55.6%) boys. As a result of the analysis, it was found that the resilience of the children and adolescents who were living in rural regions in Syria and who had an education while in Syria was found to be higher than those who lived in urban areas and didn't have an education. As a result of the correlation analyses, resilience were positively correlated with perceived social support from family, friends, significant other and total perceived support, togetherness with parent, peer relations and parent as a mediator; negatively correlated with depression, anxiety, stress, intrusion, avoidance, hyperarousal and emotional problems. It was found that there was no significant relationship between resilience and conduct problems, hyperactivity, peer problems, prosocial behaviour and nurture disclosure of parents. As a result of ordinary least square regression analyses, it was found that, perceived social support from family, peer relations, hyperactivity, depression, anxiety, stress and Post Traumatic Stress Disorder predicted resilience. The findings of the study were mostly consistent with the related literature. Determining the factors that can have a positive or negative

impact on resilience of Syrian children and adolescents will no doubt be significant for developing prevention and intervention programs.

Keywords: Adolescents, anxiety, children, depression, parent relations, peer relations, perceived social support, PTSD, refugee, resilience, stress, Syrian

To all children who had to migrate...

ACKNOWLEDGEMENTS

Many thanks to my dear family, my mother Hürrem Kurt, my father Turgay Kurt and my sister Zeynep Elif Kurt. They always make me feel their love throughout their lives. We spend our good and bad times together and overcome many difficulties with love. My mother and father always supported me throughout my education. Thanks for their devotion and friendship.

I would like to express my gratitude to my dear husband Huzeyfe who always supported me in this process and I hope will be my biggest supporter for life.

I would like to thank to my undergraduate and graduate professors. I owe my professional knowledge to them.

I would like to thank to my supervisor, Dr. Senem Eren for her guidance and encouragement throughout the research.

I would like to express my gratitude to the Syrian Forum association which enabled me to communicate with the participants and Rania Al-Midani, who helped me with great devotion by removing the language barrier.

I am grateful to all participants who agreed to take part in the research.

Fatma Sevde Kurt Akkoyun

İSTANBUL, 2020

TABLE OF CONTENTS

ÖZ	iv
ABSTRACT	vi
ACKNOWLEDGEMENTS.....	ix
TABLE OF CONTENTS	x
LIST OF TABLE.....	xiii
LIST OF ABBREVIATIONS.....	xiv
CHAPTER I INTRODUCTION.....	1
CHAPTER II LITERATURE REVIEW	3
2.1 Being a Syrian Refugee	3
2.2 The Mental Health of Refugee Children and Adolescents	4
2.3 Depression	5
2.3.1 Depression Research in Immigrant Children and Adolescents.....	5
2.3.2 Depression Research in Syrian Children and Adolescents	6
2.4 Anxiety	7
2.4.1 Anxiety Research in Refugee Children and Adolescents	7
2.4.2 Anxiety Research in Syrian Children and Adolescents	8
2.5 Post-Traumatic Stress Disorder	8
2.5.1 PTSD Research in Refugee Children and Adolescents.....	9
2.5.2 PTSD Research in Syrian Children and Adolescents	10
2.6 Attention-Deficit/Hyperactivity Disorder.....	10
2.6.1 Attention-Deficit/Hyperactivity Disorder Research in Children and Adolescents	11
2.6.2 Attention-Deficit/Hyperactivity Disorder Research in Syrian Children and Adolescents	12
2.7 Conduct Problems.....	12
2.7.1 Conduct Problems Research in Children and Adolescents	13
2.7.2 Conduct Problems Research in Syrian Children and Adolescents.....	13
2.8 Resilience.....	13
2.8.1 Resilience Studies in Children and Adolescents	15
2.8.2 Factors Which Impact Resilience in Children and Adolescents	16
2.8.2.1 Individual Factors Which Impact a Child’s Resilience	16
2.8.2.2 Family Factors Which Impact a Child’s Resilience	16
2.8.2.3 Environmental Factors Which Impact a Child’s Resilience.....	17

2.8.3	Resilience Studies in Immigrant and Refugee Children and Adolescents	19
2.8.4	Resilience Studies on Syrian Children and Adolescent	22
2.9	Individual and Social Factors	24
2.9.1	Perceived Social Support	24
2.9.1.1	Research on Perceived Social Support	25
2.9.1.2	Perceived Social Support Research in Refugee Children and Adolescents	26
2.10	Prosocial Behaviour	27
2.11	Peer Relationship	28
2.12	Parent Relationship	29
2.13	Aims and Hypotheses	30
CHAPTER III	METHOD	32
3.1	Participants	32
3.2	Measures	32
3.2.1	Socio-Demographic Questionnaire	32
3.2.2	Impact of Event Scale-Revised	33
3.2.3	Depression, Anxiety and Stress Scale	33
3.2.4	The Multidimensional Scale of Perceived Social Support.....	33
3.2.5	Child and Youth Resilience Measure.....	34
3.2.6	Strengths and Difficulties Questionnaire	34
3.2.7	Family Peer Relationship Questionnaire.....	34
3.3	Procedure	35
3.3.1	Translation of the Instruments	35
3.3.2	Method	35
3.4	Analyses.....	35
CHAPTER IV	RESULTS.....	37
4.1	Socio-Demographic Characteristics	37
4.2	Correlations between Resilience and Perceived Social Support, Intrusion, Avoidance, Hyperarousal, Emotional Symptoms, Conduct Problems, Hyperactivity/Inattention, Peer Relationship Problems, Prosocial Behaviour and Parental Relationship.....	40
4.3	Impact of Peer Relationships, Perceived Social Support, Prosocial Behaviour, Conduct Problems, Hyperactivity, Depression, Anxiety, Stress and the PTSD on the Resilience of Children and Adolescents.....	44
CHAPTER V	DISCUSSION	48
5.1	The Relationship between Resilience and Socio-Demographic Characteristics	48

5.1.1	The Relationship between Resilience and Gender.....	48
5.1.2	The relationship between Resilience and Age	49
5.1.3	The relationship between Resilience and Years Living in Turkey	49
5.1.4	The Relationship between Resilience and Region in Syria	49
5.1.5	The Relationship between Resilience and Education Status in Syria ..	50
5.1.6	The Relationship between Resilience and Education Status in Turkey	51
5.1.7	The Relationship between Resilience and Living Status of Parents	51
5.1.8	The Relationship between Resilience and Number of Siblings	52
5.1.9	The Relationship between Resilience and Having Relatives in Turkey	52
5.2	Correlations between Resilience and Perceived Social Support, Intrusion, Avoidance, Hyperarousal, Emotional Symptoms, Conduct Problems, Hyperactivity/Inattention, Peer Relationship Problems, Prosocial Behaviour and Parental Relationship.....	53
5.2.1	The Relationship between Perceived Social Support and Resilience ..	53
5.2.2	The Relationship between Depression, Anxiety, Stress and Resilience 54	
5.2.3	The Relationship between Intrusion, Avoidance, Hyperarousal, Impact of Events Scale-Revised Total Score and Resilience.....	54
5.2.4	The Relationship between Emotional Problems, Conduct Problems, Hyperactivity, Peer Problems and Resilience	55
5.2.5	The Relationship between Parent Relation, Peer relations and Resilience	56
5.3	Evaluation of Findings for Predictors of Resilience.....	57
5.3.1	Impact of Togetherness, Peer Relationships, Perceived Social Support and Prosocial Behaviour on the Resilience of Children and Adolescents	57
5.3.2	Impact of Conduct Problems and Hyperactivity on the Resilience of Children and Adolescents	58
5.3.3	Impact of Depression, Anxiety, Stress and PTSD on the Resilience of Children and Adolescents	59
5.4	Conclusion	60
5.5	Limitations and Future Research	60
	REFERENCES	62
	APPENDIX	113
	APPENDIX 1	113
	APPENDIX 2	116
	APPENDIX 3	119
	CURRICULUM VITAE.....	122

LIST OF TABLE

Table 2.8.3. International resilience studies in refugee and immigrant children and adolescents	21
Table 4.1.1. Prevalence of stressful life events	37
Table 4.1.2 Resilience scores according to socio-demographic data.....	39
Table 4.2.1. The relationship between perceived social support and resilience	40
Table 4.2.2. The relationship between depression, anxiety, stress and resilience	40
Table 4.2.3. The relationship between intrusion, avoidance, hyperarousal, Impact of Events Scale-Revised total score and resilience	41
Table 4.2.4. The relationship between emotional problems, conduct problems hyperactivity, peer problems and resilience.....	42
Table 4.2.5. The relationship between family relation, peer relations and resilience	43
Table 4.3.1. Impact of peer relationships, perceived social support and prosocial behaviour on the resilience of children and adolescents.....	44
Table 4.3.2. Impact of conduct problems and hyperactivity on the resilience of children and adolescents	45
Table 4.3.3. Impact of depression, anxiety, stress and PTSD on the resilience of children and adolescents.....	47

LIST OF ABBREVIATIONS

ADHD	Attention Deficit Hyperactivity Disorder
AIDS	Acquired Immune Deficiency Syndrome
ANOVA	Analysis of Variance
APA	American Psychiatric Association
CYRM	Child and Youth Resilience Measure
DASS	Depression, Anxiety and Stress Scale
DSM	The Diagnostic and Statistical Manual of Mental Disorders
FPRQ	Family Peer Relationship Questionnaire
HIV	Human Immunodeficiency Virus
IES	The Impact of Event Scale
IES-R	Impact of Event Scale-Revised
IOM	International Organization for Migration
MSPSS	The Multidimensional Scale of Perceived Social Support
NGO	Non-Governmental Organizations
OLS	Ordinary Least Square
PTSD	Post Traumatic Stress Disorder
SDQ	Strengths and Difficulties Questionnaire
UK	United Kingdom
UNHCR	United Nations High Commissioner for Refugees
USA	United States of America
<i>n</i>	Number of Participants
<i>p</i>	P value
<i>r</i>	Correlation Coefficient
<i>SS</i>	Standard Deviation
<i>t</i>	t value
\bar{x}	Mean

CHAPTER I

INTRODUCTION

War is a disaster that causes irrevocable harms for all beings. Exposure to war has a long-term effect both on physical health and mental health. In the time of conflict and war, people can be traumatized by many disruptive situations as being tortured, sexual assault, physical violence, loss of properties or a loved one. Imagine that your house set on fire while you were inside with your family, your loved ones were killed in front of your eyes, you tortured, your human needs were ignored, you cannot find the opportunity to benefit health care, appropriate shelter, enough food, and education. Stressful experiences affect individual's wellbeing with collapsing individual's sense of control, connection and meaning (Herman, 2015).

War collapses families and individuals extended social networks. Losing social networks that an individual belongs to can have an impact on individuals' sense of control, connection and meaning. Individuals who are directly exposed to war report higher levels of PTSD (Meyer et al., 2018), depression (Ikin et al., 2016), anxiety disorders (Ginzburg, Ein-Dor & Solomon, 2010), problem drinking (Ciarleglio et al., 2018). War also has an impact on disabled individuals (Shpigelman & Gelkopf, 2018), therapists (Roizblatt, Biederman & Brown, 2011) and medical personnel (Lim, Stock, Oo & Jutte, 2013). War and conflict can indirectly cause secondary traumatization. Research demonstrates that secondary traumatization is common in Vietnam Veterans' partners and children (Yager et al., 2016). Thus, war does not only affect individuals who are experiencing it; it also affects their families.

According to International Organization for Migration forced migration is “a migratory movement which, although the drivers can be diverse, involves force, compulsion, or coercion” (International Organization for Migration, 2019). In the world, 30 people are forced to leave their countries every minute and in 2018 the total number of people forcibly displaced is 68.5 million around the world (UNCHR, 2018).

The number of children living in a conflict zone is also increasing, in 2016 it was reported that more than 357 million children were living in a conflict zone and in the world half of the 17.2 million refugees are children (Save The Children, 2018). According to United Nations High Commissioner for Refugees (2017), half of the world's 24.2 million refugees are children, which equates to 52% of the refugee population.

CHAPTER II

LITERATURE REVIEW

2.1 Being a Syrian Refugee

The Syrian government started to use lethal force in April 2011 to suppress the anti-government protests. Individuals were forced to leave their homes because of the conflict and almost 12 million people, which equals to 65 percent of Syria's population were either internally displaced or continued their lives as refugees outside of their country (UNHCR, 2018). The majority of refugees fled to Turkey, with others also seeking refuge in Lebanon, Jordan, Egypt, Iraq, The Middle East and North Africa (UNHCR, 2018). The number of registered Syrian refugees in Turkey is approximately 3.6 million, in Lebanon 1 million, in Jordan 670,000, in Iraq 250,000, in Egypt 130,000, in Libya 110,000 (UNHCR, 2019). After the conflict started, only about 1 million people entered to Europe, mostly residing in Germany. Less than 1% of displaced Syrian people are now living in Canada and the United States.

After the civil war started in Syria, Turkey has followed an 'open-door policy' which allowed Syrian refugees to enter Turkey without any restrictions. According to United Nations High Commissioner for Refugees (2018), over 3.6 million Syrian refugees were registered in Turkey as of January 2019, with almost 10 percent of them living in temporary camps. Total Syrian immigrant population in Turkey is composed of 44.8% youth aged under 18 (UNHCR, 2018). The majority of refugees in Turkey Approximately 44.8% of refugees living in Turkey are youth aged under eighteen.

Refugee children and adolescents experienced a radical change in their lives and they generally experience exposure to violence, war, loss of loved ones, economic problems and change in their stable environment which are difficult for a child to cope with and these experiences that children find it difficult to cope with can lead to stress and mental health problems. Although the current literature is mostly focused on

psychopathology in this population, it is also important to explore resilience and the factors impacting resiliency in these children and adolescents. Resilience is under researched in refugee children and adolescent populations. It is crucial to take steps through understanding positive adaptation to adverse situations to enhance children and adolescents psychological well-being, especially those who experience diverse situations such as forced displacement, immigration and war.

2.2 The Mental Health of Refugee Children and Adolescents

Children and adolescents are more vulnerable to stress and uncertainty (Broekman, 2011)/ They are exposed to violence, separation from parents, malnutrition in the migration phase and these are risk factors for mental health challenges (Ajdukovic & Ajdukovic, 1998). Refugee children and adolescents who experienced traumatic loss, separation, forced displacement, community violence and domestic violence are prone to develop mental health problems (Betancourt et al., 2012). Arriving to a host country may also be a stress factor for children in terms of adapting to a new culture, acculturation, discrimination and language barriers. Separation from loved ones and drop out from schooling and the uncertainty of their future may also be a risk factor for the development of mental health challenges.

With the increasing displacement in the world, studies look at the role of resilience in children in the face of adversity caused by war and immigration. Studies conducted with refugee children and adolescents indicate that they are at a higher risk for developing mental health challenges (Khan, Shilpi, Sultana, Sarker, Razia, Roy, Arif, Ahmed, Saha & McConachie, 2019). The experience of war is associated with higher rates of post-traumatic stress disorder (Sack et al., 1993), depression and anxiety disorders (Yalin Sapmaz et al., 2017), guilt and extreme pessimism (Goldstein et al., 1997), disturbed sleep, adjustment and conversion disorder (Ceri et al., 2016) and grief symptoms (Morgos et al., 2008). One study done by Khan and colleagues (2019) with displaced Rohingya children living in Bangladesh's refugee camps indicate that mental health problems are common especially emotional problems and peer problems (Khan et al., 2019). In another study, 218 Syrian refugee children and adolescents between

the ages of 9 to 15 years were examined, Post Traumatic Stress Disorder, anxiety-related disorders and emotional problems were found in the children examined (Gormez et al., 2017).

2.3 Depression

Depression is a serious mood disorder that affects an individuals' life. Individuals suffer from depression experience depressed mood, lost interest in activities, slowing down of thought, weight loss and decreased appetite, decreased energy and concentration, thoughts of death, feelings of worthlessness (American Psychiatric Association, 2013). Depression is a rising mental health problem, which affects all age groups and all individuals. Stressful experiences can trigger depression and depressive symptoms (Roth, Goode, Williams & Faught, 1994). Lifetime prevalence of depression is 10% to 15% (Lepine & Briley, 2011). Depression rates are higher among females than males (Grigoriadis & Robinson, 2007).

In the DSM-V under the heading of mood disorders there are ten specific conditions of depression. Depressed children and adolescents show different symptoms. In children, depression is typically characterized by symptoms of temper tantrums, shyness, high dependence to parents, angry outbursts, various fears, hyperactivity, sleep disturbances, appetite disorders, physical symptoms while adolescents show lower academic achievement, panic attacks, behavioural deficits, tiredness and unwillingness symptoms (Ozturk, 2007). According to Abela and Hankin (2008) by the age of fourteen at least 9% of children and adolescents experienced depression.

2.3.1 Depression Research in Immigrant Children and Adolescents

Refugee children and adolescents are at high risk for mood disorders. Several studies demonstrated that regardless of the age refugees are at high risk for depression. A study conducted with 1144 Lebanese, Palestinian and Iraqi refugee psychiatric patients living in a refugee camp in Lebanon, the prevalence of depression found as 28% (Bastin et al., 2013). Research done with North Korean migrants in China which examined mental health, reported higher rates of depression as 81% (Lee, Lee, Chun,

& Lee, 2001). In a study done with 310 Syrian refugees living in Beirut and Mount Lebanon prevalence of depression reported as 43% with no difference across socio demographic characteristics (Naja et al., 2016).

In a study, 943 adolescents living in The Republic of The Gambia in West Africa were examined (O'Donnell & Roberts, 2015). It is found that exposure to violence and levels of traumatic stress and depression were high in refugee adolescents compared to non-refugee peers. A longitudinal study of 46 Cambodian refugee adolescents illustrates the importance of war trauma and resettlement stress. It is found that the rate of PTSD was 10%, the rate of depression was 50%. After 3 years, the levels of PTSD and depression were still high 48%, 41% respectively (Sack et al., 1993). As Betancourt and colleagues (2012) state comorbidity is common in with the symptoms of anxiety, grief, post-traumatic stress and depression in refugee children.

2.3.2 Depression Research in Syrian Children and Adolescents

Research shows that children and adolescent who have been exposed to war developed psychological problems (Thabet, Ibraheem, Shivram, Winter & Vostanis, 2009; Catani, Jacob, Schauer, Kahila & Neuner, 2008; Macksoud & Aber, 1996). Naja, Aoun, Khoury, Abdallah and Haddad (2016) investigated 310 forcibly displaced Syrian refugees and found the pre-migration depression rate as 6.5% and the current depression as 43.9%. A group of researchers investigated 355 Syrian children and adolescents living outside refugee camps in Şanlıurfa, Turkey and reported 47.9 % percent of children have depressive symptoms (Kandemir, Karataş, Çeri, Solmaz, Kandemir & Solmaz, 2018). In another study, Şengün and Öğretir (2018) examined 256 Syrian children and adolescents who lost first degree relatives in the Syrian war and found that the level of depression was higher in children aged between 8-9 than 12-15 years. Furthermore, the level of depression was higher in children and adolescents whose family incomes are lower and who have a parent who is not working. A cross-sectional study conducted with Syrian children in Jordan shows that 24% of children reported that they feel depressed (Hamdan-Mansour, Abdel Razeq, Abdulhaq, Arabiat & Khalil, 2017).

2.4 Anxiety

Anxiety is a useful emotion in times of danger that causes a change in hormones, brain and behaviour which makes an individual ready for 'fight or flight'. The American Psychological Association defines anxiety as 'emotion characterized by feelings of tension, worried thoughts and physical changes like increased blood pressure'. When the intensity and duration of the anxiety is too much than the actual danger, it causes anxiety disorder. Individuals who have an anxiety disorder can face symptoms such as restlessness, being easily fatigued, difficulties on concentrating, irritability, muscle tension, sleep disturbance (American Psychiatric Association, 2013).

In today's world there is a lot of events that cause anxiety. After mood disorders, anxiety disorders are the most common mental health problem among children and adolescents. Research indicates that approximately with one in five children experience anxiety symptoms (Krain et al., 2007). Chansky and Kendall (1997) compared children with anxiety disorders and children with non-anxiety disorders, and reported that anxious children have more negative expectancies and thoughts on social situations. Children who have experienced adverse situations such as war, racism, separation from family, death of parents, poverty, hunger, malnutrition, exposure to violence, immigration, discrimination are vulnerable to develop physical, mental and behavioural health problems (Zare et al., 2018; Gjelsvik et al., 2014; Hassan, Ventevogel, Jefee-Bahloul, Barkil-Oteo & Kirmayer, 2016).

2.4.1 Anxiety Research in Refugee Children and Adolescents

Traumatic events are risk factors that can cause anxiety disorders (Shevlin, Dorahy & Adamson, 2007). Research evidence shows that children aged between 8 and 17 years, who experience a large number of adverse experiences are more likely to experience anxiety disorders (Barber, Kohl, Kassam-Adams & Gold, 2014). Refugee children might be exposed to traumatic events in premigration, migration and post migration phases. So, refugee children and adolescents can be more vulnerable to develop anxiety disorders in comparison with non-immigrant children. A group of researchers examined Bosnian refugee children who experienced the Bosnian war and found the

rate of possible anxiety as 23% (Papageorgiou, Frangou-Garunovic, Iordanidou, Yule, Smith & Vostanis, 2000). Betancourt and colleagues investigated war-affected refugee children in United States and reported the rate of anxiety disorder as 26.8%. One study of 119 Cambodian refugee children and adolescents found high scores of anxiety (Muecke, Sassi, Lipson & Paul, 1992).

2.4.2 Anxiety Research in Syrian Children and Adolescents

In one study, Javanbakht and colleagues (2018) evaluated possible mental health problems among 131 Syrian children and adolescents 6 to 17 years old. Based on the screening, 53 percent of children had a probable anxiety diagnosis. In their study of 355 Syrian children and adolescents living in Turkey, Kandemir and colleagues (2018) reported the prevalence rate of possible anxiety disorders as 53.2%. Another study conducted with 218 Syrian children in Turkey found that the rate of anxiety related disorders was 69% (Görmez, Kılıç, Örengül, Demir, Demirlıkan, Demirbař, Babacan, Kınık & Semerci, 2017). In a recent study, 1115 Syrian children aged between 9-15 years were examined and it was found that refugee children and adolescents have higher levels of anxiety (Yayan, Düken, Özdemir & Çelebiođlu, 2019). Similarly, Javanbakht, and colleagues (2018) examined 131 Syrian refugee children aged between 6-17 years resettling in United States and found possible anxiety disorder to be as high as 57.5% in girls and 50% in boys. Possible separation anxiety rates were high in the same group of Syrian children, 72.5% in girls and 80.4% in boys. Possible social anxiety percentages were 32.5% for girls, 37% for boys (Javanbakht, Rosenberg, Haddad & Arfken, 2018). Because of the fact that Turkey is the country that hosts the highest Syrian refugees, further research is required.

2.5 Post-Traumatic Stress Disorder

Post-traumatic stress disorder is a mental health condition triggered by a stressful life experience such as car crash, natural disasters, death of a loved one, witnessing war, attack, sexual abuse, serious illness. PTSD was first seen in World War I soldiers in 19th century. It was known as ‘shell shock’, ‘combat fatigue’ and ‘war neurosis’ (Crocq & Crocq, 2000). Individuals with PTSD can experience symptoms such as

being unable to fall asleep, nightmares, difficulty in concentrating, flashbacks, anxiety, numbness, hypervigilance (American Psychiatric Association, 2013). Stress symptoms generally occur immediately after the event but sometimes symptoms can be delayed (American Psychiatric Association, 2013). Lifetime prevalence of PTSD is 7.3% in United States. According to the National Center for PTSD the prevalence of PTSD is 3% to 15% in girls and 1% to 6% in boys (National Center for PTSD, 2019).

Research shows that if humans cause the traumatic event it leads to higher PTSD scores in individuals than traumatic events that happened naturally (Charuvastra & Cloitre, 2008). When individuals who have survived terrorist attacks and individuals who have survived motor vehicle accidents are compared, it is found that survivors of terrorist attack have higher rates of PTSD than other group of individuals (Shalev & Freedman, 2005). Most of the refugee children have been exposed to war trauma and it is also possible for them to be affected from these experiences.

2.5.1 PTSD Research in Refugee Children and Adolescents

Research indicated that PTSD rates are high among children exposed to war trauma (Nader, Pynoos, Fairbanks, al-Ajeel & al-Asfour, 1993; Thabet et al., 2009; Lavi & Solomon, 2005) and violence (Macksoud & Aber, 1996; Almqvist & Brandell-Forsberg, 1997). Refugee children and adolescents are vulnerable to develop PTSD (Paardekooper, de Jong & Hermanns, 1999; Kinzie, 1986). Heptinstall, Sethna & Taylor (2004) have found that PTSD scores were higher in refugee children who experienced violent death of a family member in pre-migration phase. Furthermore, post-migration stress about uncertainty about asylum in country of resettlement also caused PTSD in refugee children and adolescents (Heptinstall, Sethna & Taylor, 2004; Li, Liddell, Nickerson, 2016). In a cross-sectional study done with 364 internally displaced Bosnian children who experienced war and between 6 to 12 years, the rate of PTSD found as 94% (Goldstein, Wampler & Wise, 1997). A group of researchers investigated 331 displaced children and reported the rate of PTSD as 75% PTSD (Morgos, Worden & Gupta, 2008).

2.5.2 PTSD Research in Syrian Children and Adolescents

Şengün and Öğretir (2018) indicated that out of 256 Syrian children in Ankara, Turkey, children exposed to violence in the family reported higher PTSD scores than children who are not exposed to violence in the family. In one study, Afghan, Syrian and Eritrean children and adolescent refugees in Germany were examined (Müller, Büter, Rosner & Unterhitzberger, 2019) and the rate of PTSD found as 36.7%. In another study conducted in Turkey, 44.2% of Syrian children and adolescents showed moderate to severe PTSD (Görmez et al., 2017). The prevalence of PTSD has been reported as 33% in Syrian children living in a camp in Germany (Soykoek, Mall, Nehring, Henningsen & Aberl, 2017). Similarly, post-traumatic stress disorder is investigated in a group of Syrian children aged between 11-18 living in Jordan and reported the prevalence as 31% (Beni-Yonis, Khader, Jarboua, Al-Bsoul, Al-Akour, Alfaqih, Khatatbeh & Amarnah, 2019). Khamis (2019) also investigated post-traumatic stress disorder in 1000 Syrian refugee children and adolescents aged between 7-18 and found the PTSD rate as 45.6%. This research also illustrated that comorbidity with emotion dysregulation is high in children and adolescents (Khamis, 2019). In another study, 492 Syrian children between the ages of 8-15 were examined and PTSD was found as the most common mental health problem among children and adolescents with the rate of 35.1% (Perkins, Ajeeb, Fadel & Saleh, 2018).

Although effects of war trauma on PTSD can be seen in Syrian children and adolescents further research is needed with a larger sample.

2.6 Attention-Deficit/Hyperactivity Disorder

Attention Deficit Hyperactivity Disorder is a common neurodevelopmental disorder in children and adolescents. There are three main symptoms of Attention Deficit Hyperactivity Disorder (ADHD): inattention, hyperactivity and impulsivity. ADHD is a developmental impairment in executive functions. Children with impulsivity are not able to learn lessons from mistakes and they can easily repeat mistakes. Children with inattention have difficulty in become organized. They have trouble finishing a task and paying attention. Daydreaming is another symptom in children with ADHD. Because

they daydream too much, they can forget to do even the daily tasks. Children with ADHD also have impairment in academic achievement (Biederman, Monuteaux, Doyle, Seidman, Wilens, Ferrero, Morgan & Faraone, 2004). Their grades can be lower because of the impulsivity and inattention. ADHD has a great impact on children's social interactions. Children who have ADHD generally seen negatively by their peers especially because of impulsivity (Hoza et al., 2005). Also, ADHD found in several cultures and symptoms are similar across different cultures (Bauermeister et al., 2010). It shows that ADHD is not culture specific and the symptoms do not differ between cultures. It is known that children with ADHD are also vulnerable to experience problems such as aggression and substance abuse in adulthood (Barkley, Fischer, Smallish & Fletcher, 2004).

According to the American Psychiatric Association (APA), ADHD occurs in %5 of children in USA (American Psychiatric Association, 2013). In a study, 770 primary school children were examined in Coimbatore, India. The children were aged between 6 and 14 years. The prevalence of ADHD was 11.33% (Venkata & Panicker, 2013). Among the children male students had higher rates on ADHD diagnosis. Studies have also been conducted to find out prevalence rates of ADHD in Turkey. For example, a cross sectional study conducted with 2045 children aged between 7 and 15 years, reported the prevalence of ADHD as 6.2% (Senol et al., 2017). A 4-year longitudinal study reported the ADHD prevalence rate as 12% in school aged children in Turkey (Ercan et al., 2013). A cross sectional study conducted with 1000 children in Saudi Arabia reported the prevalence rate of ADHD as 3.4% (Albatti et al., 2017). The lifetime prevalence of ADHD for adolescents aged between 13 to 18 years was 8.7% in the USA (Merikangas et al., 2010) Also, research showed that there is a comorbidity between ADHD and PTSD (Adler, Kunz, Chua, Rotrosen & Resnick, 2004; Biederman, Petty, Spencer, Woodworth, Bhide, Zhu & Faraone, 2012).

2.6.1 Attention-Deficit/Hyperactivity Disorder Research in Children and Adolescents

There are also studies conducted to assess Attention Deficit Hyperactivity Disorder in refugee populations. Mexican and Latin American refugee children showed ADHD

symptoms (Kinzie, Cheng, Tsai & Riley, 2006). In another study, researchers examined a group of children in West London including 90 refugee children, mostly Middle Eastern, and found ADHD in only two children (O'shea, Hodes, Down & Bramley, 2000). Daud and colleagues (2008) investigated 80 refugee children in Sweden aged between 6-17 and found that children whose parents reported high exposure to trauma diagnosed with ADHD more than children whose parents reported lower trauma exposure. This shows the intergenerational aspect of ADHD in refugee populations.

2.6.2 Attention-Deficit/Hyperactivity Disorder Research in Syrian Children and Adolescents

Karadag, Gokcen, Dandil and Calisgan (2018) examined 51 Syrian children and adolescents aged between 3 and 17, living in refugee camps in Gaziantep, Turkey. Among 51 children and adolescents ADHD was the most common mental health problem with the percentage of 33.3%. The high prevalence of ADHD among immigrant population requires more attention to spread treatment of ADHD into disadvantaged populations. ADHD studies are generally conducted with non-immigrant populations.

2.7 Conduct Problems

Conduct Disorder is defined as 'a repetitive and persistent pattern of behaviour in which the basic rights of others or major age-appropriate societal norms or rules are violated, as manifested by the presence of at least three of the following criteria in the past 12 months from any of the four categories and with at least one criterion present in the past 6 months (American Psychiatric Association, 2013). These four categories are aggression to people and animals, destruction of property, deceitfulness or theft, serious violations of rules. In conduct disorder main problems are aggression and antisocial behaviour (Pilling, Gould, Whittington, Taylor & Scott, 2013; Kazdin, 2001; Prinz, 1998; Glicker, 2009). Different studies conducted in different countries reported prevalence of conduct disorder as 1.8% in 1210 Yemeni children (Alyahri & Goodman, 2007), 5.6% in white and 5.3% in African American children and

adolescents (Angold, Erkanli, Farmer, Fairbank, Burns, Keeler & Costello, 2002), 1.2% in Irish adolescents (Lynch, Mills, Daly & Fitzpatrick, 2006).

2.7.1 Conduct Problems Research in Children and Adolescents

Although this is a serious disorder in the development of children and adolescents, there are not many studies conducted with refugee populations. In one study that compared psychopathology in British children and refugee children in UK, it is found that conduct disorder was higher in British children than refugee children (Howard & Hodes, 2000) In another study, refugee children in UK and UK born children were compared and it was reported that refugee children have higher conduct problems than their British born peers (Leavey, Hollins, King, Barnes, Papadopoulos & Grayson, 2004). A group of researchers examined psychopathology in 203 Canadian refugee children and adolescents between 13-19 and reported that the rate of conduct disorder was high in the sample with 6%.

2.7.2 Conduct Problems Research in Syrian Children and Adolescents

Additionally, in their study conducted with Syrian refugee children, Eruyar et al. (2018) reported that parental psychopathology is a significant predictor for conduct problems in these children and adolescents. Alsayed and Wildes (2018) found that the prevalence of conduct problems is higher in 9 to 15 years Syrian children than Turkish children living in Antalya, Turkey. Çeri and Nasıroğlu (2018) examined 85 Syrian children from 2nd to 8th grades and found the conduct problems rate as high as 27.3%. They also find that prevalence of conduct problems is higher in boys than girls. Up to now, very few studies have been conducted to find out conduct problems in Syrian refugee children and adolescents.

2.8 Resilience

The origin of the word resilience dates back to the 17th century and originates from the Latin verb *resilire* which means to rebound. A review of the current literature indicates that there are a number of different definitions for resilience. Masten and Powell

(2003) refer to resilience as being “patterns of positive adaptation in the context of significant risk or diversity.” Panter-Brick and Leckman (2013) defines resilience as “the process of harnessing biological, psychosocial, structural and cultural resources to sustain well-being.” Rutter (2006) defines resilience as balancing significant risk experiences “with a relatively positive psychological outcome.” Bonanno (2004) defines the term comprehensively as the “ability of adults exposed to an isolated and potentially highly disruptive event to maintain relatively stable and healthy levels of psychological and physical functioning.” Masten, Best and Garmezy (1990) defines resilience as “the process of, capacity for, or outcome of successful adaptation despite challenging or threatening circumstances.” Agaibi and Wilson (2005) define resilience as a “complex repertoire of behavioural responses to trauma which includes recovery from trauma to optimal states of functioning” American Psychological Association (2014) refers to resilience as “the process of adapting well in the face of diversity, trauma, tragedy, threats or even significant sources of stress.” As observed, the literature has not reach a consensus with regards to the exact definition of resilience, but what underlines these definitions is an ability to cope with challenges and adapt to new conditions after being exposed to adverse situations.

The term resilience is generally conceptualized as being an elastic (Kohli, 2006), dynamic process (Stainton et al., 2019), where an individual bounces back (Masten, 2014), adapts in the face of risk or diversity (Luthar et al., 2000) and strengthens their capacity to cope in adverse situations (Earnest et al., 2015). According to Luthar and colleagues (2000) some researchers believe that resilience is a reaction to a particular event, while others treat resilience as a steady adapting style to the new circumstances (Cicchetti, 2010; Curtis & Cicchetti, 2007).

A review of the literature indicates that resilience has been examined in the context of gender-related victimization (Bariola et al., 2015), loss and traumatic events (Bonanno et al., 2011), individual protective factors such as self-esteem, self-efficacy and positive emotions (Arslan, 2015), parental/caregiver support and monitoring (El-Khani et al., 2018), sociocultural and individual factors (Aitcheson et al., 2017), depression and anxiety (Aitcheson et al., 2017), family cohesion (Nam et al., 2016), friendship quality (Rubin et al., 2004), hope (Muñoz et al., 2019), social support and

academic stress (Song et al., 2019), health-related quality of life (Qiu et al., 2019) and perceived ethnic discrimination and ethnic identity (Lee, 2005).

2.8.1 Resilience Studies in Children and Adolescents

Adverse childhood experiences such as experiencing violence, abuse, death of a loved one has effects on both children's cognitive, physical and psychological well-being (Anda, Felitti, Bremner, Walker, Whitfield, Perry, Dube, & Giles, 2005; Dube, Felitti, Dong, Chapman, Giles, & Anda, 2003; Brown, Anda, Tiemeier, Felitti, Edwards, Croft, & Giles, 2009; Chapman, Whitfield, Felitti, Dube, Edwards, & Anda, 2004). Resilience prevents diverse situations from becoming traumatic and devastating experiences (Masten, 2014).

Fleming and Ledaogar (2008) indicate that the focus of resilience research with children and adolescent populations has changed over time. The first wave of research focused on understanding the individual factors that led to a child being more resilient (Cowen & Work, 1988). Factors such as receiving attention from others (Milgram & Palti, 1993), having a sense of control and empathy (Parker, Cowen, Work & Wyman, 1990), being invulnerable (Anthony, 1974) and having strong problem-solving skills (Werner, 1984) were found to be some of the key qualities of resilient children and adolescents. Later, the scope of the research expanded from individual to environmental factors. Researchers examined individual, community and family protective factors and their impact on the resilience of children and adolescents (Fleming & Ledaogar, 2008; Masten & Garmezy, 1985; Werner, 1982). The third wave of resilience research examines protective factors extensively and focuses on fostering positive change in different children and adolescent populations who experienced adverse situations such as domestic violence (Martinez-Torteya, Bogat, Von Eye & Levendosky, 2009; Howell, 2011), community violence (Reinemann & Ellison, 2008), poverty (Garmezy, 1993), and racism (Miller & MacIntosh, 1999). In the last 10 years, studies have been focusing on genetic and neurobiological factors which contribute to the development of resilience (Feder, Nestler & Charney, 2009; McCrory, De Brito & Viding, 2010; Bradley, Davis, Wingo, Mercer & Ressler, 2013;

Kim-Cohen & Turkewitz, 2012; Cicchetti & Blender, 2006; Cicchetti & Rogosch, 2012).

2.8.2 Factors Which Impact Resilience in Children and Adolescents

A review of the literature demonstrates that resilience promoting factors can be divided into individual, family and environmental factors (Garmezy, 1993; Masten, 2014; Brooks, 1994; Garmezy, Masten, & Tellegen, 1984). Each of these categories will be examined in further detail.

2.8.2.1 Individual Factors Which Impact a Child's Resilience

Research on individual factors illustrate that several characteristics are common in resilient children and adolescents (Werner, 1984; Bland, Sowa & Callahan, 1994; Cortes & Buchanan, 2007). Buckner and colleagues (2003) investigated 155 children between the ages of 8-17 years and reported that children who had the ability to self-regulate had higher levels of resilience than children who did not have the ability to self-regulate. Self-esteem was also found to be an important factor that enhanced the resilience of these children (Buckner, Mezzacappa & Beardslee, 2003). Wang and Kong (2019) examined 467 Chinese adolescents aged between 14-19 years and reported that adolescents who had higher levels of self-esteem were more resilient than adolescents who had lower levels of self-esteem. Similarly, a study by Radke-Yarrow and Brown (1993) found that resilient children had higher levels of self-confidence than children who were not resilient. In another study, Önder and Gülay (2008) investigated resilience in 98 eighth grade students and reported that resilient children had a higher positive self-concept.

2.8.2.2 Family Factors Which Impact a Child's Resilience

A number of studies have examined how parental marital status impacts the resilience of children (Emery & Forehand, 1996; Stolberg & Bush, 1985). Singh and colleagues (2019) examined 416 adolescents between the ages of 13-19 years living in Nepal and found that adolescents whose parents were divorced reported lower levels of resilience

than adolescents whose parents were together. In contrast, other studies demonstrate that despite parental separation and divorce, children and adolescents can still be resilient (Kelly & Emery, 2003; Karela & Petrogiannis, 2018). Ruschena and colleagues (2005) conducted a longitudinal study of 1260 infants, which they followed up until the age of 18 years. In terms of children who experienced parental separation, divorce, remarriage or death, they found no significant differences between these groups with regards to behavioural and social adjustment, academic outcomes or social competence and illustrated the resilience of children who experienced family disruption in the early stages of life.

A large number of studies examining family factors which impact resilience have focused on children and adolescents living with parental mental health challenges (Fraser & Pakenham, 2009; Radke-Yarrow & Brown, 1993; Musick, Stott, Spencer, Goldman & Cohler, 1987). Foster and colleagues (2011) examined resilience promoting factors in children who have parents with mental health issues and emphasized the importance of psychosocial support, especially from other family members. Another study examined 44 children ages between 12-17 years who have a parent with mental health disorder and found that in these children behaviour and emotional problems were higher and social connectedness were lower (Fraser & Pakenham, 2009). Pretis and Dimova (2008) illustrate that the mental health challenges of parents impact the biopsychosocial development of children but due to inherent resilience factors, not all the children are affected to the same degree. Although children's knowledge of parental psychopathology is important for them to cope with the situation, and so that children experience less psychological problems because of parental psychopathology (Maybery & Reupert, 2009), it is also emphasized that this knowledge may be a disadvantage for some children (Grove, Reupert & Maybery, 2013).

2.8.2.3 Environmental Factors Which Impact a Child's Resilience

A variety of environmental factors impact resilience in children and adolescents such as poverty (Garmezy, 1993; Luthar, 1999), maltreatment (Yoon, Howell, Dillard, McCarthy, Napier & Pei, 2019; Cicchetti, Rogosch, Lynch & Holt, 1993), abuse

(Holmes, Yoon, Voith, Kobulsky & Steigerwald, 2015; Daigneault, Hebert & Tourigny, 2007), war (Diab, Peltonen, Qouta, Palosaari & Punamäki, 2015; Halevi, Djalovski, Vengrober & Feldman, 2016), domestic violence (Zhang, Wang, Ning, Yang, Zhang, Shan, Chen, Wang, Tao & Zhang, 2019; Hildebrand, Celeri, Morcillo & Zanolli, 2019), community violence (Namy, Carlson, Norcini Pala, Faris, Knight, Allen, Devries & Naker, 2017), and diseases (Danaher, Brand, Pickard, Mack & Berry, 2017; Rosenberg, Bradford, McCauley, Curtis, Wolfe, Baker & Yi-Frazier, 2018; Murphy, Bettis, Gruhn, Gerhardt, Vannatta & Compas, 2017; Penner, Sharp Marais & Skinner, 2018; Li, Chi, Sherr, Cluver & Stanton, 2015).

Children and adolescents who experience environmental diversity are vulnerable to develop substance abuse (Thornberry, Henry, Ireland & Smith, 2010), physical illnesses (Graham-Bermann & Seng, 2005) and mental health problems (Murad & Abdelaziz, 2017). Nevertheless, there are also protective factors which helps these children and adolescents overcome environmental difficulties. In one study conducted with 750 children including orphaned children because of AIDS-related causes, aged between 7-11 years it is found that children who perceive that their peers and teachers are caring for them in the school were more resilient and had less mental health problems than children who do not perceive it (Penner, Sharp, Marais & Skinner, 2018). Similarly, Li and colleagues (2015) also examined HIV-infected children and found that resilience is mostly affected by perceived social support from family and friends.

Perkins and Jones (2004) investigated effects of abuse on resilience in 16,313 children going to seventh, ninth and eleventh grades. Although a number of problematic behaviours such as higher rates of substance use found in abused children, they also reported resilience promoting factors. Peer groups, religiosity and positive school environment found as protective factors against the negative consequences of abuse in children (Perkins & Jones, 2004).

2.8.3 Resilience Studies in Immigrant and Refugee Children and Adolescents

With the increasing displacement in the world, studies look at the role of resilience in children in the face of adversity caused by war and immigration. A review of the literature examining resilience and related factors in immigrant and refugee children was conducted and the findings summarized in Table 2.8.3.

The review was limited to studies published between 2008-2019. Aitcheson and colleagues (2017) examined factors which contribute to the resilience in 335 Palestinian adolescents between 17-19 years and living in refugee camps in Gaza. It is found that adolescents who had stronger self-regulation, ethnic belonging and coping skills were found to be more resilient (Aitcheson, Abu-Bader, Howell, Khalil & Elbedeour, 2017). Similarly, Costigan and colleagues conducted a research with 95 immigrant Chinese children ages between 9-15 years and reported that resilience was high in children and adolescent who have strong ethnic identity. A group of researchers conducted a longitudinal examination of 234 immigrant adolescents aged between 10-14 and found that resilient adolescents have life satisfaction (Jiang, Ming, Tian, Huang, Sun, Li & Zhang, 2019). A group of researchers also examined 710 war-exposed adolescents and reported that resilience scores were higher in individuals who have leisure activities and use problem-solving techniques (Fayyad, Cordahi-Tabet, Yeretian, Salamoun, Najm & Karam, 2016). As a result, individual differences in self-regulation, ethnic belonging, coping and problem-solving skills and being satisfied with life have a significant effect on resilience of immigrant children and adolescents.

Resilience in refugee children was also examined in terms of family factors. In one study, Daud, Klinteberg and Rydelius (2008) compared refugee children from different nationalities who have parents with traumatic experiences and children who have parents who did not experience traumatic events and found that resilience levels were higher in children of not traumatized parents.

Hadfield and colleagues (2017) emphasize that post-arrival experiences of refugee children are also an important predictor of psychological well-being as well as their

pre-immigration experiences. Several environmental factors were also found to contribute resilience in refugee children and adolescents. Kanji and colleagues (2010) examined Muslim Afghan refugee children aged between 13-17 years and reported that resilience in children who have social support from their religious community was higher. As another research indicates self-regulation is also important for refugee children's level of resilience (Aitcheson et al., 2017).

Table 2.8.3: International resilience studies in refugee and immigrant children and adolescents

Study	Population	Sample	Age	Results
Aitcheson et al. 2017	Palestinian adolescents	335	17-19 years	Resilient children had stronger self- regulation, ethnic identity, family sense of coherence and coping skills
Costigan et al. 2010	Immigrant Chinese children	95	9-15 years	Resilient children had high ethnic identity.
Daud et al. 2008	Refugee children in Sweden (Egypt, Syria, Morocco)	80	6-17 years	Children who have traumatized parents scored lower on resilience.
Kanji et al. 2010	Muslim Afghan refugee children	7	13-17 years	Religion and support from religious community promotes resilience in these children
Katise et al. 2019	Orphaned children in Botswana, Africa	650	11-17 years	Resilience increased after the intervention program designed to enhance well-being of children

2.8.4 Resilience Studies on Syrian Children and Adolescent

Whilst many studies have been conducted examining resilience in children and adolescents (Bland, Sowa & Callahan, 1994; Costigan, Koryzma, Hua & Chance, 2010; Jefferies, Ungar, Aubertin & Kriellaars, 2019; Silk, Vanderbilt-Adriance, Shaw, Forbes, Whalen, Ryan & Dahl, 2007; Sun & Stewart, 2007) fewer studies have examined resilience in Syrian refugee children and adolescents. Research with Syrian refugees is generally done with adult populations (Acarturk, Cetinkaya, Senay, Gulen, Aker & Hinton, 2018; Acarturk, Konuk, Cetinkaya, Senay, Sijbrandij, Cuijpers & Aker, 2015; Alpak, Unal, Bulbul, Sagaltici, Bez, Altindag, Dalkilic & Savas, 2015; Arar, Örucü, Ak Küçükçayır, 2020; Cengiz, Ergun & Cakici, 2019; Ceylan, Algan, Yalcin, Yalcin, Akin & Kose, 2017; Elliott, Das, Cavaller, Schneider, Shah, Ravaud, Lightowler & Boule, 2018; Kira, Shuwiekh, Rice, Al Ibraheem & Aljakoub, 2017; Tekeli-Yesil, Işık, Unal, Aljomaa-Almossa, Unlu & Aker, 2018; Woltin, Sassenberg & Albayrak, 2018). The majority of studies conducted with Syrian refugee children and adolescents have focused on psychopathology (Erucar, Maltby & Vostanis, 2018; Gormez, Kilic, Oregul, Demir, Demirlıkan, Demırbas, Babacan, Kinik & Semerci, 2018; Jabbar & Zaza, 2014; Kira, Shuwiekh, Rice, Al Ibraheem & Aljakoub, 2017; Özer, Sirin & Oppedal, 2013; Yayan, Duken & Ozdemir, 2019), with very few studies examining resilience in this population. The reason for this may be to be able to intervene it is important to understand the problem first. Also, there is a language-barrier to conduct studies with Syrian refugees and this may result in less studies conducted with this population.

As seen in non-immigrant children population, individual and family factors also affects resilience of immigrant children and adolescents. Kira and colleagues (2019) examined post traumatic growth in a total of 552 Syrians including internally displaced Syrians and refugees in the Netherlands and Egypt. Research shows that post traumatic growth was seen in individuals who can reconsider the traumatic situation with the help of increased identity salience (Kira et al., 2019).

Environmental factors such as social support and experiences in phases of immigration also have an impact on resilience of children and adolescents. Oppedal, Ozer and Sirin

(2018) examined 285 Syrian refugee children living in Turkey and found that children who perceive social support were more resilient than children who do not perceive social support. Panter-Brick and colleagues (2018) examined 603 Syrian and Jordanian children and adolescents between 11 to 18 years and reported that education level affects resilience significantly. Also, it is found that children who perceive social insecurity had lower levels of resilience than children who do not perceive social insecurity (Panter-Brick et al., 2018). Recently Demir and Aliyev (2019) investigated resilience in 10 migrated Syrian university students in Turkey and found that students had higher levels of resilience. They also reported that support from family, Turkish society and other immigrants are protective factors. Although most of the research is done with Syrian children and adolescents living outside of Syria, there are a few studies conducted to assess children still living in Syria. Perkins and colleagues (2018) examined mental health challenges of 492 Syrian children aged between 8-15 years living in Damascus and Latakia and reported that family network and school affects resilience levels of children. Hadfield and colleagues (2017) emphasize that post-arrival experiences of refugee children is also an important predictor of psychological well-being as well as their pre-immigration experiences.

It is known that intervention programs help children and adolescents to reduce psychopathology symptoms (Morina, Koerssen & Pollet, 2016; Ugurlu, Akca & Acarturk, 2016) and increase psychological well-being. Ugurlu and colleagues (2016) developed an intervention program for traumatized Syrian children living in Turkey. Art therapy intervention implemented on 64 Syrian refugee children between the ages 7-12. It is reported that trauma symptoms, depression, post-traumatic stress disorder and anxiety scores were higher before the implementation of the program. So, it can be clearly stated that art therapy can be used to increase resilience of Syrian children and adolescents. Similarly, Gormez and colleagues (2017) conducted an intervention-based research with 32 Syrian refugee children aged between 10-15 years and they also reported that after the intervention program anxiety and post-traumatic stress disorder scores dramatically decreased.

2.9 Individual and Social Factors

2.9.1 Perceived Social Support

Humans are by nature social beings and need to communicate with others such as family, friends and close ones in order to receive social support. Social support is defined by Wortman and Dunkel-Schetter (1987) as shelter and help given to others which can be in the form of care, warmth, resources and help. Shumaker and Brownell (1994) describe social support as an integrative process that includes conscious exchange of resources between two people, with the purpose of this exchange being to enhance the wellness of the person who receives it. Albrecht and Adelman (1987) refer to social support as being the verbal and nonverbal communication between two individuals which serves to decrease uncertainty and increase the receiving person's perceptions of control over the situation. Despite these differing definitions of social support, the two underlying communalities of these definitions refer to the fact that social support is interpersonal and gives benefit to the receiver.

Cutrona and Shur (1992) divide social support into five key categories. Of these, informational support includes advice, suggestions and information related support. Emotional support includes trust, love, empathy and care. Esteem support includes expressions of confidence which contributes to advance capacity and skills. Social network support includes messages that help to increase a sense of belonging. Lastly, tangible support refers to material and physical support. Although the sources of social support may vary, regardless of the source, social support is an important factor which buffers against mental health challenges (Holt-Lunstad, Smith & Layton, 2010).

In the literature, social support is generally divided into structural support and functional support. Structural social support refers to the quantity of relationships and includes the number of social support sources whilst functional social support refers to the quality of social support and includes the enhancing role of social support on an individual's well-being (Schwarzer & Knoll, 2007). Even if a person has a large network of social support resources, the support they provide may not make a positive change in an individuals' life. Functional social support is further divided into perceived and received social support. Received social support is the direct reflection

of the amount of support an individual receives, whilst perceived social support is the perception of the amount of social support the person perceives (Norris & Kaniatsy, 1996).

2.9.1.1 Research on Perceived Social Support

Perceived social support is a subjective evaluation of the level of social support that an individual receives and is therefore open to interpretation. Research indicates that while the existence of the social support itself is important, what is most important is the perception that an individual is cared and valued for by others and has access to support when it is needed (Lakey & Cohen, 2000; Turner & Brown, 2009).

Individuals who have a strong perceived social support are better able to cope with adversity than individuals who perceive less social support (Brewin, Andrews & Valentine, 2000). In one study conducted with 142 trauma-exposed firefighters, it was found that individuals who had the highest scores on measures of PTSD, depression and anxiety reported lower levels of perceived social support (Meyer, Zimering, Daly, Knight, Kamholz & Gulliver, 2012). Furthermore, co-worker support was the most effective type of support identified in this study. In another study, a group of researchers conducted a longitudinal examination of 816 adults aged between 21-30 and examined the relationship between perceived family support, friend support and depression levels based on self-report questionnaires and found that the level of depressive symptoms decreased as the level of perceived social support increased. (Pettit, Roberts, Lewinsohn, Seeley & Yaroslavsky, 2011). Noret, Hunter and Rasmussen (2019) investigated 3737 eighth grade students and found that as the level of perceived social support decreased, reported mental health difficulties increased in these children. Studies show that the capacity to cope with difficulties increases as perceived social support increases in difficult groups (Aydın, Kahraman & Hiçdurmaz, 2017; Rubin, Dwyer, Booth-LaForce, Kim, Burgess & Rose-Krasnor, 2004; Sangalang & Vang, 2017) which may be an important factor to consider especially in communities who have been disposed by war and face forced migration.

2.9.1.2 Perceived Social Support Research in Refugee Children and Adolescents

Research shows that perceived social support is an important factor in promoting resilience in children and adolescents, especially those exposed to war trauma (Pine & Cohen, 2002; Oppedal, Ozer & Sirin, 2018; Shrira, Palgi, Ben-Ezra & Shmotkin, 2010).

Reed, Fazel, Panter-Brick and Stein (2012) have found that refugee children and adolescents who perceived social support in the country of resettlement, had significantly less mental health problems and higher levels of resilience than those who didn't perceive social support. Paardekooper, Jong and Hermanns (1999) compared children living inside and outside refugee camps in Uganda and reported that children living in refugee camps perceived less social support and had higher levels of PTSD compared to other children. In another study conducted with Namibian adolescent refugees, it was found that levels of depression were higher in those who perceived less social support (Shisana & Celentano, 1985). Studies show that perceived social support is an important protective factor for the development of mental health challenges in refugee children and adolescents (Ben-Ari & Gil, 2004; Measham, Rousseau, Blais-McPherson, Guzder, Pacione & Nadeau, 2014; Shisana & Celentano, 1985; Lee, 2005).

Whilst many studies have been conducted examining perceived social support in refugee children and adolescents (Oppedal & Idsoe, 2015; Mels, Derluyn & Broekaert, 2008; Stewart, Anderson, Beiser, Mwakarimba, Neufeld, Simich & Spitzer, 2008; Short & Johnston, 1997; Chou, 2009) fewer studies have examined perceived social support in Syrian refugee children and adolescents. Of these Oppedal, Özer and Sirin (2018) evaluated 285 Syrian refugee children and adolescents in Turkish camps and found that refugee children who experience more traumatic events perceived more social support and as the level of perceived social support increase, depression levels decreased in Syrian children and adolescents. Although stressful experiences of Syrian children and adolescents are high, it has been found that perceived social support has reduced the psychological problems that will arise as a result of these experiences. Research conducted with Syrian children and adolescents shows that perceived social

support is also essential for Syrian children and adolescents and their adaptation in resettlement countries (Hamdan-Mansour, 2016).

2.10 Prosocial Behaviour

Prosocial behaviour refers to voluntarily helping other individuals (Batson, 2011; Carlo, Mestre, McGinley, Tur-Porcar, Samper & Streit, 2013) and promoting their wellbeing (Gupta & Thapliyal, 2015) without expecting a reward (Gonzalez, Caprara, Garces de los Fayos & Zuffiano, 2014). Prosocial behaviour is thought to be a multidimensional construct, which means that multiple factors contribute to it being triggered (Decety, Bartal, Uzevovsky & Knafo-Noam, 2015). Prosocial behaviour is an interrelated term which can be influenced by genetics (Onaka, Takayanagi & Yoshida, 2012), perspective taking (Tamnes, Overbye, Ferschmann, Fjell, Walhovd, Blakemore & Dumontheil, 2018; Knight, Carlo, Basilio & Jacobson, 2015), empathy (Bengtsson & Johnson, 1992; Farrant, Devine, Maybery & Fletcher, 2012), sympathy (Vaish, Carpenter & Tomasello, 2009), bystander effect (Plötner, Over, Carpenter & Tomasello, 2015).

Genetic involvement in prosocial behaviour is investigated such as the role of specific genes, hormones and neurotransmitters (Michael & Inga, 2011; Onaka, Takayanagi & Yoshida, 2012; Crockett, 2009). However, as Knafo-Noam and Markovitch (2015) illustrated it is hard to repeat genetics studies.

Parenting styles and relationship with parent also affects prosocial behaviour in children. Authoritative parents' children are found to be engaged in more prosocial behaviour (Krevans & Gibbs, 1996; Hastings, Zahn-Waxler, Robinson, Usher, & Bridges, 2000). Parental warmth contributes to children and adolescents' prosocial behaviour (Davidov & Grusec, 2006; Malonda, Llorca, Mesurado, Samper & Mestre, 2019). Also, verbal hostility by fathers has a negative impact on adolescents' prosocial behaviour (Padilla-Walker, Nielson, & Day, 2016).

One of the factors that contributes to the act of prosocial behaviour is empathy (Krevans & Gibbs, 1996), whereby understanding other individuals' emotional states and taking their perspectives may drive us to help others. Social support is another

important factor that has an impact on prosocial behaviour (de Guzman, Jung & Do, 2012). Schools, teachers and parents can help children to develop prosocial behaviour (Eisenberg, 2006). Twenge and colleagues (2007) found that prosocial behaviour decreases with social exclusion.

In a longitudinal study prosocial behaviour on war exposed children was examined and it found that prosocial behaviours increased during war period (Raboteg-Šarić, Žužul & Keresteš, 1994). In another study, parents of refugee children and adolescents living in South Australia rated their children's prosocial behaviour, for the age group 13-17 parents rated high prosocial behaviour in children (Ziaian, de Anstiss, Antoniou, Baghurst & Sawyer, 2011). In Peshawar refugee school and a government school in Kabul, Afghanistan, caregivers rated children's prosocial behaviour higher than children themselves (Panter-Brick, Grimon & Eggerman, 2013).

2.11 Peer Relationship

Peer relation is an important aspect for children's social, emotional development and psychological well-being (Hay, Payne & Chadwick, 2004; Sturaro, van Lier, Cuijpers & Koot, 2011; Parker & Asher, 1993). Peers help children to develop empathy (Brownell, Zerwas & Balaram, 2001), cooperation (Endedijk et al., 2015), and self-esteem (Laible et al., 2004).

One study investigated 1247 students and found lower resilience levels in adolescents who perceive psychological maltreatment than peers who do not perceive psychological maltreatment (Bostan & Duru, 2019).

Even though peer relations is important for a child who experiences diverse situations, it is inevitable that peer relations is important for a child who experience diverse situations. Positive peer relations predict psychological well-being in refugee children and adolescents (Ziaian et al., 2012). Peer relations also play an important role on adapting new society (Strohmeier & Spiel, 2012). A group of researchers investigated mostly Arabic refugee children and adolescents in Australia aged between 5-17 years and compared them with Australian non-immigrant peers. It is found that refugee children and adolescents reported higher peer problems (Jenkinson, Silbert, De Maio & Edwards, 2016).

Peer problems may cause mental health challenges in immigrant children. In one study, 1,249 immigrant adolescents living in Belgium and 602 non-immigrant adolescents were compared and found that immigrant adolescents had higher levels of peer problems and avoidance symptoms (Derluyn, Broekaert & Schuyten, 2008). Peer support decreases anxiety in children (Hill & Madhere, 1996).

2.12 Parent Relationship

The importance of relationships with family members is also highlighted in the literature (Welsh & Brodsky, 2010), whereby having at least one warm and supportive parent has been shown to buffer children against the impact of adversity and the development of psychological challenges (Masten & Coatsworth, 1998).

The quality of the relationship between parent and child is important and affects cognitive development (Sethna, Perry, Domoney, Illes, Psychogiou, Rowbotham, Stein, Murray & Ramchandani, 2017), mental health (Suh, Fabricius, Stevenson, Parke, Cookston, Braver & Saenz, 2016), academic achievement (Lara & Saracostti, 2019; Cutrona, Cole, Colangelo, Assouline & Russell, 1994), and social development (Guajardo, Snyder & Petersen, 2009; Maccoby, 1992). Although there are significant risk factors that affect children's resilience negatively such as psychopathology in a parent (Fendrich, Warner & Weissman, 1990; Frick, Lahey, Loeber, Stouthamer-Loeber, Christ & Hanson, 1992), maltreatment and neglect (Mak, 2007; Radford, Corral, Bradley & Fisher, 2013; Sidebotham & Golding, 2001), hostile aggressive parenting (Stover, Urdahl & Easton, 2012) it is known that parental factors contribute to resilience in children and adolescents (Abu-Bader, Howell, Khalil & Elbedour, 2017; Aitcheson, Soleman; Nam, Kim, DeVlyder & Song, 2016).

In this study, parents availability is the time spent together with children, togetherness is activities done together, nurture disclosure is "nurturance through disclosure by the child to the parent of a variety of positive, negative, and neutral experiences", and another dimension parent as a mediator is "the extent to which the parent encourages or aids the child in maintaining peer relations" (Aroian, Hough, Templin & Kaskiri, 2008).

One study demonstrates that children who spend time with their mother and have a close relationship have fewer behaviour problems at school and home (Amato & Rivera, 1999). Booth and colleagues (2002) examined both the quantity and quality of the relationships between mothers and infants. In quantity they looked at the hours physically being with children and the place, while examining the quality, researchers observed the interaction with children and especially focused on the positive and negative responses of mothers such as shouting and annoyance. Research found that “the quality of the relationship doesn’t affect by the amount of time spent apart.”

2.13 Aims and Hypotheses

Diverse situations may negatively impact children and adolescents development and psychology. Although, these experiences have a strong power on individuals, it is known that some individuals can cope with diverse situations better than others while some individuals have a difficulty to adapt and overcome these experiences and as a result, they may become vulnerable to mental health challenges. Resilience helps individuals to easily cope with difficulties. So, it is crucial to take steps to investigate factors which have a positive and negative impact on resilience levels. This is no doubt significant for developing prevention and intervention programs.

In the literature, there are a few studies conducted with Syrian children and adolescents and a very few of them conducted to investigate Syrian children and adolescents psychological well-being with an actual focus on resilience. This study will investigate an under researched population. Studies conducted with this population mostly focuses on mental health challenges. This study’s main purpose is to investigate resilience and the factors may contribute resilience in this population. The aim of this study was to investigate the resilience in terms of perceived social support, peer relations, parent relations, depression, anxiety, stress, intrusion, avoidance, hyperarousal, emotional problems, PTSD, conduct problems, hyperactivity and prosocial behaviour. As far as we are aware, no other studies have looked at all these variables in a single study. The information obtained will be discussed in light of the literature and suggestions for future studies will be made.

The research questions of this study are as follows:

1. What is the relationship between resilience and socio-demographic variables?
2. What is the relationship between perceived social support, depression, anxiety, stress, peer relationships, parent relationship and resilience?
3. Does perceived depression, anxiety, stress levels and social support, peer relationships, parent relationship and individual strength and difficulties predict the level of resilience in Syrian refugee children and adolescents?

Hypothesis:

1. Perceived social support, prosocial behaviour, peer relationships and parent relationship are positively correlated with refugee children and adolescents' levels of resilience.
2. Children and adolescents who perceive higher levels of peer support, family support and individual support have higher levels of resilience.
3. Depression, anxiety, stress scores, emotional symptoms, conduct problems, hyperactivity/inattention, peer relationship problems are negatively correlated with refugee children and adolescents' levels of resilience.
4. Peer relationships, perceived social support and prosocial behaviour predict higher levels of resilience in children and adolescents.
5. Conduct problems, hyperactivity/inattention predict lower levels of resilience in children and adolescents.
6. Depression, anxiety, stress and PTSD scores predicts lower levels of resilience in children and adolescents.

CHAPTER III

METHOD

3.1 Participants

One hundred and thirty-three children participated in the study which included 74 boys and 59 girls. All children were aged between 10 and 18 years. Participants were recruited from an NGO called Syrian Forum. It is offering service in Istanbul, Austria, USA, Qatar and Lebanon. I contacted the NGO's İstanbul office to reach Syrian children. Children were eligible to participate in the study if they had no known intellectual disabilities, had no Autism diagnoses, were between the ages of 10 and 18, were born in Syria and now resided in Turkey. All the sample met the inclusion criteria and no children were excluded from the study.

3.2 Measures

Socio-Demographic Questionnaire, Impact of Event Scale-Revised, Depression, Anxiety and Stress Scale, The Multidimensional Scale of Perceived Social Support, Child and Youth Resilience Measure, Strengths and Difficulties Questionnaire and Family Peer Relationship Questionnaire were used in this study. In order to use these scales, written permission was obtained from the researchers who made the adaptation to Arabic. The psychometric properties of the scales can be found in Appendix 1.

3.2.1 Socio-Demographic Questionnaire

The Socio-Demographic Questionnaire was developed by the researcher. It includes a total of 18 questions related to children's demographical and social information, such as gender, birth date, children's attendance to the schools in Turkey and in Syria, family, friends, level of Turkish, past and/or present psychological illness and stressful events experienced.

3.2.2 Impact of Event Scale-Revised

The Impact of Event Scale (IES; Horowitz, 1979) is a 15 item self-report measure. It is not developed to use with children or to assess PTSD, but it is successfully used to assess PTSD in child and adolescent population (Joseph, 2000). In 1997, Weiss and Marmar revised the scale by adding seven items. Impact of Event Scale-Revised (IES-R; Weiss, 1997) is a widely used valid and reliable 22 item self-report measure that assesses the impact of a stressful event on aspects intrusion, avoidance and hyperarousal in individuals. This measure assesses symptoms during the past week. Each item is rated on a 0 = 'not at all', 1 = 'a little bit', 2 = 'moderately', 3 = 'quite a bit', 4 = 'extremely'. The scores can range from 0 to 88.

3.2.3 Depression, Anxiety and Stress Scale

Depression, Anxiety and Stress Scale (DASS-42; Lovibond and Lovibond, 1995) is a 42 item self-report instrument measuring depression, anxiety and stress symptoms in the last week. There are 14 items measuring depression, 14 items measuring anxiety and 14 items measuring stress. This is 4-point Likert scale in which respondents are asked to rate each item from 0 to 3 with 0 = 'did not apply to me at all', 1 = 'applied to me to some degree or for some of the time', 2 = 'applied to me to a considerable degree or for a good part of time', 3 = 'applied to me very much or most of the time'. The scores can range from 0 to 42 for each subdomain. The high scores indicate that the individual has higher scores on depression, anxiety and stress subdomains.

3.2.4 The Multidimensional Scale of Perceived Social Support

The Multidimensional Scale of Perceived Social Support (MSPSS; Zimet, Dahlem, Zimet and Farley, 1988) is a 12 item self-report instrument designed to measure perceptions of social support from family, friends and significant other. Each of the three scales contains 4 items. This is a 7-point Likert scale in which respondents are asked to rate each item from 1 to 7 with 1 = 'very strongly disagree', 2 = 'strongly disagree', 3 = 'mildly disagree', 4 = 'neutral', 5 = 'mildly agree', 6 = 'strongly agree', 7 = 'very strongly agree'. High score indicates high levels of perceived social support.

3.2.5 Child and Youth Resilience Measure

Child and Youth Resilience Measure (CYRM-12; Liebenberg, Ungar, Leblanc, 2013) is a brief 12 item self-report resilience instrument which designed for children between the ages 5 through 9 years old and for youth between the ages 10 through 23 years old. It is the short version of original 28 item Children and Youth Resilience Measure, developed with data collected from 1,451 child and adolescents in 11 different countries: Canada, China, Colombia, India, Israel, Palestine, Russia, Tanzania, the Gambia, United States of America and South Africa (Liebenberg et al., 2013). The questionnaire uses a 5-point Likert scale in which respondents are asked to rate each question from 1 to 5 with 1 = 'does not describe me at all', 2 = 'describes me a little bit', 3 = 'describes me moderately', 4 = 'describes me quite a bit', 5 = 'describes me extremely.' High score indicates high level of resilience.

3.2.6 Strengths and Difficulties Questionnaire

Strengths and Difficulties Questionnaire (SDQ; Goodman, Meltzer and Bailey, 1998) is a revised form of originally developed Strengths and Difficulties Questionnaire (SDQ; Goodman, 1997) for completion by parents and teachers of 4 to 16 year old children. The SDQ is 25 item self-report instrument designed to measure emotional symptoms, conduct problems, hyperactivity/inattention, peer relationships problems and prosocial behaviour in the past 6 months. It is developed for the completion of ages between 11 and 16. Respondents are asked to choose for each item from 'not true', 'somewhat true' and 'certainly true'.

3.2.7 Family Peer Relationship Questionnaire

Family Peer Relationship Questionnaire (FPRQ; Ellison, 1983) is developed to assess children's relationships with parents and peers. There are two versions of FPRQ: parent domain, for parents to complete and child domain, for children to complete. Parent domain of the FPRQ has three subscales: availability, togetherness and nurture-disclosure rated on a 5-point Likert scale on frequency of behaviours from 1 to 5 with 1 = 'never', 2 = 'a few times a year', 3 = 'about once a month', 4 = 'about once a

week', 5 = 'almost every day'. There are some questions about peer relationships such as number of friends, length of friendship rated on a 5-point Likert scale on frequency of behaviours from 1 to 5 with 1 = 'never', 2 = 'hardly ever', 3 = 'sometimes', 4 = 'often', 5 = 'always'.

3.3 Procedure

3.3.1 Translation of the Instruments

The translation of the information sheet, consent form and socio-demographic questionnaire into Arabic was undertaken by three native speakers. The finished responses were translated back into English by a psychology graduate Syrian living in Turkey. For the remaining six forms, the Arabic versions were used, which are approved reliability and validity tests.

3.3.2 Method

Ethical approval was obtained from Ibn Haldun University Social and Humanities Scientific Research and Publication Ethics Committee in order to carry out this research. The period for the data collection was from 19 October 2018 to 10 February 2019. Participants for the current study were sought via the Syrian Forum NGO. Employees from Syrian Forum contacted each family and child who met the study criteria via telephone to see if they were interested in participating in the study. They were provided a copy of the information sheet and consent form. A copy of this form can be found in Appendix 3. After the consent forms were collected from each participant, they became part of the study. The study was conducted in a quiet room that the Syrian Forum provided in its building in Istanbul. The self-reported seven questionnaires took approximately 45 minutes to complete for each participant.

3.4 Analyses

In socio-demographic variables, some suitable sub-groups were combined into a single group in order to keep the number of participants in the sub-groups close to each other.

The distribution of normality of the data was examined. It was chosen to use parametric tests in scales showing normal distribution and non-parametric tests in scales without normal distribution. In order to test socio-demographic variables, univariate methods are used which are frequency and descriptive analysis. Independent sample t-test is applied to determine difference between the research scale scores in the two-categorical variables. Variance analysis (ANOVA), were used for detecting differences between research scale scores in variables with more than two categories. Lastly, to identify the sources of differences between the groups Ordinary Least Square multiple regressions was used. Significance level was accepted as 0.05 in the statistical analysis.

In the regression analysis of the last hypothesis depression, anxiety, stress and PTSD were analysed separately because of having multi-collinearity effect with each other. Hence, while interpreting the results, it should be considered that R^2 and “Model p” values must be evaluated separately.

CHAPTER IV

RESULTS

In the coming chapter the socio-demographic characteristics of participants and the relationship between resilience and perceived social support, peer relationships, perceived social support, prosocial behaviour, conduct problems, hyperactivity, depression, anxiety, stress and PTSD will be presented.

4.1 Socio-Demographic Characteristics

Children were asked to report the stressful life events that they have experienced. The top five most experienced stressful life events were war at 67.7%, death of a loved or close one at 37.6%, peer problems at 15%, economic problems at 13.5%, followed by violation of private area is 6%. A detailed outline of the prevalence of stressful life events can be seen in Table 4.1.1.

Table 4.1.1. Prevalence of stressful life events

	<i>n</i>	%
Stressful life events		
War	90	67.7
Death of a loved or close one	50	37.6
Peer problems	20	15
Economic problems	18	13.5
Violation of private area	8	6.0
Exposure to physical violence	5	3.8
Naturel disasters	4	3.0

Table 4.1.1 Prevalence of stressful life events (continued)

	<i>n</i>	%
Serious traffic accident	4	3.0
Fire	3	2.3
Serious physical accident	2	1.5
Involuntary detained	2	1.5

n = number of participants, % = percentage

As shown in Table 4.1.2 there was no statistically significant differences across groups with respect to gender ($t(131) = .566, p = .57$), age ($F(2, 130) = .134, p = .89$), years living in Turkey ($F(2, 130) = .644, p = .52$), education status in Turkey ($t(131) = -.955, p = .34$), living status of parents ($t(131) = .541, p = .58$), number of siblings ($F(2, 130) = .852, p = .42$), having relatives in Turkey ($t(131) = -.375, p = .70$) and the level of resilience of children and adolescents.

Statistically significant differences were found in terms of education in Syria where children were going to school in Syria were found to be more resilient than children and adolescents who were not going to school while in Syria and the region participants living in Syria before they come to Turkey ($t(131) = 2,324, p = .02$).

Statistically significant differences were found in terms of education in Syria ($t(131) = 2,324, p = .02$), where children who went to school in Syria were found to be more resilient than children who did not going to school in Syria. Statistically significant differences were also found in terms of the region participants were living in Syria before they came to Turkey ($t(131) = 2,177, p = .031$). Children who lived in rural regions were found more resilient than children who lived in urban regions.

Table 4.1.2. Resilience scores according to socio-demographic data

	<i>n</i>	%	\bar{x}	<i>SS</i>
Gender				
Female	59	44.4	47.32	9.13
Male	74	55.6	48.25	9.86
Age				
10-13 years	25	18.8	47.00	9.67
14-15 years	65	48.9	47.93	9.77
16-18 years	43	32.3	48.18	8.97
Years living in Turkey				
0-3 years	191	33.8	47.02	10.27
4-6 years	157	63.9	48.09	9.05
7 years and above	17	2.3	53.00	7.93
Education status in Turkey				
Going to school	128	52.3	47.68	9.53
Not going to school	5	43.0	51.80	5.93
Education in Syria *				
Was going to school	115	86.5	48.58	8.95
Was not going to school	18	13.5	43.11	11.27
Region in Syria *				
Rural	7	5.3	40.28	12.25
Urban	124	93.2	48.17	9.16
Living status of parents				
At least one parent dead	10	7.5	49.40	5.81
Both parents alive	123	92.5	47.71	9.68
Number of siblings				
0 to 3 siblings	36	27.1	49.16	9.33
4 to 6 siblings	81	60.9	47.71	8.66
7 siblings and above	16	12.0	45.50	13.04

Table 4.1.2. Resilience scores according to socio-demographic data (continued)

	<i>n</i>	%	\bar{x}	<i>SS</i>
Has relatives in Turkey				
Yes	116	87.2	47.72	9.55
No	17	12.8	48.64	8.83

n = Number of participants, % = percentage, \bar{x} = mean, *SS* = standard deviation

4.2 Correlations between Resilience and Perceived Social Support, Intrusion, Avoidance, Hyperarousal, Emotional Symptoms, Conduct Problems, Hyperactivity/Inattention, Peer Relationship Problems, Prosocial Behaviour and Parental Relationship

As shown in the Table 4.2.1, there was a positive correlation between resilience and Multidimensional Scale of Perceived Social Support $r = 0.413$ ($p < .01$), significant other $r = 0.311$ ($p < .01$), family $r = 0.434$ ($p < .01$) and friend $r = 0.271$ ($p < .01$) scales. The higher the level of Multidimensional Scale of Perceived Social Support total score, perceived social support from significant other, from family, and from friends, the higher the level of the resilience observed in children and adolescents.

Table 4.2.1. The relationship between perceived social support and resilience

Perceived social support scale and subscales		Resilience
Multidimensional Scale of Perceived Social	<i>r</i>	0.413
Support total score	<i>p</i>	0.000**
Significant other subscale	<i>r</i>	0.311
	<i>p</i>	0.000**
Family subscale	<i>r</i>	0.434
	<i>p</i>	0.000**
Friends subscale	<i>r</i>	0.271
	<i>p</i>	0.002**

** $p < .01$

As shown in Table 4.2.2, there was a negative correlation between resilience and depression $r = -0.350$ ($p < .01$), anxiety $r = -0.433$ ($p < .01$) and stress $r = -0.328$ ($p < .01$). The pattern of correlations indicated that the lower the level of depression, anxiety, stress, the higher the level of resilience in children and adolescents.

Table 4.2.2. The relationship between depression, anxiety, stress and resilience

Depression, Anxiety and Stress		Resilience
Depression	<i>r</i>	-0.350
	<i>p</i>	0.000**
Anxiety	<i>r</i>	-0.433
	<i>p</i>	0.000**
Stress	<i>r</i>	-0.328
	<i>p</i>	0.000**

** $p < .01$

As illustrated in Table 4.2.3, there was a significant negative correlation between resilience and Impact of Events Scale-Revised total score $r = -0.310$ ($p < .01$), intrusion $r = -0.360$ ($p < .01$), avoidance $r = -0.321$ ($p < .01$) and hyperarousal $r = -0.355$ ($p < .01$). The pattern of correlations indicated that the lower the level of total score of the Impact of Events Scale-Revised, intrusion, avoidance, and hyperarousal the higher the level of resilience was in children and adolescents.

Table 4.2.3. The relationship between intrusion, avoidance, hyperarousal, Impact of Events Scale-Revised total score and resilience

Impact of Events Scale-Revised and subscales	Resilience	
Impact of Events Scale-Revised total score	<i>r</i>	-0.310
	<i>p</i>	0.000**

Table 4.2.3. The relationship between intrusion, avoidance, hyperarousal, Impact of Events Scale-Revised total score and resilience (continued)

Impact of Events Scale-Revised and subscales		Resilience
Intrusion	<i>r</i>	-0.360
	<i>p</i>	0.000**
Avoidance	<i>r</i>	-0.321
	<i>p</i>	0.000**
Hyperarousal	<i>r</i>	-0.355
	<i>p</i>	0.000**

** $p < .01$

As observed in Table 4.2.4., there was a significant negative correlation between resilience and emotional problems $r = -0.284$ ($p < .01$). The pattern of correlations indicated that the lower the level of emotional problems, the higher the level of resilience was in children and adolescents. There were no statistically significant relationships between resilience and conduct problems $r = -0.009$, $p = .919$, hyperactivity $r = 0.132$, $p = .131$, peer problems $r = 0.154$, $p = .078$ and prosocial behaviour $r = -0.032$, $p = .716$.

Table 4.2.4. The relationship between emotional problems, conduct problems, hyperactivity, peer problems and resilience

SDQ scale and subscales		Resilience
Emotional problems subscale	<i>r</i>	-0.284
	<i>p</i>	0.001**
Conduct problems subscale	<i>r</i>	-0.009
	<i>p</i>	0.919
Hyperactivity subscale	<i>r</i>	0.132
	<i>p</i>	0.131
Peer problems subscale	<i>r</i>	0.154
	<i>p</i>	0.078

Table 4.2.4. The relationship between emotional problems, conduct problems, hyperactivity, peer problems and resilience (continued)

SDQ scale and subscales		Resilience
Prosocial subscale	<i>r</i>	-0.032
	<i>p</i>	0.716

***p* < .01

As illustrated in Table 4.2.5, there was a positive relationship between resilience and togetherness with parent $r = 0.314$ ($p < .01$), parent as a mediator $r = -.329$ ($p < .01$) and peer relations $r = 0.388$ ($p < .01$). The pattern of correlations indicated that the higher the level of togetherness with parent, parent as a mediator and peer relations, the higher the level of resilience was in children and adolescents. There was no statistically significant relationship between resilience and nurture disclosure $r = 0.155$ ($p = .095$).

Table 4.2.5. The relationship between family relation, peer relations and resilience

FPRQ scale and subscales		Resilience
Togetherness subscale	<i>r</i>	0.314
	<i>p</i>	0.001**
Nurture disclosure subscale	<i>r</i>	0.155
	<i>p</i>	0.095
Peer relations	<i>r</i>	0.388
	<i>p</i>	0.000**
Parent as a mediator subscale	<i>r</i>	0.329
	<i>p</i>	0.000**

***p* < .01

4.3 Impact of Peer Relationships, Perceived Social Support, Prosocial Behaviour, Conduct Problems, Hyperactivity, Depression, Anxiety, Stress and the PTSD on the Resilience of Children and Adolescents

Ordinary Least Square (OLS) regression analysis was conducted to examine the impact of perceived social support from family, friend, significant other, togetherness with parent, prosocial behaviour and peer relations on the resilience scores of participants. This model was statistically significant and found to predict 45% of the cases ($R^2 = 0.449$, $F(6, 127) = 5,38$; $p < .01$).

As shown in Table 4.3.1. perceived social support from family has the strongest impact on resilience (β score 0.387). As perceived social support from family increases resilience also increases. According to the model, peer relations has the second strongest impact on resilience as peer relations increase, resilience also increases (β score 0.248).

Table 4.3.1. Impact of peer relationships, perceived social support and prosocial behaviour on the resilience of children and adolescents

Dependent Variable	Independent Variables	β	<i>Std. β</i>	<i>p</i>	F	Model (<i>p</i>)	R^2
Resilience	Constant	14.942	-	0.000	5.382	0.000**	0.449
	Perceived social support from friend	-0.153	-0.026	0.780			
	Perceived social support from family	2.314	0.387	0.000**			
Resilience	Perceived social support from significant other	0.230	0.044	0.665			

Table 4.3.1. Impact of peer relationships, perceived social support and prosocial behaviour on the resilience of children and adolescents (continued)

Dependent Variable	Independent Variables	β	<i>Std. β</i>	<i>p</i>	F	Model (<i>p</i>)	R²
Resilience	Prosocial Behaviour	-0.765	-0.141	0.102			
Resilience	Togetherness	1.385	0.131	0.150			
Resilience	Peer Relations	2.200	0.248	0.005**			

** $p < .01$

Table 4.3.2. shows the impact of conduct problems and hyperactivity measures on participant's resilience scores. This model is statistically significant and predicts 18.5% of the cases ($R^2=0.185$, $F(2, 131) = 3,66$; $p < .01$). Hyperactivity was found to significantly impact resilience scores as hyperactivity increased, resilience scores decreased ($p = .024 < 0.05$). As hyperactivity increase, resilience decrease ($\beta = -1.057$). Conduct problems were not found to significantly predict resilience scores ($p = .205 > 0.05$).

Table 4.3.2. Impact of conduct problems and hyperactivity on the resilience of children and adolescents

Dependent Variable	Independent Variables	β	<i>Std. β</i>	<i>p</i>	F	Model (<i>p</i>)	R²
Resilience	Constant	24.705	-	0.012	3.662	0.000**	0.185
	Conduct Problems	-0.658	-0.117	0.205			
Resilience	Hyperactivity	-1.057	-0.223	0.024*			

* $p < .05$, ** $p < .01$

Table 4.3.3. shows the effects of depression, anxiety, stress and PTSD scores on resilience levels of participants. The model is statistically significant and predicts 28% of the cases ($R^2 = 0.282$, $F(1, 132) = 4,67$; $p < .01$). Depression has the strongest impact on resilience ($\beta = .326$). As depression levels increase resilience decreases. The model for anxiety is statistically significant and predicts 30% of the cases ($R^2 = 0.301$, $F(1, 132) = 5,11$; $p < .01$). According to the model, anxiety has the second strongest impact on resilience as anxiety increase, resilience decreases ($\beta = .391$). The model for stress is statistically significant and predicts 27% of the cases ($R^2 = 0.279$, $F(1, 132) = 4,59$; $p < .01$). As stress increase, resilience decrease ($\beta = .332$). The model of PTSD is statistically significant and predicts %28 of the cases ($R^2 = 0.277$, $F(1, 132) = 4,55$; $p < .01$). As PTSD increase, resilience decrease ($\beta = .041$).

Table 4.3.3. Impact of depression, anxiety, stress and PTSD on the resilience of children and adolescents

Dependent Variable	Independent Variable	β	<i>Std. β</i>	<i>p</i>	Constant	F	Model (p)	R²
Resilience	Depression	-0.325	-0.353	0.000**	24.653	4.676	0.000**	0.282
Resilience	Anxiety	-0.391	-0.379	0.000**	25.685	5.113	0.000**	0.301
Resilience	Stress	-0.332	-0.349	0.000**	26.701	4.594	0.000**	0.279
Resilience	PTSD	-0.164	-0.041	0.000**	28.042	4.552	0.000**	0.277

CHAPTER V

DISCUSSION

The study was comprised of three specific aims (i) to examine the relationship between resilience and socio-demographic characteristics, (ii) to examine the relationship between resilience and perceived social support, depression, anxiety, stress, peer relationships and parent relationship, (iii) to examine how depression, anxiety, stress, perceived social support, peer relationships and individual strength and difficulties predict resilience.

In this section, the findings will be evaluated within the framework of the relevant literature and the limitations of the research and recommendations for future studies will be presented.

5.1 The Relationship between Resilience and Socio-Demographic Characteristics

5.1.1 The Relationship between Resilience and Gender

In the current study, resilience scores did not differ with respects to gender. A study conducted with Palestinian children reported that girls are more resilient than boys (Thabet & Thabet, 2015). Another study conducted with asylum seeking adolescents reported that boys are more resilient than girls (Hodes, Jagdev, Chandra & Cunniff, 2008). Meanwhile, other studies report no significant differences in gender in both normal (Goel, Amatya, Jones & Ollendick, 2013), immigrant (Flores, Cicchetti & Rogosch, 2005; Correa-Velez, Gifford & McMichael, 2015) and Syrian refugee children (Panter-Brick, Hadfiels, Dajani, Eggerman, Ager & Ungar, 2018). Research on the role of gender on the resilience of Syrian refugee children and adolescents is limited.

5.1.2 The relationship between Resilience and Age

In the current study, resilience scores did not differ in terms of age. As far as we are aware, although studies have not examined this factor in Syrian children and adolescents before, this finding is consistent with some of the resilience studies conducted with children and adolescent populations (Murad & Abdelaziz, 2017; Ziaian, De Anstiss, Antoniou, Baghurst & Sawyer, 2012). One study conducted with 400 adolescents including 200 males and 200 females between the ages of 15-18 years did not find a difference in resilience levels in terms of adolescents age (Murad & Abdelaziz, 2017).

5.1.3 The relationship between Resilience and Years Living in Turkey

In the current study, resilience scores did not differ in terms of the number of years children and adolescents were living in Turkey. As far as we are aware, studies have not examined this factor in Syrian children and adolescents before. This finding is consistent with a few studies that examine resilience in youth (Correa-Velez, Gifford & McMichael, 2015) and adult (Arnetz, Rofa, Arnetz, Ventimiglia & Jamil, 2013) refugee populations. Arnetz and colleagues (2013) found that resilience scores did not differ in terms of the time from entry to resettlement country. In contrast, Ziaian and colleagues (2012) investigated resilience in 170 refugee adolescents aged between 13-17 years and found that adolescents living up to five years in the country of resettlement had lower resilience than adolescents living in the country of resettlement for more than five years.

5.1.4 The Relationship between Resilience and Region in Syria

In the current study, with regards to resilience levels, children and adolescents who were living in rural regions in Syria were found to be more resilient than children and adolescent who were living in urban regions. As far as we are aware, studies have not examined this factors effect on resilience of Syrian children and adolescents before. One study examined resilience in refugee adolescents from Africa, the Middle East and the Former Yugoslavia and found that region of origin does not have an impact on

resilience levels of adolescents (Ziaian, de Anstiss, Antoniou, Baghurst & Sawyer, 2012). Rural communities feel the effect of war more slowly than those living in urban regions (Ensminger, 1943). Similarly, when the Syrian Civil War first started the target was the two major cities: Damascus and Aleppo and because of this, Syrian children and adolescents coming from rural regions may have higher levels of resilience. Hegney and colleagues (2007) examined resilience in individuals living in rural regions of Australia and found that family ties, cultural characteristics, being hard-working and being tough in the face of adversity are some of the resilience promoting factors in these individuals. Similarly, family ties may be stronger in children and adolescents who were living in rural areas before migration, also their cultural values and individual characteristics such as being tough and being hard-working might encourage them to overcome difficulties.

5.1.5 The Relationship between Resilience and Education Status in Syria

In the current study, children and adolescents who went to school in Syria were more resilient than children who did not attend school in Syria. Children and adolescents who attended school in Syria have an understanding of the school system (Bettmann, Taylor, Gamarra, Wright, & Mai, 2017) and this may help them to adapt another school system easily. According to Sirin and Rogers-Sirin (2015), “children who are not formally educated are more likely to feel marginalized and hopeless.” So, children who were going to school in Syria may be more hopeful and may feel less discrimination in the country of resettlement which can lead to higher resilience levels in these children than their non-educated peers before immigration. In addition, children’s access to education was disrupted because of the Syrian Civil War.

According to the Syrian Centre for Policy Research 2 years after the start of the conflict, almost 51% of Syrian children’s access to education disrupted and these children were unable to attend schools (Syrian Centre for Policy Research, 2015). So, duration of resettlement in Turkey can be a significant factor that affects this finding. These children and adolescents might be in the 49% which had access to the education while in Syria, or some of them might have been resettled to Turkey before education was disrupted in their territories.

5.1.6 The Relationship between Resilience and Education Status in Turkey

In the current study, with regards to resilience levels, children and adolescents who are going to school in Turkey did not differ from children who were absent from schooling in Turkey. The findings of previous studies are divisive with regards to gender differences in resilience (Abu-Amsha & Armstrong, 2018; Hadfield, Ostrowski & Ungar, 2017). Education status in the resettlement country was found to be significant in a few studies conducted with both Syrian refugee children (Hadfield, Ostrowski & Ungar, 2017) and refugee other children (Kia-Keating & Ellis, 2007) Abu-Amsha and Armstrong (2018) compared Syrian refugee children aged between 8-12 years who continued a formal education in the country of resettlement with children who did not continue formal education but were engaged in informal education. Although education is seen as a resilience promoting factor in the literature, they reported that education may not play such an important role in resilience of refugee children because of a variety of challenges such as language barriers, discrimination from peers and teachers and lack of support (Abu-Amsha & Armstrong, 2018).

5.1.7 The Relationship between Resilience and Living Status of Parents

In the current study, resilience scores did not differ in terms of whether or not a child's parents were alive. Although there are studies in the literature that indicates that death of an important person is a risk factor for mental health challenges in Syrian children and adolescents (Gormez, et. al., 2018) and refugee children and adolescents (Papageorgiou et al., 2000), as far as we are aware, studies have not examined the effect of parental death in resilience in Syrian children and adolescents. An examination of the literature pertaining to children, indicates that children who have lost one of the parents have more psychological challenges than those who have not lost their parents (Dowdney, 2000; Sandler, Reynolds, Kliwer & Ramirez, 1992). Although, parental death plays a significant role on a child's resilience level, relationship with alive parent can be a protective factor (Howell, Barrett-Becker, Burnside, Wamser-Nanney, Layne & Kaplow, 2015).

5.1.8 The Relationship between Resilience and Number of Siblings

In the current study, resilience scores did not differ in terms of the number of siblings in a child's family. As far as we are aware, studies have not examined the direct effect of this factor on resilience of Syrian children population. Şengün and Öğretir (2018) investigated 256 Syrian children and adolescents aged between 8-18 years old and found that as the number of siblings increase, the level of empathy increases. In contrast, Ghannam and Thabet (2014) examined 400 Palestinian adolescents and found that children who had more siblings had less resilience. Another study, conducted with 764 high school students, found that the number of siblings in a child's family did not impact resilience levels (Gündaş, 2013). Yöndem and Bahtiyar (2016) investigated resilience in 328 college students between 13-18 years old and reported that resilience scores did not differ in terms of the number of siblings.

5.1.9 The Relationship between Resilience and Having Relatives in Turkey

In this study, no significant differences were found in terms of having relatives in Turkey. As far as we are aware, studies have not examined this factors' direct effect on the resilience of Syrian children. It is known that individuals whose relatives are left in Syria or who lost their relatives unexpectedly, had higher levels of stress (United Nations Human Rights Council, 2013). One study that investigated psychological well-being of nursing students and found that students who are living with their relatives had lower resilience than those who are living with their birth families (Aydın, Kahraman & Hiçdurmaz, 2017). Although relationship with relatives can contribute to psychological well-being of individuals, relationship with parents and friends may buffer the absence of relatives.

5.2 Correlations between Resilience and Perceived Social Support, Intrusion, Avoidance, Hyperarousal, Emotional Symptoms, Conduct Problems, Hyperactivity/Inattention, Peer Relationship Problems, Prosocial Behaviour and Parental Relationship

5.2.1 The Relationship between Perceived Social Support and Resilience

In the current study, as predicted, it was found that there was a significant positive relationship between resilience and perceived social support from family, friends, significant others and total perceived support. As children's perceived social support from family, friends and significant others increased, resilience also increased. This finding is consistent with the literature (Oppedal, Özer & Sirin, 2018). Oppedal, Özer and Sirin (2018) investigated 258 Syrian children living in a refugee camp in Turkey and reported that higher levels of perceived social support contribute to their levels of resilience. Sierau and colleagues (2018) investigated 105 Syrian and Afghan adolescents between ages 14-19 and found that lower levels of perceived social support causes mental health challenges. In another study, Merhi and Kazarian (2012) investigated 221 Lebanese individuals aged between 21-75 years and found that perceived social support from families, friends and significant others enhances individuals psychological well-being. Similarly, another study conducted to assess perceived social support's role on resilience of 95 first year university students between ages 17-19 and reported that students who perceive higher levels of social support also had higher resilience (Dawson & Pooley, 2013). In another study 207 Israeli and Arab undergraduate students were compared and it was found that as perceived social support increased, psychological well-being of students also increases (Ben-Ari & Gil, 2004). Aydin and colleagues (2017) conducted a study to assess university students' resilience and reported that perceived social support from friends, family and significant others significantly predicted resilience.

Perceived social support in the classroom promotes school success in elementary school minority children (Elias & Haynes, 2008) Social support also indirectly enhances refugee children's coping with discrimination (Oppedal & Idsoe, 2015). Perceived social supports' role on coping skills and academic success may influence

resilience in Syrian children. Studies show that social support helps children and adolescents cope with stress and new situations (Sandler, Miller, Short & Wolchik, 1989) and reduces mental health challenges (Nho, Yoon, Seo & Cui, 2019; Reavell & Fazil, 2016), and is therefore thought to increase resilience levels.

5.2.2 The Relationship between Depression, Anxiety, Stress and Resilience

In the current study, as predicted, it was found that there was a significant negative relationship between resilience and depression, anxiety and stress. As children's level of depression, anxiety and stress increased, resilience levels decreased. This finding is consistent with the literature (Perkins et al., 2018). Perkins and colleagues (2018) examined 492 Syrian children ages between 8-15 years and found that psychological well-being is affected in children with PTSD, depression and anxiety. In a study by Nam and colleagues (2016) 304 North Korean adult refugees were examined. It was found that the probability of clinical depression decreases as resilience increases. In another study, resilience in 7639 adolescents between ages 13-18 were investigated and it was found that resilience factors protect adolescents against developing depression and anxiety symptoms (Skrove, Romundstad & Indredavik, 2012). Resilience decreases negative emotions (Samani, Jokar & Sahragard, 2007) and this can cause mental health problems to decrease. Having poor coping mechanisms can be a factor for the occurrence of mental health problems (Gloria & Steinhardt, 2014) such as depression, anxiety and stress, and this can lead to lower resilience levels. Poverty can cause mental health challenges in children (Beiser, Hou, Hyman & Tousignant, 2002), and children and adolescents who experience poverty may have higher levels of depression, anxiety, stress and resilience levels might be low.

5.2.3 The Relationship between Intrusion, Avoidance, Hyperarousal, Impact of Events Scale-Revised Total Score and Resilience

In the current study, as predicted, it was found that there was a significant negative relationship between resilience and intrusion, avoidance, hyperarousal and the Impact of Events Scale total score. As children's levels of intrusion, avoidance and hyperarousal increased, resilience levels decreased. Although, there are studies in the

literature investigating intrusion, avoidance, hyperarousal symptoms in Syrian refugee children and adolescents (Gormez, et. al., 2018; Perkins et al., 2018; Gormez, Kilic, Orengul, Demir, Mert, Makhoulta, Kinik & Semerci, 2017) as far as we are aware, there are no studies looking at the direct relationship of these symptoms with resilience in Syrian children. In one study conducted to assess post traumatic growth in 111 refugee adolescents aged between 12-17 years, no relationship was found with intrusion and post traumatic growth (Sleijpen, Haagen, Mooren & Kleber, 2017). In another study, 95 Bosnian refugee children aged between 8-13 years were examined and it was found that as the number of traumatic experiences increase, intrusion and avoidance scores also increase in these children (Papageorgiou et al., 2000). Because higher intrusion and avoidance levels can cause mental health problems, resilience levels of Syrian children may be affected by this. Intrusion causes children to remember unwanted experiences and brings up with emotions such as guilt, shame, helplessness and disgust. These emotions, occurring after intrusions, may also cause lower levels of resilience.

5.2.4 The Relationship between Emotional Problems, Conduct Problems, Hyperactivity, Peer Problems and Resilience

In this study, in contrast to our hypothesis, there were no significant relationships between resilience and conduct problems, hyperactivity, peer problems, prosocial behaviour. Family support and access to education can reduce negative effects of hyperactivity in children (Modesto-Lowe, Yelunina & Hanjan, 2011; Dvorsky & Langberg, 2016). Positive parenting can be a protective factor for conduct problems (Vanderbilt-Adriance, Shaw, Brennan, Dishion, Gardner & Wilson, 2015) and peer problems (Stadler, Feifel, Rohrman, Vermeiren & Poustka, 2010). As predicted, a significant negative relationship was found between resilience and emotional problems, whereby as emotional problems increased, resilience levels were found to decrease. As far as we are aware, there is no studies looking at the direct relationship of these symptoms with resilience in Syrian children, but this finding is consistent with the literature on emotional problems and resilience in refugee children and adolescents (Ziaian, De Anstiss, Antoniou, Baghurst & Sawyer, 2012; Zwi, Woodland, Williams, Palasanthiran, Rungan, Jaffe & Woolfenden, 2017). Ziaian and colleagues (2012)

reported that refugee adolescents suffering from emotional problems had lower resilience than adolescents who did not suffer from emotional problems. In a recent study conducted with 51 Chinese adolescents, it is reported that as resilience increases, emotional problems decreased (Huang, Chen, Greene, Cheung & Wei, 2019). As Derluyn and colleagues (2008) indicate, the number of exposed traumatic events and current situation of living can cause emotional problems in immigrant children and adolescents. Children and adolescents who experienced more traumatic events may become less resilient because of their vulnerability to develop more emotional problems.

5.2.5 The Relationship between Parent Relation, Peer relations and Resilience

In this study, contrary to expectations, it was observed that there was no significant relationship between nurture disclosure and resilience. As predicted, a significant positive relationship was found between togetherness, peer relations, parent as a mediator and resilience. As togetherness, peer relations and parent as a mediator levels increase, resilience also increases. This finding is consistent with the literature (Fayyad, et. al., 2016).

In their study, Panterbrick and colleagues (2018) compared Syrian refugee adolescents and Jordanian non-refugee adolescents. They reported that relationship with family was an important predictor of their access to social sources. Because family relations help adolescent relationship with outside world, this may be a cause of higher resilience levels (Panter-Brick, Hadfield, Dajani, Eggerman, Ager & Ungar, 2017). In one study on resilience, 710 war exposed adolescents between grades of 7-12 were examined, and “parental support, parents spending time with adolescents and having non-irritable or not sad parents” was found as important promoting factors of resilience in adolescents (Fayyad et al., 2016).

Daud and colleagues (2018) examined Syrian children aged between 9-15 living in Turkey and illustrated the importance of strengthening children’s peer and family relationships to enhance resilience. Peer and caregiver relationships are important for immigrant children and adolescents adjustment and resilience because these

relationships serve children's self-confidence, belonging and sense of safety (Juang, Simpson, Lee, Rothman, Titzmann, Schachner, Korn, Heinemeier & Betsch, 2018). These factors may also have an effect on Syrian children's resilience. Also, children can find the support in peers and family to cope with the stress of displacement (Elbedour, Bensel & Bastiel, 1993; Betancourt & Khan, 2008).

5.3 Evaluation of Findings for Predictors of Resilience

5.3.1 Impact of Togetherness, Peer Relationships, Perceived Social Support and Prosocial Behaviour on the Resilience of Children and Adolescents

In this study, the predictive effects of togetherness, perceived social support from friend, perceived social support from significant others and prosocial behaviour in resilience was not found to be significant. The predictive effects of peer relations, perceived social support from family in resilience was found to be significant. It is observed that having peer relations and perceived social support from family increases children's resilience levels. In one study conducted to assess resilience in refugee adolescents living in Australia, it is reported that peer problems negatively affect resilience in adolescents (Ziaian, De Anstiss, Antoniou, Baghurst & Sawyer, 2012). Negative experiences with peers such as bullying and rejection have an impact on the mental health of children and adolescents (Gazelle & Druhen, 2009; Chang, Lee, Chiu, Hsi, Huang, & Pan, 2013). As Chang and colleagues (2013) reported, depression was found to be higher in bullied adolescents. So, this can be a risk factor which lowers resilience in children and adolescents. Klima and Repetti (2008) conducted a longitudinal study which assessed peer relations in children from fourth grade through sixth grade and reported that children who experience a discrimination by peers develop more externalizing and internalizing symptoms, and this may be a factor for peer relations importance in predicting resilience. Cheng and Furnham (2002) examined 90 adolescents aged between 16-18 and found that peer relations impact adolescent's happiness. Increasing happiness as a result of peer relations may help children to cope with adverse situations. Also, because self-confidence (Gorsy & Panwar, 2015) and self-esteem (Laible, Carlo & Roesch, 2004) are related with peer

relations, these factors may also have an impact on resilience of children and adolescents.

Gez (2018) examined perceived social support and resilience in 147 Syrian refugee children and reported that social support perceived from the family has an impact on children's psychological well-being. Daud and colleagues (2008) examined 80 refugee children aged between 6-17 and reported that supportive family relations predicts resilience in children and adolescents. In another study, Thabet and colleagues (2009) investigated 412 children aged between 12-16 years who live in Gaza and found that perceived parenting support is a protective factor for mental health problems in children and adolescents. Perceived social support from family predicts positive relations with others and psychological well-being in 300 nursing students in Turkey (Aydin, Kahraman & Hicdurmaz, 2017). Perceived social support from family's role on relations with others may predict resilience in youth, children and adolescents with giving them sources to cope with life challenges through their ability to establish healthier relationships with others. In children and adolescents who perceive family support, loneliness scores were lower (Zhao, Li, Fang, Zhao, Hong, Lin & Stanton, 2011). Feeling of not being lonely can help children to overcome difficulties and this factor can enhance resilience.

5.3.2 Impact of Conduct Problems and Hyperactivity on the Resilience of Children and Adolescents

In this study, the predictive effect of conduct problems on resilience was not found to be significant. Hyperactivity was found to significantly impact resilience scores. As hyperactivity increased, resilience scores decreased. This finding is consistent with the research conducted with non-Syrian immigrant children (Ziaian et al., 2012). No similar study has been conducted with a Syrian refugee population. In one study, 170 refugee adolescents aged between 13-17 years were examined and it was found that as children's levels of hyperactivity increase, resilience decreases (Ziaian et al., 2012). Another study found that hyperactivity is associated with learning difficulties in a refugee children sample (Rousseau, Drapeau & Corin, 1996). So, children who had hyperactivity may experience difficulties in learning and this challenge can cause the

decrease in their resilience levels. Cotter and colleagues (2019) compared immigrant and non-immigrant children and adolescents and reported higher hyperactivity levels in immigrant children compared to non-immigrant children. Also, add that this finding may be a reflection related to difficulties adapting to the new environment and “a need to seek acceptance and affirmation from their new peer groups” (Cotter, Healy, Ni Cathain, Williams, Clarke & Cannon, 2019). In another study conducted to assess resilience of 45 adolescents aged between 12-17, with attention deficit hyperactivity disorder it was found that attention deficit hyperactivity disorder predicted lower levels of resilience in adolescents (Regalla, Segenreich, Guilherme & Mattos, 2019). Similarly, a study compared 20 adolescents with attention deficit hyperactivity disorder with 12 normal developing adolescents and reported that adolescents in the ADHD group had lower resilience than the control group (Regalla, Guilherme, Aguilera, Serra-Pinherio & Mattos, 2015).

5.3.3 Impact of Depression, Anxiety, Stress and PTSD on the Resilience of Children and Adolescents

In this study, as expected, the predictive effects of depression, anxiety, stress and PTSD scores on resilience was found to be significant. As depression, anxiety, stress and PTSD levels increase resilience decreases. This finding is consistent with studies conducted with non-immigrant children (Hjemdal, Aune, Reinfjell, Stiles & Friborg, 2007; Hjemdal, Vogel, Solem, Hagen & Stiles, 2010). Hjemdal and colleagues (2010) examined resilience in 307 Norwegian children aged between 14-18 and found that higher resilience levels predict lower levels of depression and anxiety in children. Yayan and colleagues (2020) evaluated 1115 Syrian children aged 9-15 years and found that there is a significant relationship between depression, anxiety and stress in this population. Aitcheson and colleagues (2017) examined factors which contributed to the resilience in 335 Palestinian adolescents between 17-19 years and living in Gaza and found that resilient children almost had no depression or anxiety symptoms. Aitcheson’s study also shows that factors such as optimism, coping-skills and family coherence are predictors of resilience (Aitcheson et al., 2017). Despite mental health challenges such as depression, anxiety, stress and PTSD, children and adolescents still can be resilient with the help of other factors. Nam and colleagues (2016) examined

304 adult refugees and indicate that higher levels of resilience predicted lower levels of clinical depression. In another study, 426 Congolese adult refugees were examined and resilience was found as a stronger predictor of post traumatic symptoms in refugees (Ssenyonga, Owens & Olema, 2013). If depression is not detected earlier, in adolescence it may be seen as an anger outburst. Anger outbursts may affect resilience because it may harm the relationship with family and friends. Also, depression and anxiety may cause lower life satisfaction, positive perception, sense of purpose and this can also affect resilience.

5.4 Conclusion

In conclusion, children and adolescents who were living in rural regions in Syria and who went to school in Syria were found to be more resilient than children who were living in urban regions and had not gone to school in Syria. As a result of correlation analyses, positive relationships were found between resilience and perceived social support, togetherness, peer relations and parent as a mediator. In contrast, there was a negative relationship between resilience and depression, anxiety, stress, intrusion, avoidance, hyperarousal and emotional problems. There was no significant relationship found between resilience and conduct problems, hyperactivity, peer problems, prosocial behaviour and nurture disclosure. As a result of regression analysis, it is found that peer relations, perceived social support from family, hyperactivity, depression, anxiety, stress and PTSD predicts children and adolescents resilience. The hypotheses in this study were mostly confirmed.

5.5 Limitations and Future Research

In this study, a cross-sectional analysis was conducted to examine only a single period of the lives of individuals aged 10-18 years. In future studies, resilience levels can be examined by longitudinal studies in which individuals are following from childhood into adulthood and later life. Longitudinal studies can provide the information about the resilience in adulthood and even old age. This study has no control group. Future studies can conduct a similar research with a control group. A similar study may be

conducted with different risk groups, different age groups or with adding control groups.

In future cross-sectional studies, more detailed socio-demographic information can be obtained such as the name of the cities children and adolescents were living in pre-migration and parental education status. Also, detailed information about the experiences in migration and post-migration phases can be obtain from families of children and adolescents. Also, in this study only the relationship with mothers is included. Future studies could also include the relationship with fathers to understand parental relationships impact on resilience.

The results of this research indicate that perceived social support from family predicted higher levels of resilience. Because the impact of perceived social support from family is important for resilience, training programs can be arranged for families with children. Also, if the problems and challenges of Syrian families are well followed, and if families have support resources for their problems this may reduce displacement related stress and may enhance resilience of children indirectly.

REFERENCES

- Abbey, A., Abramis, D. J., & Caplan, R. D. (1985). Effects of Different Sources of Social support and Social Conflict on Emotional Well-Being. *Basic and Applied Social Psychology*, 6(2), 111–129.
https://doi.org/doi:10.1207/s15324834basp0602_2
- Abu-Amsha, O., & Armstrong, J. (2018). Pathways to Resilience in Risk-Laden Environments: A Case Study of Syrian Refugee Education in Lebanon. *JOURNAL ON EDUCATION IN EMERGENCIES Source: Journal on Education in Emergencies*, 4(1), 45–73. <https://doi.org/10.17609/s563-0t15>
- Acarturk, C., Cetinkaya, M., Senay, I., Gulen, B., Aker, T., & Hinton, D. (2018). Prevalence and predictors of posttraumatic stress and depression symptoms among syrian refugees in a refugee camp. *Journal of Nervous and Mental Disease*, 206(1), 40–45. <https://doi.org/10.1097/NMD.0000000000000693>
- Acarturk, C., Konuk, E., Cetinkaya, M., Senay, I., Sijbrandij, M., Cuijpers, P., & Aker, T. (2015). Emdr for syrian refugees with posttraumatic stress disorder symptoms: Results of a pilot randomized controlled trial. *European Journal of Psychotraumatology*, 6(May). <https://doi.org/10.3402/ejpt.v6.27414>
- Adler, L. A., Kunz, M., Chua, H. C., Rotrosen, J., & Resnick, S. G. (2004). Attention-deficit/hyperactivity disorder in adult patients with posttraumatic stress disorder (PTSD): is ADHD a vulnerability factor? *Journal of Attention Disorders*, 8(1), 11–16. <https://doi.org/10.1177/108705470400800102>
- Agaibi, C. E., & Wilson, J. P. (2005). Trauma, PTSD, and Resilience: A Review of the Literature. *Trauma, Violence, & Abuse*, 6(3), 195–216.
<https://doi.org/10.1177/1524838005277438>
- Aitcheson, R. J., Abu-Bader, S. H., Howell, M. K., Khalil, D., & Elbedour, S. (2017). Resilience in palestinian adolescents living in Gaza. *Psychological Trauma: Theory, Research, Practice, and Policy*, 9(1), 36–43.
<https://doi.org/10.1037/tra0000153>

- Ajdukovic, M., & Ajdukovic, D. (1998). Impact of displacement on the psychological well-being of refugee children. *International Review of Psychiatry, 10*(3), 186–195. <https://doi.org/10.1080/09540269874763>
- Albatti, T. H., Alhedyan, Z., Alnaeim, N., Almuhareb, A., Alabdulkarim, J., Albadia, R., & Alshahrani, K. (2017). Prevalence of attention deficit hyperactivity disorder among primary school-children in Riyadh, Saudi Arabia; 2015–2016. *International Journal of Pediatrics and Adolescent Medicine, 4*(3), 91–94. <https://doi.org/10.1016/j.ijpam.2017.02.003>
- Almqvist, K., & Brandell-Forsberg, M. (1997). Refugee children in sweden: Post-traumatic stress disorder in iranian preschool children exposed to organized violence. *Child Abuse and Neglect, 21*(4), 351–366. [https://doi.org/10.1016/S0145-2134\(96\)00176-7](https://doi.org/10.1016/S0145-2134(96)00176-7)
- Alpak, G., Unal, A., Bulbul, F., Sagaltici, E., Bez, Y., Altindag, A., Dalkilic, A., & Savas, H. A. (2015). Post-traumatic stress disorder among Syrian refugees in Turkey: A cross-sectional study. *International Journal of Psychiatry in Clinical Practice, 19*(1), 45–50. <https://doi.org/10.3109/13651501.2014.961930>
- Alsayed, A., & Wildes, V. J. (2018). Syrian Refugee Children: A Study of Strengths and Difficulties. *Journal of Human Rights and Social Work, 3*(2), 81–88. <https://doi.org/10.1007/s41134-018-0057-4>
- Alyahri, A., & Goodman, R. (2006). Validation of the Arabic Strengths and Difficulties Questionnaire and the Development and Well-Being Assessment. *EMHJ - Eastern Mediterranean Health Journal, 12*(2), 138–146. <http://www.sdqinfo.com>
- American Psychiatric Association. (2013). *Diagnostic and Statistical Manual of Mental Disorders DSM (5th ed.)*. American Psychiatric Publishing. <https://doi.org/10.1176/appi.books.9780890425596.744053>
- American Psychological Association. (2014). *Building your resilience*. <https://www.apa.org/topics/resilience>

- Anda, R. F., Felitti, V. J., Bremner, J. D., Walker, J. D., Whitfield, C., Perry, B. D., Dube, S. R., & Giles, W. H. (2006). The enduring effects of abuse and related adverse experiences in childhood: A convergence of evidence from neurobiology and epidemiology. *European Archives of Psychiatry and Clinical Neuroscience*, 256(3), 174–186. <https://doi.org/10.1007/s00406-005-0624-4>
- Angold, A., Erkanli, A., Farmer, E. M. Z., Fairbank, J. A., Burns, B. J., Keeler, G., & Costello, E. J. (2002). Psychiatric disorder, impairment, and service use in rural African American and white youth. *Archives of General Psychiatry*, 59(10), 893–901. <https://doi.org/10.1001/archpsyc.59.10.893>
- Arar, K., Özücü, D., & Ak Küçükçayır, G. (2020). A holistic look at education of the Syrians under temporary protection in Turkey: policy, leadership and practice. *International Journal of Leadership in Education*, 23(1), 7–23. <https://doi.org/https://doi.org/10.1080/13603124.2019.1603401>
- Arnetz, J., Rofa, Y., Arnetz, B., Ventimiglia, M., & Jamil, H. (2013). Resilience as a Protective Factor Against the Development of Psychopathology Among Refugees. *The Journal of Nervous and Mental Disease*, 201(3), 167–172. <https://doi.org/doi:10.1097/nmd.0b013e3182848afe>
- Aroian, K. J., Hough, E. S., Templin, T. N., & Kaskiri, E. A. (2008). Development and psychometric evaluation of an Arab version of the family peer relationship questionnaire. *Research in Nursing & Health*, 31(5), 402–416. <https://doi.org/10.1080/07399330903052145>
- Arslan, G. (2015). Ergenlerde psikolojik sağlamlık: Bireysel koruyucu faktörlerin rolü. *Türk Psikolojik Danışma ve Rehberlik Dergisi*, 5(44), 73–82.
- Aydın, A., Kahraman, N., & Hiçdurmaz, D. (2017). Determining the Levels of Perceived Social Support and Psychological Well Being of Nursing Students. *Journal of Psychiatric Nursing*, 8(1), 40–47. <https://doi.org/10.14744/phd.2017.95967>

- Barber, B. A., Kohl, K. L., Kassam-Adams, N., & Gold, J. I. (2014). Acute stress, depression, and anxiety symptoms among English and Spanish speaking children with recent trauma exposure. *Journal of Clinical Psychology in Medical Settings, 21*(1), 66–71. <https://doi.org/10.1007/s10880-013-9382-z>
- Bariola, E., Lyons, A., Leonard, W., Pitts, M., Badcock, P., & Couch, M. (2015). Demographic and Psychosocial Factors Associated With Psychological Distress and Resilience Among Transgender Individuals. *American Journal of Public Health, 105*(10).
- Barkley, R. A., Fischer, M., Smallish, L., & Fletcher, K. (2004). Young adult follow-up of hyperactive children: antisocial activities and drug use. *Journal of Child Psychology and Psychiatry, 45*(2), 195–211. <https://doi.org/10.1111/j.1469-7610.2004.00214.x>
- Bastin, P., Bastard, M., Rossel, L., Melgar, P., Jones, A., & Antierens, A. (2013). *Description and Predictive Factors of Individual Outcomes in a Refugee Camp Based Mental Health Intervention (Beirut , Lebanon)*. 8(1), 6–11. <https://doi.org/10.1371/journal.pone.0054107>
- Batson, C. D. (2011). *Altruism in Humans* . Oxford University Press. [https://books.google.com.tr/books?hl=en&lr=&id=b4fJWzJRnPkC&oi=fnd&pg=PR5&dq=Altruism+in+humans.+New+York:+Oxford+University+Press&ots=dMWzNUW-BC&sig=F-hXdn0LOSH8x3IHeTTTOTWczLo&redir_esc=y#v=onepage&q=Altruism in humans. New York%3A Oxford University Press&f=false](https://books.google.com.tr/books?hl=en&lr=&id=b4fJWzJRnPkC&oi=fnd&pg=PR5&dq=Altruism+in+humans.+New+York:+Oxford+University+Press&ots=dMWzNUW-BC&sig=F-hXdn0LOSH8x3IHeTTTOTWczLo&redir_esc=y#v=onepage&q=Altruism+in+humans.+New+York%3A+Oxford+University+Press&f=false)
- Bauermeister, J. J., Canino, G., Polanczyk, G., & Rohde, L. A. (2010). Adhd across cultures: Is there evidence for a bidimensional organization of symptoms? *Journal of Clinical Child and Adolescent Psychology, 39*(3), 362–372. <https://doi.org/10.1080/15374411003691743>
- Beck, A. T., Ward, C. H., Mendelson, M., Mock, J., & Erbaugh, J. (1961). An Inventory for Measuring Depression. *Archives of General Psychiatry, 4*(6), 561–571. <https://doi.org/10.1001/archpsyc.1961.01710120031004>

- Beck, Aaron T, Epstein, N., Brown, G., & Steer, R. . (1988). An inventory for measuring clinical anxiety: Psychometric properties. *Journal of Consulting and Clinical Psychology, 56*, 893–897.
<https://www.gphealth.org/media/1087/anxiety.pdf>
- Beiser, M., Hou, F., Hyman, I., & Tousignant, M. (2002). Family Process, and the Mental Health of Immigrant Children in Canada. *American Journal of Public Health, 92*(2), 220–227. <https://doi.org/10.1097/NMD.0000000000000516>
- Ben-Ari, A., & Gil, S. (2015). Well-being among Minority The Role of Perceived Social Support. *Journal of Social Work, 4*(2), 215–225.
<https://doi.org/10.1177/1468017304045510>
- Betancourt, Theresa S, Newnham, E. A., Layne, C. M., Kim, S., Steinberg, A. M., Ellis, H., & Birman, D. (2012). Trauma History and Psychopathology in War-Affected Refugee Children Referred for Trauma-Related Mental Health Services in the United States. *Journal of Traumatic Stress, 25*(6), 682–690.
<https://doi.org/10.1002/jts>.
- Betancourt, Theresa Stichick, & Khan, K. T. (2008a). The mental health of children affected by armed conflict: Protective processes and pathways to resilience. *International Review of Psychiatry, 20*(3), 317–328.
<https://doi.org/10.1080/09540260802090363>
- Betancourt, Theresa Stichick, & Khan, K. T. (2008b). The mental health of children affected by armed conflict: Protective processes and pathways to resilience. In *International Review of Psychiatry* (Vol. 20, Issue 3, pp. 317–328).
<https://doi.org/10.1080/09540260802090363>
- Biederman, J., Petty, C. R., Spencer, T. J., Woodworth, K. Y., Bhide, P., Zhu, J., & Faraone, S. V. (2013). Examining the nature of the comorbidity between pediatric attention deficit/hyperactivity disorder and post-traumatic stress disorder. *Acta Psychiatrica Scandinavica, 128*(1), 78–87.
<https://doi.org/10.1111/acps.12011>

- Bland, L. C., Sowa, C. J., & Callahan, C. M. (1994). An overview of resilience in gifted children. *Roepers Review*, *17*(2), 77–80.
<https://doi.org/10.1080/02783199409553629>
- Bonanno, G. A. (2004). *Loss, Trauma, and Human Resilience Have We Underestimated the Human Capacity to Thrive After Extremely Aversive Events?* <https://doi.org/10.1037/0003-066X.59.1.20>
- Bonanno, G. A., & Mancini, A. D. (2008). The human capacity to thrive in the face of potential trauma. *Pediatrics*, *121*(2), 369–375.
<https://doi.org/10.1542/peds.2007-1648>
- Bonanno, G. A., Westphal, M., & Mancini, A. D. (2011). Resilience to Loss and Potential Trauma. *Annual Review of Clinical Psychology*, *7*(1), 511–535.
<https://doi.org/10.1146/annurev-clinpsy-032210-104526>
- Booth, C. L., Clarke-Stewart, K. A., Vandell, D. L., McCartney, K., & Owen, M. T. (2002). Child-Care Usage and Mother-Infant ‘Quality Time’. *Journal of Marriage and Family*, *64*(1), 16–26. <https://doi.org/10.1111/j.1741-3737.2002.00016.x>
- Bostan, B. C., & Duru, E. (2019). Ergenlerde Algılanan Psikolojik İstismar İle Öznel İyi Oluş İlişkisinde Psikolojik Sağlık ve Sosyal Bağlılığın Rolü. *Pamukkale Üniversitesi Eğitim Fakültesi Dergisi*, *47*, 205–224.
<https://doi.org/10.9779/PAUEFD.568123>
- Bradley, B., Davis, T. A., Wingo, A. P., Mercer, K. B., & Ressler, K. J. (2013). Family environment and adult resilience: Contributions of positive parenting and the oxytocin receptor gene. *European Journal of Psychotraumatology*, *4*(SUPPL.), 21659. <https://doi.org/10.3402/ejpt.v4i0.21659>
- Brewin, C. R., Andrews, B., & Valentine, J. D. (2000). Meta-analysis of risk factors for posttraumatic stress disorder in trauma-exposed adults. *Journal of Consulting and Clinical Psychology*, *68*(5), 748–766.
<https://doi.org/10.1037/0022-006X.68.5.748>

- Broekman, B. F. P. (2011). Stress, vulnerability and resilience, a developmental approach. *European Journal of Psychotraumatology*, 2(1), 7229.
<https://doi.org/10.3402/ejpt.v2i0.7229>
- Brooks, R. B. (1994). Children at risk: Fostering resilience and hope. *American Journal of Orthopsychiatry*, 64(4), 545–553. <https://doi.org/10.1037/h0079565>
- Brown, D. W., Anda, R. F., Tiemeier, H., Felitti, V. J., Edwards, V. J., Croft, J. B., & Giles, W. H. (2009). Adverse Childhood Experiences and the Risk of Premature Mortality. *American Journal of Preventive Medicine*, 37(5), 389–396.
<https://doi.org/10.1016/j.amepre.2009.06.021>
- Brownell, C. A., Zerwas, S., & Balaram, G. (2002). Peers, cooperative play, and the development of empathy in children. In *Behavioral and Brain Sciences* (Vol. 25, Issue 1, pp. 28–29). Cambridge University Press.
<https://doi.org/10.1017/S0140525X02300013>
- Buckner, J. C., Mezzacappa, E., & Beardslee, W. R. (2003). Characteristics of resilient youths living in poverty: The role of self-regulatory processes. *Development and Psychopathology*, 15(1), 139–162.
<https://doi.org/10.1017/S0954579403000087>
- Carlo, G., Mestre, M. V., McGinley, M., Tur-Porcar, A., Samper, P., & Streit, C. (2013). The structure and correlates of a measure of prosocial moral reasoning in adolescents from Spain. *European Journal of Developmental Psychology*, 10, 174–189.
- Catani, C., Jacob, N., Schauer, E., Kohila, M., & Neuner, F. (2008). Family violence, war, and natural disasters: A study of the effect of extreme stress on children's mental health in Sri Lanka. *BMC Psychiatry*, 8(1), 1–10.
<https://doi.org/10.1186/1471-244X-8-33>
- Cengiz, İ., Ergün, D., & Çakici, E. (2019). Posttraumatic stress disorder, posttraumatic growth and psychological resilience in syrian refugees: Hatay, Turkey. *Anadolu Psikiyatri Dergisi*, 20(3), 269–276.
<https://doi.org/10.5455/apd.4862>

- Çeri, V., & Nasıroğlu, S. (2018). The number of war-related traumatic events is associated with increased behavioural but not emotional problems among Syrian refugee children years after resettlement. *Archives of Clinical Psychiatry (São Paulo)*, 45(4), 145–150.
- Çeri, V., Özlü-Erkilic, Z., Özer, Ü., Yalcin, M., Popow, C., & Akkaya-Kalayci, T. (2016). Psychiatric symptoms and disorders among Yazidi children and adolescents immediately after forced migration following ISIS attacks. *Neuropsychiatrie*, 30(3), 145–150. <https://doi.org/10.1007/s40211-016-0195-9>
- Ceylan, V., Algan, C., Yalçın, M., Yalçın, E., Akın, E., & Köse, S. (2017). An investigation of Syrian refugees and asylum seekers in terms of various psychological factors: Batman sample. *International Journal of Social Sciences and Education Research Online*, 3(2). <http://dergipark.gov.tr/ijsser>
- Chang, F.-C., Lee, C.-M., Chiu, C.-H., Hsi, W.-Y., Huang, T.-F., & Pan, Y.-C. (2013). Relationships Among Cyberbullying, School Bullying, and Mental Health in Taiwanese Adolescents. *Journal of School Health*, 83(6), 454–462. <https://doi.org/10.1111/josh.12050>
- Chansky, T. E., & Kendall, P. C. (1997). Social expectancies and self-perceptions in anxiety-disordered children. *Journal of Anxiety Disorders*, 11(4), 347–363. [https://doi.org/10.1016/S0887-6185\(97\)00015-7](https://doi.org/10.1016/S0887-6185(97)00015-7)
- Chapman, D. P., Whitfield, C. L., Felitti, V. J., Dube, S. R., Edwards, V. J., & Anda, R. F. (2004). Adverse childhood experiences and the risk of depressive disorders in adulthood. *Journal of Affective Disorders*, 82(2), 217–225. <https://doi.org/10.1016/j.jad.2003.12.013>
- Charuvastra, A., & Cloitre, M. (2008). Social Bonds and Posttraumatic Stress Disorder. *Annual Review of Psychology*, 59(1), 301–328. <https://doi.org/10.1146/annurev.psych.58.110405.085650>
- Cheng, H., & Furnham, A. (n.d.). *Personality, peer relations, and self-confidence as predictors of happiness and loneliness*. <https://doi.org/10.1006/yjado.475>

- Chisholm-Burns, M. A., Spivey, C. A., Sherwin, E., Williams, J., & Phelps, S. (2019). Development of an instrument to measure academic resilience among pharmacy students. *American Journal of Pharmaceutical Education*, 83(6), 1373–1390. <https://doi.org/10.5688/ajpe6896>
- Chou, K. L. (2009). Pre-migration planning and depression among new migrants to Hong Kong: The moderating role of social support. *Journal of Affective Disorders*, 114(1–3), 85–93. <https://doi.org/10.1016/j.jad.2008.06.005>
- Ciarleglio, M. M., Aslan, M., Proctor, S. P., Concato, J., Ko, J., Kaiser, A. P., & Vasterling, J. J. (2018). Associations of Stress Exposures and Social Support With Long-Term Mental Health Outcomes Among U.S. Iraq War Veterans. *Behavior Therapy*, 49(5), 653–667. <https://doi.org/10.1016/j.beth.2018.01.002>
- Cicchetti, D. (2010). Resilience under conditions of extreme stress: a multilevel perspective. *World Psychiatry: Official Journal of the World Psychiatric Association (WPA)*, 9(3), 145–154.
- Cicchetti, D., & Blender, J. A. (2006). A Multiple-Levels-of-Analysis Perspective on Resilience: Implications for the Developing Brain, Neural Plasticity, and Preventive Interventions. *Annals of the New York Academy of Sciences*, 1094(1), 248–258.
- Cicchetti, D., & Rogosch, F. A. (2012). Gene × Environment interaction and resilience: Effects of child maltreatment and serotonin, corticotropin releasing hormone, dopamine, and oxytocin genes. *Development and Psychopathology*, 24(02), 411–427.
- Cicchetti, D., Rogosch, F. A., Lynch, M., & Holt, K. D. (1993). Resilience in maltreated children: Processes leading to adaptive outcome. *Development and Psychopathology*, 5(04), 629. <https://doi.org/doi:10.1017/s0954579400006209>
- Çili, S., & Stopa, L. (2015). Intrusive mental imagery in psychological disorders: Is the self the key to understanding maintenance? *Frontiers in Psychiatry*, 6(JUL), 6–10. <https://doi.org/10.3389/fpsy.2015.00103>

- Cohen, M., Baziliansky, S., & Beny, A. (2014). The association of resilience and age in individuals with colorectal cancer: An exploratory cross-sectional study. *Journal of Geriatric Oncology*, 5(1), 33–39. <https://doi.org/10.1016/B0-12-657410-3/00083-0>
- Correa-Velez, I., Gifford, S. M., & McMichael, C. (2015). The persistence of predictors of wellbeing among refugee youth eight years after resettlement in Melbourne, Australia. *Social Science and Medicine*, 142, 163–168. <https://doi.org/10.1016/j.socscimed.2015.08.017>
- Cortes, L., & Buchanan, M. J. (2007). The Experience of Columbian Child Soldiers from a Resilience Perspective. *International Journal for the Advancement of Counselling*, 29(1), 43–48.
- Costigan, C. L., Koryzma, C. M., Hua, J. M., & Chance, L. J. (2010). Ethnic identity, achievement, and psychological adjustment: Examining risk and resilience among youth from immigrant Chinese families in Canada. *Cultural Diversity and Ethnic Minority Psychology*, 16(2), 264–273.
- Cotter, S., Healy, C., Ni Cathain, D., Williams, P., Clarke, M., & Cannon, M. (2019). Psychopathology and early life stress in migrant youths: An analysis of the ‘Growing up in Ireland’ study. *Irish Journal of Psychological Medicine*, 36(3), 177–185. <https://doi.org/10.1017/ipm.2018.53>
- Cowen, E. L., & Work, W. C. (1988). Resilient children, psychological wellness, and primary prevention. *American Journal of Community Psychology*, 16(4), 591–607.
- Crockett, M. J. (2009). The Neurochemistry of Fairness. *Annals of the New York Academy of Sciences*, 1167(1), 76–86. <https://doi.org/10.1111/j.1749-6632.2009.04506.x>
- Crocq, M. A., & Crocq, L. (2000). From shell shock and war neurosis to posttraumatic stress disorder: a history of psychotraumatology. *Dialogues in Clinical Neuroscience*, 2(1), 47–55. <http://www.ncbi.nlm.nih.gov/pubmed/22033462>

- Curtis, W. J., & Cicchetti, D. (2007). Emotion and resilience: A multilevel investigation of hemispheric electroencephalogram asymmetry and emotion regulation in maltreated and nonmaltreated children. *Development and Psychopathology, 19*(3), 811–840. <https://doi.org/10.1017/S0954579407000405>
- Cutrona, C. E., & Suhr, J. A. (1992). Controllability of Stressful Events and Satisfaction With Spouse Support Behaviors. *Communication Research, 19*(2), 154–174. <https://doi.org/10.1177/009365092019002002>
- Cutrona, Carolyn E., Cole, V., Colangelo, N., Assouline, S. G., & Russell, D. W. (1994). Perceived Parental Social Support and Academic Achievement: An Attachment Theory Perspective. *Journal of Personality and Social Psychology, 66*(2), 369–378. <https://doi.org/10.1037/0022-3514.66.2.369>
- Daigneault, I., Hébert, M., & Tourigny, M. (2007). Personal and Interpersonal Characteristics Related to Resilient Developmental Pathways of Sexually Abused Adolescents. In *Child and Adolescent Psychiatric Clinics of North America* (Vol. 16, Issue 2, pp. 415–434). Elsevier. <https://doi.org/10.1016/j.chc.2006.11.002>
- Danaher, T. S., Brand, S. R., Pickard, L. S. S., Mack, J. W., & Berry, L. L. (2017). How a Child With Cancer Moved From Vulnerability to Resilience. *Journal of Clinical Oncology, 35*(27), 3169–3171. <https://doi.org/10.1200/JCO.2017>
- Das, D. (2019). Academic Resilience Among Children from Disadvantaged Social Groups in India. *Social Indicators Research: An International and Interdisciplinary Journal for Quality-of-Life Measurement, 145*(2), 719.
- Daud, A., af Klinteberg, B., & Rydelius, P. A. (2008). Resilience and vulnerability among refugee children of traumatized and non-traumatized parents. *Child and Adolescent Psychiatry and Mental Health, 2*, 1–11. <https://doi.org/10.1186/1753-2000-2-7>
- Davidov, M., & Grusec, J. E. (2006). Untangling the Links of Parental Responsiveness to Distress and Warmth to Child Outcomes. *Child Development, 77*(1), 44–58. <https://doi.org/10.1111/j.1467-8624.2006.00855.x>

- Dawson, M., & Ann Pooley, J. (2013). *Resilience: The role of optimism, perceived parental autonomy support and perceived social support in first year university students*. <https://doi.org/10.11114/jets.v1i2.137>
- Decety, J., Bartal, I. B. A., Uzefovsky, F., & Knafo-Noam, A. (2016). Empathy as a driver of prosocial behaviour: Highly conserved neurobehavioural mechanisms across species. *Philosophical Transactions of the Royal Society B: Biological Sciences*, *371*(1686). <https://doi.org/10.1098/rstb.2015.0077>
- Demir, Ö. O., & Aliyev, R. (2019). Resilience among Syrian university students in Turkey. *Turkish Journal of Education*, *8*(1), 33–51. <https://doi.org/10.19128/turje.454138>
- Derluyn, I., Broekaert, E., & Schuyten, G. (2008). Emotional and behavioural problems in migrant adolescents in Belgium. *European Child and Adolescent Psychiatry*, *17*(1), 54–62. <https://doi.org/10.1007/s00787-007-0636-x>
- Diab, M., Peltonen, K., Qouta, S. R., Palosaari, E., & Punamäki, R. L. (2015). Effectiveness of psychosocial intervention enhancing resilience among war-affected children and the moderating role of family factors. *Child Abuse and Neglect*, *40*, 24–35. <https://doi.org/10.1016/j.chiabu.2014.12.002>
- Diehl, M., & Hay, E. L. (2010). Risk and Resilience Factors in Coping With Daily Stress in Adulthood: The Role of Age, Self-Concept Incoherence, and Personal Control. *Developmental Psychology*, *46*(5), 1132–1146. <https://doi.org/10.1037/a0019937>
- Dowdney, L. (2000). Annotation: Childhood Bereavement Following Parental Death. *Journal of Child Psychology and Psychiatry*, *41*(7), 819–830. <https://doi.org/10.1111/1469-7610.00670>
- Du, H., Li, X., Chi, P., Zhao, J., & Zhao, G. (2017). Meaning in life, resilience, and psychological well-being among children affected by parental HIV. *AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV*, *29*(11), 1410–1416. <https://doi.org/10.1080/09540121.2017.1307923>

- Dube, S. R., Felitti, V. J., Dong, M., Chapman, D. P., Giles, W. H., & Anda, R. F. (2003). Childhood abuse, neglect, and household dysfunction and the risk of illicit drug use: The adverse childhood experiences study. *Pediatrics*, *111*(3), 564–572. <https://doi.org/10.1542/peds.111.3.564>
- Dvorsky, M. R., & Langberg, J. M. (2016). A Review of Factors that Promote Resilience in Youth with ADHD and ADHD Symptoms. In *Clinical Child and Family Psychology Review* (Vol. 19, Issue 4, pp. 368–391). Springer New York LLC. <https://doi.org/10.1007/s10567-016-0216-z>
- Dyregrov, A., Kuterovac, G., & Barath, A. (1996). Factor analysis of the impact of event scale with children in war. *Scandinavian Journal of Psychology*, *37*(4), 339–350. <https://doi.org/10.1111/j.1467-9450.1996.tb00667.x>
- Earnest, J., Mansi, R., Bayati, S., Earnest, J. A., & Thompson, S. C. (2015). Resettlement experiences and resilience in refugee youth in Perth, Western Australia. *BMC Research Notes*, *8*(1), 236. <https://doi.org/10.1186/s13104-015-1208-7>
- Eisenberg, N., Wentzel, M., & Harris, J. D. (1998). The Role of Emotionality and Regulation in Empathy-Related Responding. *School Psychology Review*, *27*(4), 506–521. <https://www.tandfonline.com/doi/abs/10.1080/02796015.1998.12085934>
- El-Khani, A., Cartwright, K., Ang, C., Henshaw, E., Tanveer, M., & Calam, R. (2018). Testing the feasibility of delivering and evaluating a child mental health recovery program enhanced with additional parenting sessions for families displaced by the Syrian conflict: A pilot study. *Peace and Conflict*, *24*(2), 188–200. <https://doi.org/10.1037/pac0000287>
- ElbedourS., Benseel, R. T., & Bastien, D. T. (1993). Ecological integrated model of children of war: Individual and social psychology. *Child Abuse & Neglect*, *17*, 805–819.
- Elias, M. J., & Haynes, N. M. (2008). Social competence, social support, and academic achievement in minority, low-income, urban elementary school children. *School Psychology Quarterly*, *23*(4), 474–495.

- Elliott, J. A., Das, D., Cavailler, P., Schneider, F., Shah, M., Ravaud, A., Lightowler, M., & Boulle, P. (2018). A cross-sectional assessment of diabetes self-management, education and support needs of Syrian refugee patients living with diabetes in Bekaa Valley Lebanon Bayard Roberts, Kiran Jobunputra, Preeti Patel and Pablo Perel. *Conflict and Health*, 12(1), 1–11.
<https://doi.org/10.1186/s13031-018-0174-9>
- Ellison, E. S. (1983). Parental Support and School-Aged Children. *Western Journal of Nursing Research*, 5(2), 145–153.
<https://doi.org/10.1177/019394598300500204>
- Emery, R. E., & Forehand, R. (1996). Parental divorce and children's well-being: A focus on resilience. In R. J. Haggerty, L. R. Sherrod, N. Garnezy, & M. Rutter (Eds.), *Stress, Risk, and Resilience in Children and Adolescents: Processes mechanisms, and interventions* (pp. 64–99). Cambridge University Press.
- Endedijk, H. M., Cillessen, A. H. N., Cox, R. F. A., Bekkering, H., & Hunnius, S. (2015). The Role of Child Characteristics and Peer Experiences in the Development of Peer Cooperation. *Social Development*, 24(3), 521–540.
<https://doi.org/10.1111/sode.12106>
- Ensminger, D. (1943). The Impacts of the War on the Rural Community. *Social Forces*, 22(1), 76–79. <https://doi.org/10.1007/s00787-017-1101-0>
- Ercan, E. S., Kandulu, R., Uslu, E., Ardic, U. A., Yazici, K. U., Basay, B. K., Aydin, C., & Rohde, L. A. (2013). Prevalence and diagnostic stability of ADHD and ODD in Turkish children: A 4-year longitudinal study. *Child and Adolescent Psychiatry and Mental Health*, 7(1), 1–10. <https://doi.org/10.1186/1753-2000-7-30>
- Erucar, S., Maltby, J., & Vostanis, P. (2018). Mental health problems of Syrian refugee children: the role of parental factors. *European Child and Adolescent Psychiatry*, 27(4), 401–409. <https://doi.org/10.1007/s00787-017-1101-0>

- Farrant, B. M., Devine, T. A. J., Maybery, M. T., & Fletcher, J. (2012). Empathy, Perspective Taking and Prosocial Behaviour: The Importance of Parenting Practices. *Infant and Child Development*, *21*(2), 175–188.
<https://doi.org/10.1002/icd.740>
- Fayyad, J., Cordahi-Tabet, C., Yeretjian, J., Salamoun, M., Najm, C., & Karam, E. G. (2017a). Resilience-promoting factors in war-exposed adolescents: an epidemiologic study. *European Child and Adolescent Psychiatry*, *26*(2), 191–200. <https://doi.org/10.1007/s00787-016-0871-0>
- Fayyad, J., Cordahi-Tabet, C., Yeretjian, J., Salamoun, M., Najm, C., & Karam, E. G. (2017b). Resilience-promoting factors in war-exposed adolescents: an epidemiologic study. *European Child and Adolescent Psychiatry*, *26*(2), 191–200. <https://doi.org/10.1007/s00787-016-0871-0>
- Feder, A., Nestler, E. J., & Charney, D. S. (2009). Psychobiology and molecular genetics of resilience. In *Nature Reviews Neuroscience* (Vol. 10, Issue 6, pp. 446–457). Nature Publishing Group. <https://doi.org/10.1038/nrn2649>
- Fendrich, M., Warner, V., & Weissman, M. M. (1990). Family Risk Factors, Parental Depression, and Psychopathology in Offspring. *Developmental Psychology*, *26*(1), 40–50. <https://doi.org/10.1037/0012-1649.26.1.40>
- Fleming, J., & Ledogar, R. J. (2008). Resilience, an Evolving Concept: A Review of Literature Relevant to Aboriginal Research. *Pimatisiwin*, *6*(2), 7–23.
<http://www.ncbi.nlm.nih.gov/pubmed/20963184>
- Flores, E., Cicchetti, D., & Rogosch, F. A. (2005). Predictors of resilience in maltreated and nonmaltreated Latino children. *Developmental Psychology*, *41*(2), 338–351. <https://doi.org/10.1037/0012-1649.41.2.338>
- Foster, K., O'Brien, L., & Korhonen, T. (2012). Developing resilient children and families when parents have mental illness: A family-focused approach. *International Journal of Mental Health Nursing*, *21*(1), 3–11.
<https://doi.org/10.1111/j.1447-0349.2011.00754.x>

- Frankenberg, E., Sikoki, B., Sumantri, C., Suriastini, W., & Thomas, D. (2013). Education, vulnerability, and resilience after a natural disaster. *Ecology and Society*, 18(2), 16. <https://doi.org/10.5751/ES-05377-180216>
- Fraser, E., & Pakenham, K. I. (2009). Resilience in children of parents with mental illness: Relations between mental health literacy, social connectedness and coping, and both adjustment and caregiving. *Psychology, Health and Medicine*, 14(5), 573–584. <https://doi.org/10.1080/13548500903193820>
- Frick, P. J., Lahey, B. B., Loeber, R., Stouthamer-Loeber, M., Christ, M. A. G., & Hanson, K. (1992). Familial Risk Factors to Oppositional Defiant Disorder and Conduct Disorder: Parental Psychopathology and Maternal Parenting. *Journal of Consulting and Clinical Psychology*, 60(1), 49–55. <https://doi.org/10.1037/0022-006X.60.1.49>
- Garnezy, N. (1993). Children in Poverty: Resilience Despite Risk. *Psychiatry*, 56(1), 127–136. <https://doi.org/10.1080/00332747.1993.11024627>
- Garnezy, N., Masten, A. S., & Tellegen, A. (1984). The Study of Stress and Competence in Children: A Building Block for Developmental Psychopathology. *Child Development*, 55(1), 97. <https://doi.org/10.2307/1129837>
- Gazelle, H., & Druhen, M. J. (2009). Anxious Solitude and Peer Exclusion Predict Social Helplessness, Upset Affect, and Vagal Regulation in Response to Behavioral Rejection by a Friend. *Developmental Psychology*, 45(4), 1077–1096. <https://doi.org/10.1037/a0016165>
- Gez, A. (2018). *Suriyeli çocuk ve ergenlerde algılanan sosyal destek ve psikolojik sağlamlık arasındaki ilişki*. (Yayınlanmamış yüksek lisans tezi). Çağ Üniversitesi, Mersin.
- Ghannam, R. T., & Thabet, A. (2014). Effect of Trauma Due to War on Dissociative Symptoms and Resilience among Palestinian Adolescents in the Gaza Strip. *The Arab Journal of Psychiatry*, 25(2), 107–118. <https://doi.org/10.12816/0006760>

- Ginzburg, K., Ein-Dor, T., & Solomon, Z. (2010). Comorbidity of posttraumatic stress disorder, anxiety and depression: A 20-year longitudinal study of war veterans. *Journal of Affective Disorders, 123*(1–3), 249–257.
<https://doi.org/10.1016/j.jad.2009.08.006>
- Gjelsvik, A., Dumont, D. M., Nunn, A., & Rosen, D. L. (2014). Adverse childhood events: Incarceration of household members and health-related quality of life in adulthood. *Journal of Health Care for the Poor and Underserved, 25*(3), 1169–1182. <https://doi.org/10.1353/hpu.2014.0112>
- Glicken, M. D. (2009). *Oppositional Defiant and Conduct Disorders Leading to Anti-Social Behavior and Violence. Evidence-Based Practice with Emotionally Troubled Children and Adolescents.*
- Gloria, C. T., & Steinhardt, M. A. (2016). Relationships Among Positive Emotions, Coping, Resilience and Mental Health. *Stress and Health, 32*(2), 145–156.
<https://doi.org/10.1002/smi.2589>
- Goel, K. S., Amatya, K., Jones, R. T., & Ollendick, T. H. (2014). Child and Adolescent Resiliency Following a Residential Fire: The Role of Social Support and Ethnicity. *Journal of Child and Family Studies, 23*(3), 537–547.
<https://doi.org/10.1007/s10826-013-9715-4>
- Goldstein, R. D., Wampler, N. S., Wise, P. H., & Objective, A. (2015). *War Experiences and Distress Symptoms of Bosnian Children. 100*(5).
- González, J., Caprara, G., Garcés de los Fayos, E. J., & Zuffiano, A. (2014). Importance of the development of prosocial behavior in the adolescent's personality through physical education. *Psychological Bulletin.*
- Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. *European Child and Adolescent Psychiatry, 7*(3), 125–130.
<https://doi.org/10.1007/s007870050057>

- Gormez, V., Kılıç, H. N., Orengul, A. C., Demir, M. N., Demirlikan, Ş., Demirbaş, S., Babacan, B., Kınık, K., & Semerci, B. (2018a). Psychopathology and Associated Risk Factors Among Forcibly Displaced Syrian Children and Adolescents. *Journal of Immigrant and Minority Health*, 20(3), 529–535. <https://doi.org/10.1007/s10903-017-0680-7>
- Gormez, V., Kılıç, H. N., Orengul, A. C., Demir, M. N., Demirlikan, Ş., Demirbaş, S., Babacan, B., Kınık, K., & Semerci, B. (2018b). Psychopathology and Associated Risk Factors Among Forcibly Displaced Syrian Children and Adolescents. *Journal of Immigrant and Minority Health*, 20(3), 529–535. <https://doi.org/10.1007/s10903-017-0680-7>
- Gormez, V., Kılıç, H. N., Orengul, A. C., Demir, M. N., Mert, E. B., Makhoulta, B., Kınık, K., & Semerci, B. (2017). Evaluation of a school-based, teacher-delivered psychological intervention group program for trauma-affected Syrian refugee children in Istanbul, Turkey. *Psychiatry and Clinical Psychopharmacology*, 27(2), 125–131. <https://doi.org/10.1080/24750573.2017.1304748>
- Gorsy, C., & Panwar, N. (2015). Study of self-confidence as a correlate of peer-relationship among adolescents. *International Journal of Education & Management Studies*, 5(4), 209–301. <https://doi.org/10.13140/RG.2.1.2244.3282>
- Graham-Bermann, S. A., & Seng, J. (2005). Violence exposure and traumatic stress symptoms as additional predictors of health problems in high-risk children. *Journal of Pediatrics*, 146(3), 349–354. <https://doi.org/10.1016/j.jpeds.2004.10.065>
- Grigoriadis, S., & Robinson, G. E. (2007). Gender Issues in Depression. *Annals of Clinical Psychiatry (American Academy of Clinical Psychiatrists (AAPC))*, 19(4), 247–255. <https://www.tandfonline.com/doi/abs/10.3109/10401230701653294>

- Grove, C., Reupert, A., & Maybery, D. (2015). Gaining knowledge about parental mental illness: how does it empower children? *Child & Family Social Work*, 20(4), 377–386. <https://doi.org/10.1111/cfs.12086>
- Guajardo, N. R., Snyder, G., & Petersen, R. (2009). Relationships among parenting practices, parental stress, child behaviour, and children's social-cognitive development. *Infant and Child Development*, 18(1), 37–60. <https://doi.org/10.1002/icd.578>
- Gündaş, A. (2013). *Lise öğrencilerinde psikolojik sağlamlığın yordayıcısı olarak benlik kurgusu ve bağlanma stilleri*. (Yayınlanmamış Yüksek Lisans Tezi) Gaziosmanpaşa Üniversitesi Eğitim Bilimleri Enstitüsü.
- Gupta, D., & Thapliyal, G. (2015). A Study of Prosocial Behaviour and Self Concept of Adolescents. *Journal on Educational Psychology*, 9(1), 38–45. <https://doi.org/10.1037/cap0000102>
- Guzman, M. R. T. de, Jung, E., & Do, A. (2012). Perceived social support networks and prosocial outcomes among Latino youth. *Interamerican Journal of Psychology*, 46(3). <https://doi.org/10.30849/RIP/IJP.V46I3.303>
- Hadfield, K., Ostrowski, A., & Ungar, M. (2017). What can we expect of the mental health and well-being of Syrian refugee children and adolescents in Canada? *Canadian Psychology*, 58(2), 194–201. <https://doi.org/10.1037/cap0000102>
- Halevi, G., Djalovski, A., Vengrober, A., & Feldman, R. (2016). Risk and resilience trajectories in war-exposed children across the first decade of life. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 57(10), 1183–1193. <https://doi.org/10.1111/jcpp.12622>
- Hamdan-Mansour, A. (2016). Investigating physical, psychological and social wellbeing among children of Syrian refugees in Jordan. *European Psychiatry*, 33(611).

- Hamdan-Mansour, A. M., Abdel Razeq, N. M., AbdulHaq, B., Arabiat, D., & Khalil, A. A. (2017). Displaced Syrian children's reported physical and mental wellbeing. *Child and Adolescent Mental Health*, 22(4), 186–193.
<https://doi.org/10.1111/camh.12237>
- Hassan, G., Ventevogel, P., Jefee-Bahloul, H., Barkil-Oteo, A., & Kirmayer, L. J. (2016). Mental health and psychosocial wellbeing of Syrians affected by armed conflict. *Epidemiology and Psychiatric Sciences*, 25(2), 129–141.
<https://doi.org/10.1017/S2045796016000044>
- Hastings, P. D., Zahn-Waxler, C., Robinson, J., Usher, B., & Bridges, D. (2000). The development of concern for others in children with behavior problems. *Developmental Psychology*, 36(5), 531–546. <https://doi.org/10.1037/0012-1649.36.5.531>
- Hay, D. F., Payne, A., & Chadwick, A. (2004). Peer relations in childhood. *Journal of Child Psychology and Psychiatry*, 45(1), 84–108.
<https://doi.org/10.1046/j.0021-9630.2003.00308.x>
- Hegney, D. G., Buikstra, E., Baker, P., Rogers-Clark, C., Pearce, S., Ross, H., King, C., & Watson-Luke, A. (2007). Individual resilience in rural people: a Queensland study, Australia. *Rural and Remote Health*, 7(4), 620.
- Heptinstall, E., Sethna, V., & Taylor, E. (2004). PTSD and depression in refugee children: Associations with pre-migration trauma and post-migration stress. *European Child and Adolescent Psychiatry*, 13(6), 373–380.
<https://doi.org/10.1007/s00787-004-0422-y>
- Herman, J. L. (2015). *Trauma and recovery: The aftermath of violence - from domestic abuse to political terror*. Hachette UK.
- Hildebrand, N. A., Celeri, E. H. R. V., Morcillo, A. M., & Zanolli, M. de L. (2019). Resilience and mental health problems in children and adolescents who have been victims of violence. *Revista de Saude Publica*, 53(1), 1–14.
<https://doi.org/10.11606/S1518-8787.2019053000391>

- Hill, H. M., & Madhere, S. (1996). Exposure to community violence and African American children: A multidimensional model of risks and resources. *Journal of Community Psychology, 24*(1), 26–43.
- Hjemdal, O., Aune, T., Reinfjell, T., Stiles, T. C., & Friborg, O. (2007). Resilience as a predictor of depressive symptoms: a correlational study with young adolescents. *Clinical Child Psychology and Psychiatry, 12*(1), 91–104. <https://doi.org/10.1177/1359104507071062>
- Hjemdal, O., Vogel, P. A., Solem, S., Hagen, K., & Stiles, T. C. (2011). The relationship between resilience and levels of anxiety, depression, and obsessive-compulsive symptoms in adolescents. *Clinical Psychology & Psychotherapy, 18*(4), 314–321. <https://doi.org/10.1002/cpp.719>
- Hodes, M., Jagdev, D., Chandra, N., & Cunniff, A. (2008). Risk and resilience for psychological distress amongst unaccompanied asylum seeking adolescents. *Journal of Child Psychology and Psychiatry and Allied Disciplines, 49*(7), 723–732. <https://doi.org/10.1111/j.1469-7610.2008.01912.x>
- Holmes, M., Yoon, S., Voith, L., Kobulsky, J., & Steigerwald, S. (2015). Resilience in Physically Abused Children: Protective Factors for Aggression. *Behavioral Sciences, 5*(2), 176–189. <https://doi.org/10.3390/bs5020176>
- Holt-Lunstad, J., Smith, T. B., & Layton, J. B. (2010). Social Relationships and Mortality Risk: A Meta-analytic Review. *PLoS Medicine, 7*(7), e1000316. <https://doi.org/10.1371/journal.pmed.1000316>
- Horowitz, M., Wilner, N., Ba, W., & Alvarez, M. A. (1979). Impact of Event Scale: A Measure of Subjective Stress. *Psychosomatic Medicine, 41*(3), 209.
- Howard, M., & Hodes, M. (2000). Psychopathology, adversity, and service utilization of young refugees. *Journal of the American Academy of Child and Adolescent Psychiatry, 39*(3), 368–377. <https://doi.org/10.1097/00004583-200003000-00020>

- Howell, K. H. (2011). Resilience and psychopathology in children exposed to family violence. In *Aggression and Violent Behavior* (Vol. 16, Issue 6, pp. 562–569). Pergamon. <https://doi.org/10.1016/j.avb.2011.09.001>
- Howell, K. H., Barrett-Becker, E. P., Burnside, A. N., Wamser-Nanney, R., Layne, C. M., & Kaplow, J. B. (2016). Children Facing Parental Cancer Versus Parental Death: The Buffering Effects of Positive Parenting and Emotional Expression. *Journal of Child and Family Studies*, 25(1), 152–164. <https://doi.org/10.1007/s10826-015-0198-3>
- Hoza, B., Mrug, S., Gerdes, A. C., Hinshaw, S. P., Bukowski, W. M., Gold, J. A., Kraemer, H. C., Jr, W. E. P., Wigal, T., & Arnold, L. E. (2005). *What Aspects of Peer Relationships Are Impaired in Children With Attention-Deficit / Hyperactivity Disorder ?* 73(3), 411–423. <https://doi.org/10.1037/0022-006X.73.3.411>
- Huang, C. C., Chen, Y., Greene, L., Cheung, S., & Wei, Y. (2019). Resilience and emotional and behavioral problems of adolescents in China: Effects of a short-term and intensive mindfulness and life skills training. *Children and Youth Services Review*, 100, 291–297. <https://doi.org/10.1016/j.childyouth.2019.03.015>
- Ikin, J. F., McKenzie, D. P., Gwini, S. M., Kelsall, H. L., Creamer, M., McFarlane, A. C., Clarke, D. M., Wright, B., & Sim, M. (2016). Major depression and depressive symptoms in Australian Gulf War veterans 20 years after the Gulf War. *Journal of Affective Disorders*, 189, 77–84. <https://doi.org/10.1016/j.jad.2015.09.016>
- International Organization for Migration. (2019). *Interntaional Migration Law: Glossary on Migration N° 34*. www.iom.int
- Jabbar, S. A., & Zaza, H. I. (2014). Impact of conflict in Syria on Syrian children at the Zaatari refugee camp in Jordan. *Early Child Development and Care*, 184(9–10), 1507–1530. <https://doi.org/10.1080/03004430.2014.916074>

- Javanbakht, A., Rosenberg, D., Haddad, L., & Arfken, C. L. (2018). Mental Health in Syrian Refugee Children Resettling in the United States: War Trauma, Migration, and the Role of Parental Stress. *Journal of the American Academy of Child and Adolescent Psychiatry*, 57(3), 209-211.e2. <https://doi.org/10.1016/j.jaac.2018.01.013>
- Jefferies, P., Ungar, M., Aubertin, P., & Kriellaars, D. (2019). Physical Literacy and Resilience in Children and Youth. *Frontiers in Public Health*, 7, 346. <https://doi.org/10.3389/fpubh.2019.00346>
- Jenkinson, R., Silbert, M., De Maio, J., & Edwards, B. (2016). Settlement experiences of recently arrived humanitarian migrants: Building a New Life in Australia-Wave 1. *Family Matters*, 97(82). <https://search.informit.com.au/documentSummary;dn=911119158533533;res=IELIND>
- Jiang, Y., Ming, H., Tian, Y., Huang, S., Sun, L., Li, H. jie, & Zhang, H. (2019). Cumulative Risk and Subjective Well-Being Among Rural-to-Urban Migrant Adolescents in China: Differential Moderating Roles of Stress Mindset and Resilience. *Journal of Happiness Studies*, 1–21. <https://doi.org/10.1007/s10902-019-00187-7>
- Joseph, S. (2000). Psychometric evaluation of Horowitz's impact of event scale: A review. *Journal of Traumatic Stress*, 13(1), 101–113.
- Juang, L. P., Simpson, J. A., Lee, R. M., Rothman, A. J., Titzmann, P. F., Korn, L., Heinemeier, D., & Betsch, C. (2018). *Using Attachment and Relational Perspectives to Understand Adaptation and Resilience Among Immigrant and Refugee Youth*. 73(6), 797–811.
- Kandemir, H., Karataş, H., Çeri, V., Solmaz, F., Kandemir, S. B., & Solmaz, A. (2018). Prevalence of war-related adverse events, depression and anxiety among Syrian refugee children settled in Turkey. *European Child and Adolescent Psychiatry*, 27(11), 1513–1517. <https://doi.org/10.1007/s00787-018-1178-0>

- Kanji, Z., & Cameron, B. L. (2010a). Exploring the experiences of resilience in Muslim Afghan refugee children. *Journal of Muslim Mental Health*, 5(1), 22–40. <https://doi.org/10.1080/15564901003620973>
- Kanji, Z., & Cameron, B. L. (2010b). Exploring the experiences of resilience in Muslim Afghan refugee children. *Journal of Muslim Mental Health*, 5(1), 22–40. <https://doi.org/10.1080/15564901003620973>
- Karela, C., & Petrogiannis, K. (2018). Risk and Resilience Factors of Divorce and Young Children’s Emotional Well-Being in Greece: A Correlational Study. *Journal of Educational and Developmental Psychology*, 8(2), 68. <https://doi.org/10.5539/jedp.v8n2p68>
- Katisi, M., Jefferies, P., Dikolobe, O., Moeti, O., Brisson, J., & Ungar, M. (2019). Fostering Resilience in Children Who have been Orphaned: Preliminary Results from the Botswana Balekane EARTH Program. *Child and Youth Care Forum*, 48(4), 585–601. <https://doi.org/10.1007/s10566-019-09497-6>
- Kazdin, A. E. (2001). Conduct Disorder. *International Encyclopedia of the Social & Behavioral Science*, 2511–2516. <https://doi.org/10.1016/b0-08-043076-7/01349-8>
- Kelly, J. B., & Emery, R. E. (2003). Children’s Adjustment Following Divorce: Risk and Resilience Perspectives. *Family Relations*, 52(4), 352–362. <https://doi.org/10.1111/j.1741-3729.2003.00352.x>
- Kessler, R. C., Price, R. H., & Wortman, C. B. (1985). Social factors in psychopathology: Stress, social support, and coping processes. *Annual Review of Psychology*, 36, 531–572. www.annualreviews.org
- Khamis, V. (2019). Posttraumatic stress disorder and emotion dysregulation among Syrian refugee children and adolescents resettled in Lebanon and Jordan. *Child Abuse and Neglect*, 89, 29–39. <https://doi.org/10.1016/j.chiabu.2018.12.013>

- Khan, N. Z., Shilpi, A. B., Sultana, R., Sarker, S., Razia, S., Roy, B., Arif, A., Ahmed, M. U., Saha, S. C., & McConachie, H. (2019). Displaced Rohingya children at high risk for mental health problems: Findings from refugee camps within Bangladesh. *Child: Care, Health and Development*, 45(1), 28–35.
<https://doi.org/10.1111/cch.12623>
- Kia-Keating, M., & Ellis, B. H. (2007). Belonging and connection to school in resettlement: young refugees, school belonging, and psychosocial adjustment. *Clinical Child Psychology and Psychiatry*, 12(1), 29–43.
<https://doi.org/10.1177/1359104507071052>
- Kim-Cohen, J., & Turkewitz, R. (2012). Resilience and measured gene–environment interactions. *Development and Psychopathology*, 24(04), 1297–1306.
- Kinzie, J. D. (1986). Severe post-traumatic stress syndrome among Cambodian refugees: symptoms, clinical course, and treatment approaches. In J. Shore (Ed.), *Disaster stress studies: new methods and findings*. American Psychiatric Press.
- Kinzie, J. D., Cheng, K., Tsai, J., & Riley, C. (2006). Traumatized Refugee Children. *The Journal of Nervous and Mental Disease*, 194(7), 534–537.
<https://doi.org/10.1097/01.nmd.0000224946.93376.51>
- Kira, Ibrahim A., Shuwiekh, H., Rice, K., Al Ibraheem, B., & Aljakoub, J. (2017). A Threatened Identity: The Mental Health Status of Syrian Refugees in Egypt and Its Etiology. *Identity*, 17(3), 176–190.
<https://doi.org/10.1080/15283488.2017.1340163>
- Kira, Ibrahim Aref, Shuwiekh, H., Al Ibraheem, B., & Aljakoub, J. (2019). Appraisals and emotion regulation mediate the effects of identity salience and cumulative stressors and traumas, on PTG and mental health: The case of Syrian’s IDPs and refugees. In *Self and Identity* (Vol. 18, Issue 3, pp. 284–305).
<https://doi.org/10.1080/15298868.2018.1451361>

- Klima, T., & Repetti, R. L. (2008). Children's Peer Relations and Their Psychological Adjustment: Differences between Close Friendships and the Larger Peer Group. In *Merrill-Palmer Quarterly* (Vol. 54, pp. 151–178). Wayne State University Press. <https://doi.org/10.2307/23096282>
- Knafo-Noam, A., & Markovitch, N. (2015). Individual Differences in Prosociality: The Roles of Parenting, Temperament, and Genetics. In A. Knafo-Noam (Ed.), *Prosocial behaviour. Encyclopedia on early childhood development*. (Issue November). <https://doi.org/10.4324/9781315517933-17>
- Knight, G. P., Carlo, G., Basilio, C. D., & Jacobson, R. P. (2015). Familism Values, Perspective Taking, and Prosocial Moral Reasoning: Predicting Prosocial Tendencies Among Mexican American Adolescents. *Journal of Research on Adolescence*, 25(4), 717–727. <https://doi.org/10.1111/jora.12164>
- Krain, A., Ghaffari, M., Freeman, J., Garcia, A., Leonard, H., & Pine, D. (2007). Anxiety Disorders. In A. Martin & F. Volkmar (Eds.), *Lewis's child and adolescent psychiatry: a comprehensive textbook*. (pp. 538–548).
- Krevans, J., & Gibbs, J. C. (1996). Parents' Use of Inductive Discipline: Relations to Children's Empathy and Prosocial Behavior. *Child Development*, 67(6), 3263–3277. <https://doi.org/10.1111/j.1467-8624.1996.tb01913.x>
- Laible, D. J., Carlo, G., & Roesch, S. C. (2004). Pathways to self-esteem in late adolescence: The role of parent and peer attachment, empathy, and social behaviours. *Journal of Adolescence*, 27(6), 703–716. <https://doi.org/10.1016/j.adolescence.2004.05.005>
- Lakey, B., & Cohen, S. (2000). Social support theory and selecting measures of social support. In S. Cohen, L. U. Gordon, & B. H. Gottlieb (Eds.), *Social support theory and measurement* (pp. 29–52). Oxford University Press.
- Lara, L., & Saracostti, M. (2019). Effect of Parental Involvement on Children's Academic Achievement in Chile. *Frontiers in Psychology*, 10(JUN), 1464. <https://doi.org/10.3389/fpsyg.2019.01464>

- Lavi, T., & Solomon, Z. (2005). Palestinian youth of the intifada: PTSD and future orientation. *Journal of the American Academy of Child and Adolescent Psychiatry*, *44*(11), 1176–1183.
<https://doi.org/10.1097/01.chi.0000177325.47629.4c>
- Leavy, G., Hollins, K., King, M., Barnes, J., Papadopoulos, C., & Grayson, K. (2004). Psychological disorder amongst refugee and migrant schoolchildren in London. *Social Psychiatry and Psychiatric Epidemiology*, *39*(3), 191–195.
<https://doi.org/10.1007/s00127-004-0724-x>
- Lee, R. M. (2005). Resilience against discrimination: Ethnic identity and other-group orientation as protective factors for Korean Americans. *Journal of Counseling Psychology*, *52*(1), 36–44. <https://doi.org/10.1037/0022-0167.52.1.36>
- Lee, Y., Lee, M. K., Chun, K. H., & Lee, Y. K. (2001). *Trauma Experience of North Korean Refugees in China*. *20*(3).
- Lépine, J. P., & Briley, M. (2011a). The increasing burden of depression. *Neuropsychiatric Disease and Treatment*, *7*(SUPPL.), 3–7.
<https://doi.org/10.2147/NDT.S19617>
- Lépine, J. P., & Briley, M. (2011b). The increasing burden of depression. *Neuropsychiatric Disease and Treatment*, *7*(SUPPL.), 3–7.
<https://doi.org/10.2147/NDT.S19617>
- Li, H., & Yeung, W. jun J. (2019). Academic Resilience in Rural Chinese Children: Individual and Contextual Influences. *Social Indicators Research*, *145*(2), 703–717. <https://doi.org/10.1007/s11205-017-1757-3>
- Li, S. S. Y., Liddell, B. J., & Nickerson, A. (2016). The Relationship Between Post-Migration Stress and Psychological Disorders in Refugees and Asylum Seekers. In *Current Psychiatry Reports* (Vol. 18, Issue 9, pp. 1–9). Current Medicine Group LLC 1. <https://doi.org/10.1007/s11920-016-0723-0>

- Li, X., Chi, P., Sherr, L., Cluver, L., & Stanton, B. (2015). Psychological resilience among children affected by parental HIV/AIDS: a conceptual framework. *Health Psychology and Behavioral Medicine, 3*(1), 217–235.
<https://doi.org/10.1080/21642850.2015.1068698>
- Liebenberg, L., Ungar, M., & LeBlanc, J. C. (2013). The CYRM-12: A brief measure of resilience. *Canadian Journal of Public Health, 104*(2), e131–e135.
<https://doi.org/10.1007/bf03405676>
- Lim, A. G., Stock, L., Shwe Oo, E. K., & Jutte, D. P. (2013). Trauma and mental health of medics in eastern Myanmar's conflict zones: A cross-sectional and mixed methods investigation. *Conflict and Health, 7*(1), 15.
<https://doi.org/10.1186/1752-1505-7-15>
- Lim, H. K., Woo, J. M., Kim, T. S., Kim, T. H., Choi, K. S., Chung, S. K., Chee, I. S., Lee, K. U., Paik, K. C., Seo, H. J., Kim, W., Jin, B., & Chae, J. H. (2009). Reliability and validity of the Korean version of the Impact of Event Scale-Revised. *Comprehensive Psychiatry, 50*(4), 385–390.
<https://doi.org/10.1016/j.comppsy.2008.09.011>
- Lovibond, P. F., & Lovibond, S. H. (1995). The structure of negative emotional states: comparison of the depression anxiety stress scales (DASS) with the Beck Depression and Anxiety Inventories. *Behav. Res. Ther., 33*(3), 335–343.
- Luthar, S. S. (1999). *Poverty and children's adjustment*. CA: Sage.
- Luthar, S. S., Cicchetti, D., & Becker, B. (2000). The Construct of Resilience: A Critical Evaluation and Guidelines for Future Work. *Child Development, 71*(3), 543–562. <https://doi.org/10.1111/1467-8624.00164>
- Lynch, F., Mills, C., Daly, I., & Fitzpatrick, C. (2006). Challenging times: Prevalence of psychiatric disorders and suicidal behaviours in Irish adolescents. *Journal of Adolescence, 29*(4), 555–573.
<https://doi.org/10.1016/j.adolescence.2005.08.011>

- Maccoby, E. E. (2004). The role of parents in the socialization of children: An historical overview. In *A century of developmental psychology*. (pp. 589–615). American Psychological Association. <https://doi.org/10.1037/10155-021>
- Macksoud, M. S., & Aber, J. L. (1996). The War Experiences and Psychosocial Development of Children in Lebanon. *Child Development, 67*(1), 70–88. <https://doi.org/10.1111/j.1467-8624.1996.tb01720.x>
- Mak, A. S. (1994). Parental neglect and overprotection as risk factors in delinquency. *Australian Journal of Psychology, 46*(2), 107–111. <https://doi.org/10.1080/00049539408259481>
- Malonda, E., Llorca, A., Mesurado, B., Samper, P., & Vicenta Mestre, M. (2019). Parents or peers? Predictors of prosocial behavior and aggression: A longitudinal study. *Frontiers in Psychology, 10*(OCT), 1–12. <https://doi.org/10.3389/fpsyg.2019.02379>
- Mancini, A. D., & Bonanno, G. A. (2009). Predictors and Parameters of Resilience to Loss: Toward an Individual Differences Model. *Journal of Personality, 77*(6), 1805–1832. <https://doi.org/10.1111/j.1467-6494.2009.00601.x>
- Martinez-Torteya, C., Anne Bogat, G., Von Eye, A., & Levendosky, A. A. (2009). Resilience Among Children Exposed to Domestic Violence: The Role of Risk and Protective Factors. *Child Development, 80*(2), 562–577. <https://doi.org/10.1111/j.1467-8624.2009.01279.x>
- Masten, A. S. (2014). *Global Perspectives on Resilience in Children and Youth*. 85(1), 6–20. <https://doi.org/10.1111/cdev.12205>
- Masten, A. S., Best, K. M., & Garmezy, N. (1990). Resilience and development: Contributions from the study of children who overcome adversity. *Development and Psychopathology, 2*(4), 425–444. <https://doi.org/10.1017/S0954579400005812>

- Masten, A. S., & Coatsworth, J. D. (1998). The development of competence in favorable and unfavorable environments: Lessons from research on successful children. *American Psychologist*, *53*(2), 205–220.
<https://doi.org/doi:10.1037/0003-066x.53.2.205>
- Masten, A. S., & Garmezy, N. (1985). Risk, Vulnerability, and Protective Factors in Developmental Psychopathology. In *Advances in Clinical Child Psychology* (pp. 1–52). Springer US. https://doi.org/10.1007/978-1-4613-9820-2_1
- Masten, A. S., & Powell, J. L. (2003). A resilience framework for research, policy, and practice. In S. S. Luthar (Ed.), *Resilience and vulnerabilities: Adaptation in the context of childhood adversities* (pp. 1–25). Cambridge University Press.
- Maybery, D., & Reupert, A. (2009). Parental mental illness: a review of barriers and issues for working with families and children. *Journal of Psychiatric and Mental Health Nursing*, *16*(9), 784–791. <https://doi.org/10.1111/j.1365-2850.2009.01456.x>
- McCrorry, E., A., D. B., & Viding, E. (2010). Research Review: The neurobiology and genetics of maltreatment and adversity. *Journal of Child Psychology and Psychiatry*, *51*(10), 1079–1095.
- Measham, T., Guzder, J., Rousseau, C., Pacione, L., Blais-Mcpherson, M., & Nadeau, L. (2014). Refugee children and their families: Supporting psychological well-being and positive adaptation following migration. *Current Problems in Pediatric and Adolescent Health Care*, *44*(7), 208–215.
<https://doi.org/10.1016/j.cppeds.2014.03.005>
- Mels, C., Derluyn, I., & Broekaert, E. (2008). Social support in unaccompanied asylum-seeking boys: a case study. *Child: Care, Health and Development*, *34*(6), 757–762. <https://doi.org/10.1111/j.1365-2214.2008.00883.x>
- Merhi, R., & Kazarian, S. S. (2012). Validation of the Arabic translation of the Multidimensional Scale of Perceived Social Support (Arabic-MSPSS) in a Lebanese community sample. *Arab Journal of Psychiatry*, *23*(2), 159–168.

- Merikangas, K. R., He, J. P., Burstein, M., Swanson, S. A., Avenevoli, S., Cui, L., Benjet, C., Georgiades, K., & Swendsen, J. (2010). Lifetime prevalence of mental disorders in U.S. adolescents: Results from the national comorbidity survey replication-adolescent supplement (NCS-A). *Journal of the American Academy of Child and Adolescent Psychiatry*, *49*(10), 980–989.
<https://doi.org/10.1016/j.jaac.2010.05.017>
- Meyer, E. C., Konecky, B., Kimbrel, N. A., DeBeer, B. B., Marx, B. P., Schumm, J., Penk, W. E., Gulliver, S. B., & Morissette, S. B. (2018). Gender differences in associations between DSM-5 posttraumatic stress disorder symptom clusters and functional impairment in war veterans. *Psychological Services*, *15*(2), 230–237. <https://doi.org/10.1037/ser0000171>
- Meyer, E. C., Zimering, R., Daly, E., Knight, J., Kamholz, B. W., & Gulliver, S. B. (2012). Predictors of posttraumatic stress disorder and other psychological symptoms in trauma-exposed firefighters. *Psychological Services*, *9*(1), 1–15.
<https://doi.org/10.1037/a0026414>
- Michael, L., & Inga, N. (2011). Brain Oxytocin is a Main Regulator of Prosocial Behaviour - Link to Psychopathology. In *Autism - A Neurodevelopmental Journey from Genes to Behaviour*. InTech. <https://doi.org/10.5772/18841>
- Milgram, N. A., & Gilda, P. (1993). Psychosocial characteristics of resilient children. *Journal of Research in Personality*, *27*(3), 207–221.
<https://doi.org/10.1006/jrpe.1993.1015>
- Miller, D. B., & MacIntosh, R. (1999). Promoting resilience in urban African American adolescents: Racial socialization and identity as protective factors. *Social Work Research*, *23*(3), 159–169. <https://doi.org/10.1093/swr/23.3.159>
- Modesto-Lowe, V., Yelunina, L., & Hanjan, K. (2011). Attention-deficit/hyperactivity disorder: a shift toward resilience? *Clinical Pediatrics*, *50*(6), 518–524. <https://doi.org/10.1177/0009922810394836>

- Morgos, D. (2008). Psychosocial Effects of War Experiences among Displaced Children in Southern Darfur. *OMEGA - Journal of Death and Dying*, 56(3), 229–253. <https://doi.org/10.2190/OM.56.3.b>
- Morgos, D., Worden, J. W., & Gupta, L. (2008). Psychosocial Effects of War Experiences among Displaced Children in Southern Darfur. *OMEGA - Journal of Death and Dying*, 56(3), 229–253. <https://doi.org/10.2190/OM.56.3.b>
- Morina, N., Koerssen, R., & Pollet, T. V. (2016). Interventions for children and adolescents with posttraumatic stress disorder: A meta-analysis of comparative outcome studies. In *Clinical Psychology Review* (Vol. 47, pp. 41–54). Elsevier Inc. <https://doi.org/10.1016/j.cpr.2016.05.006>
- Muecke, M. A., & Sassi, L. (1992). Anxiety among Cambodian refugee adolescents in transit and in resettlement. *Western Journal of Nursing Research*, 14(3), 267–285; discussion 286-91. <https://doi.org/10.1177/019394599201400302>
- Müller, L. R. F., Büter, K. P., Rosner, R., & Unterhitzberger, J. (2019). Mental health and associated stress factors in accompanied and unaccompanied refugee minors resettled in Germany: A cross-sectional study. *Child and Adolescent Psychiatry and Mental Health*, 13(1), 1–13. <https://doi.org/10.1186/s13034-019-0268-1>
- Muñoz, R. T., & Hanks, H. (2019). A Structural Model of Adverse Childhood Experiences as Antecedents of Rumination Leading to Lower Hope. *Journal of Interpersonal Violence*, 886260519868195. <https://doi.org/10.1177/0886260519868195>
- Murad, K., & Abdel, A. M. (2017). The relationship between traumatic experience, posttraumatic stress disorder, resilience, and posttraumatic growth among adolescents in Gaza strip. *Global Journal of Intellectual & Developmental Disabilities Symptoms*, 3(3), 1–10.
- Murphy, L. K., Bettis, A. H., Gruhn, M. A., Gerhardt, C. A., Vannatta, K., & Compas, B. E. (2017). Resilience in Adolescents with Cancer. *Journal of Developmental & Behavioral Pediatrics*, 38(8), 646–653. <https://doi.org/10.1097/DBP.0000000000000484>

- Musick, J. S., Stott, F. M., Spencer, K. K., Goldman, J., & Cohler, B. J. (1987). Maternal factors related to vulnerability and resiliency in young children at risk. In I. E. J. Anthony & B. J. Cohler (Eds.), *The Guilford psychiatry series. The invulnerable child* (pp. 229–259). Guilford Press.
- Nader, K. O., Pynoos, R. S., Fairbanks, L. A., Al-Ajeel, M., & Al-Asfour, A. (1993). A preliminary study of PTSD and grief among the children of Kuwait following the Gulf crisis. *British Journal of Clinical Psychology*, *32*(4), 407–416.
<https://doi.org/10.1111/j.2044-8260.1993.tb01075.x>
- Naja, W. J., Aoun, M. P., El Khoury, E. L., Abdallah, F. J. B., & Haddad, R. S. (2016). Prevalence of depression in Syrian refugees and the influence of religiosity. *Comprehensive Psychiatry*, *68*, 78–85.
<https://doi.org/10.1016/j.comppsy.2016.04.002>
- Nam, B., Yop, J., Devylder, J. E., & Song, A. (2016). Family functioning , resilience , and depression among North Korean refugees. *Psychiatry Research*, *245*, 451–457. <https://doi.org/10.1016/j.psychres.2016.08.063>
- Namy, S., Carlson, C., Norcini Pala, A., Faris, D., Knight, L., Allen, E., Devries, K., & Naker, D. (2017). Gender, violence and resilience among Ugandan adolescents. *Child Abuse and Neglect*, *70*(June), 303–314.
<https://doi.org/10.1016/j.chiabu.2017.06.015>
- National Center for PTSD. (2019). *How Common is PTSD in Children and Teens?*
https://www.ptsd.va.gov/understand/common/common_children_teens.asp
- Nho, C. R., Yoon, S., Seo, J., & Cui, L. (2019a). The mediating effect of perceived social support between depression and school adjustment in refugee children in South Korea. *Children and Youth Services Review*, *106*(February), 104474.
<https://doi.org/10.1016/j.chilyouth.2019.104474>
- Nho, C. R., Yoon, S., Seo, J., & Cui, L. (2019b). The mediating effect of perceived social support between depression and school adjustment in refugee children in South Korea. *Children and Youth Services Review*, *106*, 104474.
<https://doi.org/10.1016/j.chilyouth.2019.104474>

- Noret, N., Hunter, S. C., & Rasmussen, S. (2019). The Role of Perceived Social Support in the Relationship Between Being Bullied and Mental Health Difficulties in Adolescents. *School Mental Health, 0123456789*.
<https://doi.org/10.1007/s12310-019-09339-9>
- Norris, F. H., & Kaniasty, K. (1996). Received and perceived social support in times of stress: A test of the social support deterioration deterrence model. *Journal of Personality and Social Psychology, 71*(3), 498–511.
- O'Donnell, D. A., & Roberts, W. C. (2015). Experiences of violence, perceptions of neighborhood, and psychosocial adjustment among West African refugee youth. *International Perspectives in Psychology: Research, Practice, Consultation, 4*(1), 1–18. <https://doi.org/10.1037/ipp0000026>
- O'shea, B., Hodes, M., Down, G., & Bramley, J. (2000). A School-Based Mental Health Service for Refugee Children. *Clinical Child Psychology and Psychiatry, 5*(2), 189–201. <https://doi.org/10.1177/1359104500005002004>
- Onaka, T., Takayanagi, Y., & Yoshida, M. (2012). Roles of Oxytocin Neurones in the Control of Stress, Energy Metabolism, and Social Behaviour. *Journal of Neuroendocrinology, 24*(4), 587–598. <https://doi.org/doi:10.1111/j.1365-2826.2012.02300>.
- Önder, A., & Gülay, H. (2008). İlköğretim 8. Sınıf Öğrencilerinin Psikolojik Sağlamlığının Çeşitli Değişkenler Açısından İncelenmesi. *Dokuz Eylül Üniversitesi Buca Eğitim Fakültesi Dergisi, 23*.
- Oppedal, B., & Idsoe, T. (2015). The role of social support in the acculturation and mental health of unaccompanied minor asylum seekers. *Scandinavian Journal of Psychology, 56*(2), 203–211. <https://doi.org/doi:10.1111/sjop.12194>
- Oppedal, B., Özer, S., & Şirin, S. R. (2018). Traumatic events, social support and depression: Syrian refugee children in Turkish camps. *Vulnerable Children and Youth Studies, 13*(1), 46–59. <https://doi.org/10.1080/17450128.2017.1372653>
- Özer, S., Şirin, S., & Oppedal, B. (2013). *Bahçeşehir Study of Syrian Refugee Children in Turkey*. <http://www.fhi.no/dokumenter/4a7c5c4de3.pdf>

- Öztürk, M. (2007). ““Anne, Baba ve Eğitimciler için”” *Çocuk Psikiyatrisi*. . Uçurtma Yayınları.
- Paardekooper, B., De Jong, J. T. V. M., & Hermanns, J. M. A. (1999). The Psychological Impact of War and the Refugee Situation on South Sudanese Children in Refugee Camps in Northern Uganda: An Exploratory Study. *Journal of Child Psychology and Psychiatry*, *40*(4), 529–536. <https://doi.org/10.1111/1469-7610.00471>
- Padilla-Walker, L. M., Nielson, M. G., & Day, R. D. (2016). The role of parental warmth and hostility on adolescents’ prosocial behavior toward multiple targets. *Journal of Family Psychology*, *30*(3), 331–340. <https://doi.org/10.1037/fam0000157>
- Panter-Brick, C., Grimon, M.-P., & Eggerman, M. (2013). Caregiver-child mental health: a prospective study in conflict and refugee settings. *Journal of Child Psychology and Psychiatry*, *55*(4), 313–317.
- Panter-Brick, C., & Leckman, J. F. (2013). Editorial Commentary: Resilience in child development - interconnected pathways to wellbeing. *Journal of Child Psychology and Psychiatry*, *54*(4), 333–336.
- Panter-Brick, Catherine, Hadfield, K., Dajani, R., Eggerman, M., Ager, A., & Ungar, M. (2017). Resilience in Context: A Brief and Culturally Grounded Measure for Syrian Refugee and Jordanian Host-Community Adolescents. *Child Development*. <https://doi.org/10.1111/cdev.12868>
- Papageorgiou, V., Frangou-Garunovic, A., Iordanidou, R., Yule, W., Smith, P., & Vostanis, P. (2000). War trauma and psychopathology in Bosnian refugee children. *European Child and Adolescent Psychiatry*, *9*(2), 84–90. <https://doi.org/10.1007/s007870050002>
- Parker, G. R., Cowen, E. L., Work, W. C., & Wyman, P. A. (1990). Test correlates of stress resilience among urban school children. *The Journal of Primary Prevention*, *11*(1), 19–35. <https://doi.org/10.1007/BF01324859>

- Parker, J. G., & Asher, S. R. (1993). Friendship and Friendship Quality in Middle Childhood: Links With Peer Group Acceptance and Feelings of Loneliness and Social Dissatisfaction. *Developmental Psychology, 29*(4), 611–621. <https://doi.org/10.1037/0012-1649.29.4.611>
- Pegalla, M. A., Guilherme, P., Aguilera, P., Serra-Pinheiro, M. A., & Mattos, P. (2015). Attention deficit hyperactivity disorder is an independent risk factor for lower resilience in adolescents: a pilot study. *Trends in Psychiatry and Psychotherapy, 37*(3), 157–160. http://www.scielo.br/scielo.php?pid=S2237-60892015000300157&script=sci_arttext
- Perera, S., Gavian, M., Frazier, P., Johnson, D., Spring, M., Westermeyer, J., Butcher, J., Halcon, L., Robertson, C., Savik, K., & Jaranson, J. (2013). A longitudinal study of demographic factors associated with stressors and symptoms in African refugees. *American Journal of Orthopsychiatry, 83*(4), 472–482. <https://doi.org/10.1111/ajop.12047>
- Perez, W., Espinoza, R., Ramos, K., Coronado, H. M., & Cortes, R. (2009). Academic Resilience Among Undocumented Latino Students. *Hispanic Journal of Behavioral Sciences, 31*(2), 149–181. <https://doi.org/10.1177/07399863093333020>
- Perkins, D. F., & Jones, K. R. (2004). Risk behaviors and resiliency within physically abused adolescents. *Child Abuse and Neglect, 28*(5), 547–563. <https://doi.org/10.1016/j.chiabu.2003.12.001>
- Perkins, J. D., Ajeeb, M., Fadel, L., & Saleh, G. (2018). Mental health in Syrian children with a focus on post-traumatic stress: a cross-sectional study from Syrian schools. *Social Psychiatry and Psychiatric Epidemiology, 53*(11), 1231–1239. <https://doi.org/10.1007/s00127-018-1573-3>
- Perrier, F., & Nsengiyumva, J. B. (2003). Active science as a contribution to the trauma recovery process: Preliminary indications with orphans from the 1994 genocide in Rwanda. *International Journal of Science Education, 25*(9), 1111–1128. <https://doi.org/10.1080/0950069032000052225>

- Perrin, S., Meiser-Stedman, R., & Smith, P. (2005). The Children's Revised Impact of Event Scale (CRIES): Validity as a screening instrument for PTSD. *Behavioural and Cognitive Psychotherapy*, 33(4), 487–498. <https://doi.org/10.1017/S1352465805002419>
- Pettit, J. W., Roberts, R. E., Lewinsohn, P. M., Seeley, J. R., & Yaroslavsky, I. (2011). Developmental Relations Between Perceived Social Support and Depressive Symptoms Through Emerging Adulthood: Blood Is Thicker Than Water. *Journal of Family Psychology*, 25(1), 127–136. <https://doi.org/10.1037/a0022320>
- Pilling, S., Gould, N., Whittington, C., Taylor, C., & Scott, S. (2013). Recognition, intervention, and management of antisocial behaviour and conduct disorders in children and young people: Summary of NICE-SCIE guidance. In *BMJ (Online)* (Vol. 346, Issue 7902). British Medical Journal Publishing Group. <https://doi.org/10.1136/bmj.f1298>
- Pine, D. S., & Cohen, J. A. (2002). Trauma in children and adolescents: Risk and treatment of psychiatric sequelae. In *Biological Psychiatry* (Vol. 51, Issue 7, pp. 519–531). Elsevier. [https://doi.org/10.1016/S0006-3223\(01\)01352-X](https://doi.org/10.1016/S0006-3223(01)01352-X)
- Plötner, M., Over, H., Carpenter, M., & Tomasello, M. (2015). Young children show the bystander effect in helping situations. *Psychological Science*, 26(4), 499–506. <https://doi.org/10.1177/0956797615569579>
- Pretis, M., & Dimova, A. (2008). Vulnerable children of mentally ill parents: Towards evidence-based support for improving resilience. *Support for Learning*, 23(3), 152–159. <https://doi.org/10.1111/j.1467-9604.2008.00386.x>
- Prosocial Behavior*. - *PsycNET*. (n.d.). Retrieved 3 April 2020, from <https://psycnet.apa.org/record/2006-03571-024>
- Qiu, C., Shao, D., Yao, Y., Zhao, Y., & Zang, X. (2019). Self-management and psychological resilience moderate the relationships between symptoms and health-related quality of life among patients with hypertension in China. *Quality of Life Research*, 28(9), 2585–2595. <https://doi.org/10.1007/s11136-019-02191-z>

- Raboteg-šaric, Z., Žužul, M., & Keresteš, G. (1994). War and children's aggressive and prosocial behaviour. *European Journal of Personality*, 8(3), 201–212.
<https://doi.org/10.1002/per.2410080305>
- Radford, L., Corral, S., Bradley, C., & Fisher, H. L. (2013). The prevalence and impact of child maltreatment and other types of victimization in the UK: Findings from a population survey of caregivers, children and young people and young adults. *Child Abuse and Neglect*, 37(10), 801–813.
<https://doi.org/10.1016/j.chiabu.2013.02.004>
- Radke-Yarrow, M., & Brown, E. (1993). Resilience and vulnerability in children of multiple-risk families. *Development and Psychopathology*, 5(4), 581–592.
<https://doi.org/10.1017/S0954579400006179>
- Reavell, J., & Fazil, Q. (2017). The epidemiology of PTSD and depression in refugee minors who have resettled in developed countries. In *Journal of Mental Health* (Vol. 26, Issue 1, pp. 74–83). Taylor and Francis Ltd.
<https://doi.org/10.1080/09638237.2016.1222065>
- Reed, R. V., Fazel, M., Jones, L., Panter-Brick, C., & Stein, A. (2012). Mental health of displaced and refugee children resettled in low-income and middle-income countries: Risk and protective factors. *The Lancet*, 379(9812), 250–265.
[https://doi.org/10.1016/S0140-6736\(11\)60050-0](https://doi.org/10.1016/S0140-6736(11)60050-0)
- Regalla, M. A. R., Segenreich, D., Guilherme, P. R., & Mattos, P. (2019). Resilience levels among adolescents with ADHD using quantitative measures in a family-design study. *Trends in Psychiatry and Psychotherapy*, 41(3), 262–267.
<https://doi.org/10.1590/2237-6089-2018-0068>
- Reinemann, D. H. S., & Teeter Ellison, P. A. (2008). The Role of Internal and External Protective Factors in Low-Income, Ethnic Minority Children's Psychological Reactions to Community Violence Exposure. *Journal of Child & Adolescent Trauma*, 1(1), 23–45.
<https://doi.org/https://doi.org/10.1080/19361520801929852>

- Roberts, A., Gilman, S., Breslau, J., Breslau, N., & Koenen, K. (2011). Race/ethnic differences in exposure to traumatic events, development of post-traumatic stress disorder, and treatment-seeking for post-traumatic stress disorder in the United States. *Psychological Medicine, 41*(1), 71–83.
- Roizblatt, A., Biederman, N., & Brown, J. (2011). Therapeutic dilemmas and human rights violations: the experience of therapists working under extreme traumatization in Chile. *Journal of Aggression, Conflict and Peace Research, 3*(3), 155–161.
- Rosenberg, A. R., Bradford, M. C., McCauley, E., Curtis, J. R., Wolfe, J., Baker, K. S., & Yi-Frazier, J. P. (2018). Promoting resilience in adolescents and young adults with cancer: Results from the PRISM randomized controlled trial. *Cancer, 124*(19), 3909–3917. <https://doi.org/10.1002/cncr.31666>
- Roth, D. L., Goode, K. T., Williams, V. L., & Faught, E. (1994). Physical Exercise, Stressful Life Experience, and Depression in Adults with Epilepsy. *Epilepsia, 35*(6), 1248–1255. <https://doi.org/10.1111/j.1528-1157.1994.tb01796.x>
- Rousseau, C., Drapeau, A., & Corin, E. (1996). School performance and emotional problems in refugee children. *American Journal of Orthopsychiatry, 66*(2), 239–251.
- Rubin, K. H., Dwyer, K. M., Booth-LaForce, C., Kim, A. H., Burgess, K. B., & Rose-Krasnor, L. (2004). Attachment, Friendship, and Psychosocial Functioning in Early Adolescence. *The Journal of Early Adolescence, 24*(4), 326–356. <https://doi.org/10.1177/0272431604268530>
- Ruschena, E., Prior, M., Sanson, A., & Smart, D. (2005). A longitudinal study of adolescent adjustment following family transitions. *Journal of Child Psychology and Psychiatry, 46*(4), 353–363. <https://doi.org/10.1111/j.1469-7610.2004.00369.x>
- Rutter, M. (1987). Psychosocial Resilience and Protective Mechanisms. In *American Journal of Orthopsychiatry* (Vol. 57, Issue 3, pp. 316–331). <https://doi.org/10.1111/j.1939-0025.1987.tb03541.x>

- Rutter, M. (2006). Implications of resilience concepts for scientific understanding. *Annals of the New York Academy of Sciences*, 1094, 1–12.
<https://doi.org/10.1196/annals.1376.002>
- Sack, W. H., Clarke, G., Him, C., Dickason, D. A. N., Goff, B., Lanham, K., & Kinzie, J. D. (1987). A 6-Year Follow-up Study of Cambodian Refugee Adolescents Traumatized as Children. *32*(2), 431–437.
<https://doi.org/10.1097/00004583-199303000-00027>
- Samani, S., Jokar, B., & Sahragard, N. (2007). Effects of Resilience on Mental Health and Life Satisfaction . *Iranian Journal of Psychiatry and Clinical Psychology* , 13(3), 290–295. <http://ijpcp.iums.ac.ir/article-1-275-en.html>
- Sandler, I. N., Miller, P., Short, J., & Wolchik, S. A. (1989). Social support as a protective factor for children in stress. In D. Belle (Ed.), *Children's Social Networks and Social Supports* (pp. 277–307). John Wiley & Sons.
- Sandler, Irwin N., Reynolds, K. D., Kliwer, W., & Ramirez, R. (1992). Specificity of the Relation Between Life Events and Psychological Symptomatology. *Journal of Clinical Child Psychology*, 21(3), 240–248.
https://doi.org/10.1207/s15374424jccp2103_5
- Sangalang, C. C., & Vang, C. (2017). *Intergenerational Trauma in Refugee Families : A Systematic Review*. 19(3), 745–754.
<https://doi.org/10.1007/s10903-016-0499-7>
- Sapmaz, Ş. Y., Tanrıverdi, B. U., Öztürk, M., Gözaçanlar, Ö., Ülker, G. Y., & Özkan, Y. (2017). Immigration-related mental health disorders in refugees 5–18 years old living in Turkey. *Neuropsychiatric Disease and Treatment*, 13, 2813–2821. <https://doi.org/10.2147/NDT.S150592>
- Save the Children. (2018). *The many faces of exclusion - End of childhood report 2018*. www.savethechildren.org

- Schwarzer, R., & Knoll, N. (2007). Functional roles of social support within the stress and coping process: A theoretical and empirical overview. *International Journal of Psychology, 42*(4), 243–252.
<https://doi.org/10.1080/00207590701396641>
- Seifer, R., Sameroff, A. J., Baldwin, C. P., & Baldwin, A. (1992). Child and Family Factors that Ameliorate Risk between 4 and 13 Years of Age. *Journal of the American Academy of Child and Adolescent Psychiatry, 31*(5), 893–903.
<https://doi.org/10.1097/00004583-199209000-00018>
- Şengün, G., & Öğretir, A. D. (2018). Investigation of some variables of posttraumatic stress disorder (PTSD), empathy and depression in syrian children. *Universal Journal of Educational Research, 6*(6), 1348–1357.
<https://doi.org/10.13189/ujer.2018.060626>
- Senol, V., Unalan, D., Akca, R. P., & Basturk, M. (2018). Prevalence of attention-deficit/hyperactivity and other disruptive behaviour disorder symptoms among primary school-age children in Kayseri, Turkey. *The Journal of International Medical Research, 46*(1), 122–134. <https://doi.org/10.1177/0300060517712865>
- Sethna, V., Perry, E., Domoney, J., Iles, J., Psychogiou, L., Rowbotham, N. E. L., Stein, A., Murray, L., & Ramchandani, P. G. (2017). Father-child interactions at 3 months and 24 months: contributions to children’s cognitive development at 24 months. *Infant Mental Health Journal, 38*(3), 378–390.
<https://doi.org/10.1002/imhj.21642>
- Shalev, A. Y., & Freedman, S. (2005). PTSD following terrorist attacks: A prospective evaluation. *American Journal of Psychiatry, 162*(6), 1188–1191.
<https://doi.org/10.1176/appi.ajp.162.6.1188>
- Sharp, C., Penner, F., Marais, L., & Skinner, D. (2018). School connectedness as psychological resilience factor in children affected by HIV/AIDS. *AIDS Care, 30*(sup4), 34–41. <https://doi.org/10.1080/09540121.2018.1511045>
- Shevlin, M., Dorahy, M. J., & Adamson, G. (2007). Trauma and psychosis: An analysis of the National Comorbidity Survey. *American Journal of Psychiatry, 164*(1), 166–169. <https://doi.org/10.1176/ajp.2007.164.1.166>

- Shields, A., & Cicchetti, D. (2001). Parental Maltreatment and Emotion Dysregulation as Risk Factors for Bullying and Victimization in Middle Childhood. *Journal of Clinical Child and Adolescent Psychology, 30*(3), 349–363. https://doi.org/10.1207/S15374424JCCP3003_7
- Shisana, O., & Celentano, D. D. (1985). Depressive symptomatology among Namibian adolescent refugees. *Social Science and Medicine, 21*(11), 1251–1257. [https://doi.org/10.1016/0277-9536\(85\)90274-6](https://doi.org/10.1016/0277-9536(85)90274-6)
- Short, K. H., & Johnston, C. (1997). Stress, maternal distress, and children's adjustment following immigration: The buffering role of social support. *Journal of Consulting and Clinical Psychology, 65*(3), 494–503. <https://doi.org/10.1037/0022-006X.65.3.494>
- Short, K., & Johnston, C. (1997). Stress, maternal distress, and children's adjustment following immigration: The buffering role of social support. *Journal of Consulting and Clinical Psychology, 65*(3), 494–503. <https://psycnet.apa.org/record/1997-06366-015>
- Shpigelman, C. N., & Gelkopf, M. (2019). The impact of exposure to war and terror on individuals with disabilities. *Psychological Trauma: Theory, Research, Practice, and Policy, 11*(2), 189–196. <https://doi.org/10.1037/tra0000381>
- Shrira, A., Palgi, Y., Ben-Ezra, M., & Shmotkin, D. (2010). Do Holocaust survivors show increased vulnerability or resilience to post-Holocaust cumulative adversity? *Journal of Traumatic Stress, 23*(3), n/a-n/a. <https://doi.org/10.1002/jts.20524>
- Shuayb, M. (2014). The Art of Inclusive Exclusions: Educating the Palestinian Refugee Students in Lebanon. *Refugee Survey Quarterly, 33*(2), 20–37. <https://doi.org/10.1093/rsq/hdu002>
- Shumaker, S. A., & Brownell, A. (1984). Toward a Theory of Social Support: Closing Conceptual Gaps. *Journal of Social Issues, 40*(4), 11–36. <https://doi.org/10.1111/j.1540-4560.1984.tb01105.x>

- Sidebotham, P., & Golding, J. (2001). Child maltreatment in the ‘Children of the Nineties’: A longitudinal study of parental risk factors. *Child Abuse and Neglect*, 25(9), 1177–1200. [https://doi.org/10.1016/S0145-2134\(01\)00261-7](https://doi.org/10.1016/S0145-2134(01)00261-7)
- Sierau, S., Schneider, E., Nesterko, Y., & Glaesmer, H. (2019). Alone, but protected? Effects of social support on mental health of unaccompanied refugee minors. *European Child and Adolescent Psychiatry*, 28(6), 769–780. <https://doi.org/10.1007/s00787-018-1246-5>
- Silk, J. S., Vanderbilt-Adriance, E., Shaw, D. S., Forbes, E. E., Whalen, D. J., Ryan, N. D., & Dahl, R. E. (2007). Resilience among children and adolescents at risk for depression: Mediation and moderation across social and neurobiological contexts. *Development and Psychopathology*, 19(3), 841–865. <https://doi.org/10.1017/S0954579407000417>
- Singh, R., Mahato, S., Singh, B., Thapa, J., & Gartland, D. (2019). Resilience in nepalese adolescents: Socio- demographic factors associated with low resilience. *Journal of Multidisciplinary Healthcare*, 12, 893–902. <https://doi.org/10.2147/JMDH.S226011>
- Skrove, M., Romundstad, P., & Indredavik, M. S. (2013). Resilience, lifestyle and symptoms of anxiety and depression in adolescence: The Young-HUNT study. *Social Psychiatry and Psychiatric Epidemiology*, 48(3), 407–416. <https://doi.org/10.1007/s00127-012-0561-2>
- Sleijpen, M., Mooren, T., Kleber, R. J., & Boeije, H. R. (2017). Lives on hold: A qualitative study of young refugees’ resilience strategies. *Childhood*, 24(3), 348–365. <https://doi.org/10.1177/0907568217690031>
- Smith, J., & Prior, M. (1995). Temperament and Stress Resilience in School-Age Children: A Within-Families Study. *Journal of the American Academy of Child and Adolescent Psychiatry*, 34(2), 168–179. <https://doi.org/10.1097/00004583-199502000-00012>

- Song, C., Fu, Z., & Wang, J. (2019). Social Support and Academic Stress in the Development of Psychological Adjustment in Chinese Migrant Children: Examination of Compensatory Model of Psychological Resilience. *Child Indicators Research*, *12*(4), 1275–1286. <https://doi.org/10.1007/s12187-018-9577-9>
- Ssenyonga, J., Owens, V., & Olema, D. K. (2013). Posttraumatic Growth, Resilience, and Posttraumatic Stress Disorder (PTSD) among Refugees. *Procedia - Social and Behavioral Sciences*, *82*, 144–148. <https://doi.org/10.1016/j.sbspro.2013.06.238>
- Stadler, C., Feifel, J., Rohrmann, S., Vermeiren, R., & Poustka, F. (2010). Peer-victimization and mental health problems in adolescents: Are Parental and school support protective? *Child Psychiatry and Human Development*, *41*(4), 371–386. <https://doi.org/10.1007/s10578-010-0174-5>
- Stainton, A., Chisholm, K., Kaiser, N., Rosen, M., Upthegrove, R., Ruhrmann, S., & Wood, S. J. (2019). Resilience as a multimodal dynamic process. *Early Intervention in Psychiatry*, *13*(4), 725–732. <https://doi.org/10.1111/eip.12726>
- Steel, J. L., Dunlavy, A. C., Harding, C. E., & Theorell, T. (2017). The Psychological Consequences of Pre-Emigration Trauma and Post-Migration Stress in Refugees and Immigrants from Africa. *Journal of Immigrant and Minority Health*, *19*(3), 523–532. <https://doi.org/10.1007/s10903-016-0478-z>
- Stewart, M., Anderson, J., Beiser, M., Mwakarimba, E., Neufeld, A., Simich, L., & Spitzer, D. (2008). Multicultural Meanings of Social Support among Immigrants and Refugees. *International Migration*, *46*(3), 123–159. <https://doi.org/10.1111/j.1468-2435.2008.00464.x>
- Stolberg, A. L., & Bush, J. P. (1985). A Path Analysis of Factors Predicting Children's Divorce Adjustment. *Journal of Clinical Child Psychology*, *14*(1), 49–54. https://doi.org/10.1207/s15374424jccp1401_8

- Stover, C. S., Urdahl, A., & Easton, C. (2012). Depression as a mediator of the association between substance abuse and negative parenting of fathers. *American Journal of Drug and Alcohol Abuse*, 38(4), 344–349. <https://doi.org/10.3109/00952990.2011.649221>
- Strohmeier, D., & Spiel, C. (2012). Peer Relations Among Immigrant Adolescents: Methodological Challenges and Key Findings. In *Migrations: Interdisciplinary Perspectives* (pp. 57–65). Springer Vienna. https://doi.org/10.1007/978-3-7091-0950-2_5
- Sturaro, C., van Lier, P. A. C., Cuijpers, P., & Koot, H. M. (2011). The Role of Peer Relationships in the Development of Early School-Age Externalizing Problems. *Child Development*, 82(3), 758–765. <https://doi.org/10.1111/j.1467-8624.2010.01532.x>
- Suh, G. W., Fabricius, W. V., Stevenson, M. M., Parke, R. D., Cookston, J. T., Braver, S. L., & Saenz, D. S. (2016). Effects of the interparental relationship on adolescents' emotional security and adjustment: The important role of fathers. *Developmental Psychology*, 52(10), 1666–1678. <https://doi.org/10.1037/dev0000204>
- Sun, J., & Stewart, D. (2007). Age and Gender Effects on Resilience in Children and Adolescents. *International Journal of Mental Health Promotion*, 9(4), 16–25. <https://doi.org/10.1080/14623730.2007.9721845>
- Suzuki, K., Hiratani, M., Mizukoshi, N., Hayashi, T., & Inagaki, M. (2018). Family resilience elements alleviate the relationship between maternal psychological distress and the severity of children's developmental disorders. *Research in Developmental Disabilities*, 83, 91–98. <https://doi.org/10.1016/j.ridd.2018.08.006>
- Syrian Centre for Policy Research (SCPR). (2015). *Alienation and Violence - Syria Impact of Syria Crisis Report 2014*.

- Tamnes, C. K., Overbye, K., Ferschmann, L., Fjell, A. M., Walhovd, K. B., Blakemore, S. J., & Dumontheil, I. (2018). Social perspective taking is associated with self-reported prosocial behavior and regional cortical thickness across adolescence. *Developmental Psychology, 54*(9), 1745–1757. <https://doi.org/10.1037/dev0000541>
- Tein, J.-Y., Sandler, I. N., Ayers, T. S., & Wolchik, S. A. (2006). Mediation of the effects of the family bereavement program on mental health problems of bereaved children and adolescents. *Prevention Science, 7*(2), 179–195. <https://doi.org/10.1007/s11121-006-0037-2>
- Tekeli-Yesil, S., Isik, E., Unal, Y., Almossa, F. A., Unlu, H. K., & Aker, A. T. (2018). Determinants of mental disorders in Syrian refugees in Turkey versus internally displaced persons in Syria. *American Journal of Public Health, 108*(7), 938–945. <https://doi.org/10.2105/AJPH.2018.304405>
- Thabet, A. A., Ibraheem, A. N., Shivram, R., Winter, E. A., & Vostanis, P. (2009). Parenting support and PTSD in children of a war zone. *International Journal of Social Psychiatry, 55*(3), 226–237. <https://doi.org/10.1177/0020764008096100>
- Thabet, A., & Thabet, S. (2015). Trauma, PTSD, Anxiety, and Resilience in Palestinian Children in the Gaza Strip. *British Journal of Education, Society & Behavioural Science, 11*(1), 1–13. <https://doi.org/10.9734/bjesbs/2015/19101>
- Thastum, M., Johansen, M. B., Gubba, L., Olesen, L. B., & Romer, G. (2008). Coping, social relations, and communication: A qualitative exploratory study of children of parents with cancer. *Clinical Child Psychology and Psychiatry, 13*(1), 123–138. <https://doi.org/10.1177/1359104507086345>
- Thornberry, T. P., Henry, K. L., Ireland, T. O., & Smith, C. A. (2010). The Causal Impact of Childhood-Limited Maltreatment and Adolescent Maltreatment on Early Adult Adjustment. *Journal of Adolescent Health, 46*(4), 359–365. <https://doi.org/10.1016/j.jadohealth.2009.09.011>
- Turner, R., & Brown, R. (2009). Social Support and Mental Health. In T. Scheid & T. Brown (Eds.), *A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems* (pp. 200–212). Cambridge University Press.

- Twenge, J. M., Baumeister, R., & Ciarocco, N. J. (2007). Social Exclusion Decreases Prosocial Behavior . *Article in Journal of Personality and Social Psychology*.
<https://doi.org/10.1037/0022-3514.92.1.56>
- Ugurlu, N., Akca, L., & Acarturk, C. (2016). An art therapy intervention for symptoms of post-traumatic stress, depression and anxiety among Syrian refugee children. *Vulnerable Children and Youth Studies, 11*(2), 89–102.
<https://doi.org/10.1080/17450128.2016.1181288>
- UNHCR. (2019, June 19). *Worldwide displacement tops 70 million, UN Refugee Chief urges greater solidarity in response*.
<https://www.unhcr.org/news/press/2019/6/5d03b22b4/worldwide-displacement-tops-70-million-un-refugee-chief-urges-greater-solidarity.html>
- UNHRC. (2017). *Global Trends Forced Displacement In 2017*.
- UNHRC. (2018). *UNHCR Global Appeal 2018-2019 - full report*.
[http://www.unhcr.org/publications/fundraising/5a0c05027/unhcr-global-appeal-2018-2019-full-report.html?query=worldwide refugee number 2018](http://www.unhcr.org/publications/fundraising/5a0c05027/unhcr-global-appeal-2018-2019-full-report.html?query=worldwide%20refugee%20number%202018)
- United Nations Human Rights Council. (n.d.). *Without a trace: enforced disappearances in Syria*.
- Vaish, A., Carpenter, M., & Tomasello, M. (2009). Sympathy Through Affective Perspective Taking and Its Relation to Prosocial Behavior in Toddlers. *Developmental Psychology, 45*(2), 534–543. <https://doi.org/10.1037/a0014322>
- Vanderbilt-Adriance, E., Shaw, D. S., Brennan, L. M., Dishion, T. J., Gardner, F., & Wilson, M. N. (2015). Child, Family, and Community Protective Factors in the Development of Children’s Early Conduct Problems. *Family Relations, 64*(1), 64–79. <https://doi.org/10.1111/fare.12105>
- Venkata, J. A., & Panicker, A. S. (2013). Prevalence of attention deficit hyperactivity disorder in primary school children. *Indian Journal of Psychiatry, 55*(4), 338–342. <https://doi.org/10.4103/0019-5545.120544>

- Wang, K., & Kong, F. (2020). Linking Trait Mindfulness to Life Satisfaction in Adolescents: the Mediating Role of Resilience and Self-Esteem. *Child Indicators Research*, 13(1), 321–335. <https://doi.org/10.1007/s12187-019-09698-4>
- Wasonga, T., Christman, D. E., & Kilmer, L. (2003). Ethnicity, Gender and Age: Predicting Resilience and Academic Achievement among Urban High School Students. In *American Secondary Education* (Vol. 32, pp. 62–74). Dwight Schar College of Education, Ashland University. <https://doi.org/10.2307/41064505>
- Weiner, M. R., Monin, J. K., Mota, N., & Pietrzak, R. H. (2016). Age Differences in the Association of Social Support and Mental Health in Male U.S. Veterans: Results from the National Health and Resilience in Veterans Study. *American Journal of Geriatric Psychiatry*, 24(4), 327–336. <https://doi.org/10.1016/j.jagp.2015.11.007>
- Weiss, D S, & Marmar, C. R. (1997). The Impact of Event Scale-Revised. . In J. P. Wilson & T. M. Keane (Eds.), *Assessing psychological trauma and PTSD* (pp. 399–411). Guilford Press.
- Weiss, Daniel S. (2007). The Impact of Event Scale: Revised. In *Cross-Cultural Assessment of Psychological Trauma and PTSD* (pp. 219–238). Springer US. https://doi.org/10.1007/978-0-387-70990-1_10
- Welsh, E. A., & Brodsky, A. E. (2010). After every darkness is light: Resilient afghan women coping with violence and immigration. *Asian American Journal of Psychology*, 1(3), 163–174. <https://doi.org/10.1037/a0020922>
- Werner, E., Cox, R. S.-B. &, & 1988, undefined. (1982). *Vulnerable but invincible: a longitudinal study of resilient children and youth* . McGraw-Hill.
- Werner, E. E. (1984). Resilient children. *Young Children*, 40(1), 68–72. <http://web.macam.ac.il/~zigi/EAP/adv1texts/Resilient Children.doc>
- Werner, E. E., & Smith, R. S. (2001). *Journeys from Childhood to Midlife*. Cornell University Press.

- Woltin, K. A., Sassenberg, K., & Albayrak, N. (2018). Regulatory focus, coping strategies and symptoms of anxiety and depression: A comparison between Syrian refugees in Turkey and Germany. *PLoS ONE*, *13*(10), 1–22.
<https://doi.org/10.1371/journal.pone.0206522>
- Wortman, C. B., & Dunkel-Schetter, C. (1987). Conceptual and methodological issues in the study of social support. In A. Baum & J. E. Singer (Eds.), *Handbook of psychology and health* (Issue 1, pp. 63–108). Lawrence Erlbaum Associates. <https://doi.org/10.1046/j.1365-2648.1997.1997025095.x>
- Yager, T. J., Gerszberg, N., & Dohrenwend, B. P. (2016). Secondary Traumatization in Vietnam Veterans' Families. *Journal of Traumatic Stress*, *29*(4), 349–355.
<https://doi.org/10.1002/jts.22115>
- Yayan, E. H., Düken, M. E., Özdemir, A. A., & Çelebioğlu, A. (2019). Mental health problems of Syrian refugee children: Post-traumatic stress, depression and anxiety. *Journal of Pediatric Nursi*, *51*, 6–11.
<https://doi.org/10.1016/j.pedn.2019.06.012>
- Yayan, E. H., Düken, M. E., Özdemir, A. A., & Çelebioğlu, A. (2020). Mental Health Problems of Syrian Refugee Children: Post-Traumatic Stress, Depression and Anxiety. *Journal of Pediatric Nursing*, *51*, 27–32.
<https://doi.org/10.1016/j.pedn.2019.06.012>
- Yöndem, D. Z., & Bahtiyar, M. (2016). Ergenlerde psikolojik dayanıklılık ve stresle başetme. *The Journal of Academic Social Science Studies*, *4*(45), 53–53.
<https://doi.org/10.9761/jasss3419>
- Yoon, S., Howell, K., Dillard, R., McCarthy, K. S., Napier, T. R., & Pei, F. (2019). Resilience Following Child Maltreatment: Definitional Considerations and Developmental Variations. *Trauma, Violence & Abuse*, *15*24838019869094.
<https://doi.org/10.1177/1524838019869094>
- Zare, M., Narayan, M., & Lasway, A. (2018). *Influence of Adverse Childhood In Children Aged 6 to 11 Years*. *44*(6).

- Zhang, Y., Wang, H. F., Ning, Y. S., Yang, G., Zhang, Y. Q., Shan, L. L., Chen, S. F., Wang, J., Tao, Y. C., & Zhang, H. Y. (2019a). [The mediating role of psychological resilience to childhood abuse and binge eating among middle school students]. *Zhonghua Yu Fang Yi Xue Za Zhi [Chinese Journal of Preventive Medicine]*, 53(9), 944–946. <https://doi.org/10.3760/cma.j.issn.0253-9624.2019.09.015>
- Zhang, Y., Wang, H. F., Ning, Y. S., Yang, G., Zhang, Y. Q., Shan, L. L., Chen, S. F., Wang, J., Tao, Y. C., & Zhang, H. Y. (2019b). The mediating role of psychological resilience to childhood abuse and binge eating among middle school students. *Zhonghua Yu Fang Yi Xue Za Zhi [Chinese Journal of Preventive Medicine]*, 53(9), 944–946. <https://doi.org/10.3760/cma.j.issn.0253-9624.2019.09.015>
- Zhao, G., Li, X., Fang, X., Zhao, J., Hong, Y., Lin, X., & Stanton, B. (2011). Functions and sources of perceived social support among children affected by HIV/AIDS in China. *AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV*, 23(6), 671–679. <https://doi.org/10.1080/09540121.2010.525619>
- Ziaian, T., de Anstiss, H., Antoniou, G., Baghurst, P., & Sawyer, M. (2012). Resilience and Its Association with Depression, Emotional and Behavioural Problems, and Mental Health Service Utilisation among Refugee Adolescents Living in South Australia. *International Journal of Population Research*, 2012, 1–9. <https://doi.org/10.1155/2012/485956>
- Ziaian, T., de Anstiss, H., Antoniou, G., Baghurst, P., & Sawyer, M. (2013). Emotional and Behavioural Problems Among Refugee Children and Adolescents Living in South Australia. *Australian Psychologist*, 48(2), 139–148. <https://doi.org/10.1111/j.1742-9544.2011.00050.x>
- Zimet, G. D., Dahlem, N. W., Zimet, S. G., & Farley, G. K. (1988). The Multidimensional Scale of Perceived Social Support. *Journal of Personality Assessment*, 52(1), 30–41. <https://doi.org/10.1207/s15327752jpa5201>

Zwi, K., Woodland, L., Williams, K., Palasanthiran, P., Rungan, S., Jaffe, A., & Woolfenden, S. (2018). Protective factors for social-emotional well-being of refugee children in the first three years of settlement in Australia. *Archives of Disease in Childhood*, *103*(3), 261–268. <https://doi.org/10.1136/archdischild-2016-312495>

APPENDIX

APPENDIX 1

PSYCHOMETRIC PROPERTIES of ASSESMENT MEASURES

1.1 Impact of Event Scale-Revised (IES-R; Weiss, 1997)

PTSD symptoms were measured using the validated Korean version of the Impact of Event Scale-Revised (Lim et al., 2009). This measure was originally developed by Weiss (2007) to assesses the experience of posttraumatic symptoms such as intrusion, avoidance, and hyper-arousal and consists of 22 items rated on a five-point Likert scale ranging from 0 (not at all) to 4 (extremely). The scores can range from 0 to 88. High levels of internal consistency reported for intrusion, avoidance, hyperarousal with Cronbach's alpha rated between .87 - .94, .84 - .87, .79 - .91, respectively.

1.2 Depression, Anxiety and Stress Scale (DASS-42; Lovibond and Lovibond, 1995)

The DASS-42 demonstrates high internal consistency, for depression, anxiety and stress scales with Cronbach's alpha was .96, .89, .93 respectively (Brown et al., 1997). The convergent validity of DASS-42 was established by examining correlations with other scales: Beck Depression Inventory (BDI; Beck, Ward, Mendelson, Mock and Erbaugh, 1961) and Beck Anxiety Inventory (BAI; Beck, Epstein, Brown and Steer, 1988). Arabic version of the DASS-42 was developed in 2001 by Moussa, Lovibond and Laube. It is established in Australia with 220 immigrant sample. Arabic version of the DASS-42 demonstrated high internal consistency for the depression, anxiety and stress scales with Cronbahe's alpha .93, .90 and .93, respectively.

1.3 Multidimensional Scale of Perceived Social Support (MSPSS; Zimet, Dahlem, Zimet and Farley, 1988)

Internal consistency of MSPSS, as demonstrated by Cronbach's alpha coefficient, was 0.88 which indicates high internal reliability. For the family, friends and significant other subscales Cronbach's alpha was .87, .85, .91 respectively (Zimet et al., 1988). Also, the test-retest reliability for the family, friends and significant other subscales was .85, .75 and .72. The readapted Arabic version of the MSPSS developed in 2012 by Merhi and Kazarian. It is established with 221 Lebanese sample. Internal consistency of Arabic MSPSS as demonstrated by Cronbach's alpha coefficient, was 0.87. For the family, friends and significant other, Cronbach's alpha was .82, .86 and .85, respectively.

1.4 Child and Youth Resilience Measure (CYRM-12; Liebenberg, Ungar, Leblanc, 2013)

Internal consistency of CYRM-12, as demonstrated by Cronbach's alpha coefficient, was 0.840. Arabic version of the CYRM-12 developed in 2017 by Panter-Brick, Dajani, Ager, Hadfield, Eggerman and Ungar. It is established in Jordan with 603 people consist of refugee and nonrefugee youth between the ages 11 and 18 years old. In Arabic version of the measure internal reliability was .75 for the nonrefugee sample, refugee sample and for total sample. The correlation coefficients for CYRM-12 Arabic was .93 which is indicating high inter-rater reliability. The convergent validity of CYRM-12 Arabic was established by examining correlations with other scales like Perceived Stress Scale, Human Distress Scale and Strengths and Difficulties Questionnaire.

1.5 Strengths and Difficulties Questionnaire (SDQ; Goodman, Meltzer and Bailey, 1998)

Internal consistency of the SDQ, as demonstrated by Cronbach's alpha coefficient, was 0.82. For the emotional symptoms, conduct problems, hyperactivity/inattention, peer relationships problems and prosocial behaviour, Cronbach's alpha was .75, .72, .69, .61 and .65, respectively (Goodman et al., 2013). Arabic version of the SDQ was

developed in 2006 by Alyahri and Goodman. It is established in Yemen with 187 children between ages 5-12 years old. 87 of children recruited from psychiatric clinics and 100 from the community. Internal consistency of SDQ examined with receiver operating characteristic (ROC) curves. For each subscale the area under the curve (AUC) was significantly greater than 0.5 (Alyahri et al., 2006).

1.6 Family Peer Relationship Questionnaire (FPRQ; Ellison, 1983)

Internal consistency of the FPRQ, as demonstrated by Cronbach's alpha coefficient, was ranged from .65 to .92 for family, friends and significant other scales. Arabic version of the FPRQ was developed in 2008 by Aroian, Hough, Templin and Kaskiri. It is established in Detroit with 645 Arab immigrant mother and child sample. Cronbach's alpha was higher than .80 for all three subscales of the Arabic FPRQ.

APPENDIX 2

SOCIO-DEMOGRAPHIC FORM

نموذج اجتماعي-ديموغرافي

الاسم:

التاريخ:

نرجو الإجابة على الأسئلة الموجودة في الأسفل بالشكل الذي ترونه مناسباً.

1. الجنس:

() ذكر () أنثى

2. تاريخ الميلاد (يوم/شهر/سنة)

3. هل تذهب للمدرسة؟

() نعم

() لا

4. منذ متى وانت تقيم في تركيا؟-----

5. هل ذهبت للمدرسة قبل مجيئكم إلى هنا؟

() نعم

() لا

6. أين تعيش في سوريا؟

() مدينة

() بلدة

() قرية

7. هل والدك ووالدتك على قيد الحياة؟

() الأم حية

() الأب حي

() الأب والأم أحياء

8. كم عدد الأولاد في عائلتك؟

() 1

() 2

() 3

() 4

() 5

() 6

() 7

() 8

() 9

() 10

() 10+

8. ما هو ترتيبك بين إخوتك؟

- () 1
 () 2
 () 3
 () 4
 () 5
 () 6
 () 7
 () 8
 () 9
 () 10

9. هل تعيش هنا مع عائلتك؟

- () نعم
 () لا

10. هل لديك أحد من أقربائكم يعيش هنا؟

- () نعم
 () لا

11. هل لديك أصدقاء هنا؟

- () نعم
 () لا

12. هل لديك أصدقاء أتراك؟

- () نعم
 () لا

13. هل لديك أصدقاء سوريين؟

- () نعم
 () لا

14. هل تتكلم اللغة التركية؟

- () لا أتكلم اللغة التركية
 () أتكلم قليلاً
 () أتكلم اللغة التركية
 () أتكلم اللغة التركية بشكل جيد

15. هل تعاني من أي أمراض حالياً؟

- () نعم
 () لا

16. هل عانيت من أي مرض نفسي سابقاً؟

- () نعم
 () لا

17. هل تعاني من أي مرض نفسي حالياً؟

- () نعم
 () لا

18. ما هي الظروف و الأحداث التي أثرت في حياتكم بشكل كبير او تعتبرونها قد أثرت على حياتكم بشكل سلبي نرجو اختيار حادثة أو أكثر من الأحداث المذكورة في الأسفل.

- () كارثة طبيعية
 () التعرض للعنف الجسدي

- تدخل شخص في حياتي الخاصة من دون إذني ()
- فقد شخص محبوب و قريب ()
- مشاكل اقتصادية ()
- مشاكل الأصدقاء ()
- حادث سير كبير ()
- حادث جسدي كبير ()
- حريق ()
- حرب ()
- هل تم احتجازكم بالقوة؟ ()

APPENDIX 3



Katılımcı Bilgilendirme ve Onam Formu

İletişim Bilgileri: sevde.kurt@ibnhaldun.edu.tr

Araştırma Başlığı: Türkiye’de Yaşayan Suriyeli Çocuk ve Ergenlerin Psikolojik Sağlamlığı

Giriş:

Bu araştırma, İbn Haldun Üniversitesi Sosyal Bilimler Enstitüsü Klinik Psikoloji Bölümü yüksek lisans tez araştırması kapsamında, Dr. Öğr. Üyesi Senem Eren danışmanlığında Psikolog Fatma Sevde Kurt tarafından yürütülmektedir. Çocuğunuzun araştırmaya katılmasını onaylamadan önce sağlıklı bir karar verebilmek adına metni okuyup araştırmanın amacı ve görüşmede izleyeceğimiz prosedür ile ilgili bilgi sahibi olmanız gerekmektedir. Eğer kabul ederseniz, çocuğunuzun araştırmamıza katılmasını onaylamış olacaksınız.

Araştırmanın Hedefi:

Araştırma kalem ve kağıt kullanılarak yapılacak olan testlerden oluşmaktadır. Amaç, çocuk ve ergenlerin değişime adapte olmalarını sağlayan faktörleri saptamak, uyum sağlamalarındaki yardımcı faktörleri belirlemektir.

İzlenilecek Yöntem:

Çocuklarınızın kalem ve kağıt kullanarak bazı testler doldurmalarını isteyeceğiz. Bu testlerde çocuklarınızın sosyal hayatı, arkadaşlık ilişkileri gibi bazı faktörlerle ilgili sorular olacaktır. Ortalama 40-45 dakika, maksimum bir saat sürecektir.

Katılımcı için olası riskler:

Araştırmada yapılması istenecek ölçeklerden herhangi birinin risk faktörü oluşturacağı düşünülmüyor. Buna rağmen çocuğunuzun araştırmadan çekilmesine karar verirsiniz lütfen araştırmacıyı bilgilendiriniz. Araştırmacıya, araştırmadan çekilme sebeplerinizi söylemek zorunda değilsiniz. Kendinizi rahatsız hissettiğiniz

herhangi bir durumda lütfen Fatma Sevde Kurt ile iletişime geçiniz (e-mail: sevde.kurt@ibnhaldun.com.tr).

Araştırmanın katılımcıya faydaları:

Araştırmanın sonucunda, özellikle psikolojik dayanıklılık hakkında bilgi sağlanması ve dolaylı olarak daha geniş bir nüfusa fayda sağlanması ümit edilmektedir.

Kayıt altına alma ve gizlilik koşulları:

Araştırmayı yürüten kişilerden başka birisi bilgilere ulaşamaz. Bütün araştırma verileri gizli ve güvenli kilitli dosyalarda muhafaza edilecektir. Katılımcı isimleri tümüyle kaldırılıp kodlarla değiştirilecektir. Hukuk çerçevesinde tüm gizlilikler sağlanacaktır. Araştırmadan çıkacak akademik yayınların hiç birisinde kişisel bilgiler yer almayacaktır.

Araştırma veya katılımcı hakları hakkında daha detaylı bilgi almak için

Araştırmanın yürütücüsü Fatma Sevde Kurt ile iletişime geçebilirsiniz. (e-mail: sevde.kurt@ibnhaldun.edu.tr).

Araştırmaya katılımınız gönüllülük esasına dayanmaktadır:

Çocuğunuzun araştırmaya katılımını onaylamamanız herhangi bir yaptırım ya da hak mahrumiyetine yol açmayacaktır. Çocuğunuz araştırmadan istediğiniz zaman ayrılabilir. Ama ayrılması halinde araştırmaya katkısı yarım kalacaktır. Araştırmayı yürüten heyet araştırmayı iptal etme ve/veya erteleme hakkını saklı tutmaktadır.



Katılımcı Bilgilendirme ve Onam Formu

İletişim Bilgileri: sevde.kurt@ibnhaldun.edu.tr

Araştırma Başlığı: Türkiye’de Yaşayan Suriyeli Çocuk ve Ergenlerin Psikolojik Sağlamlığı

Bu formu imzalayarak; araştırma hakkında bilgilendirildiğinizi ve çocuğunuzun araştırmaya katılmasına rıza gösterdiğinizizi onaylarsınız. Formu imzalamadan önce tüm sorularınıza cevap bulduğundan emin olunuz.

Ben (Ebeveyn ya da bakım veren kişi)

- Yukarıda yazılı olan notları okudum ve çalışmanın içeriğini anladım.
- Eğer ben veya çocuğum herhangi bir zaman diliminde bu araştırmaya katılmak istemediğimize karar verirsek, araştırmacıları bilgilendirebilir ve derhal geri çekebiliriz.
- Bu araştırmanın amaçları için çocuğumun kişisel bilgilerinin işlenmesine onay vermiş oluyorum.
- Çocuğumun bu çalışmaya katılmasını kabul ediyorum.

Çocuğun İsim ve Soyismi (düz yazı ile):

Ebeveyn/Bakım Veren Kişinin İmzası

Tarih: _____

CURRICULUM VITAE

Personal Information

Surname, Name: Kurt-Akkoyun, Fatma Sevde

Date and Place of Birth: 1994, İstanbul

email: sevdekurtakkoyun@gmail.com

Education

BS, Istanbul Sehir University, Psychology, 2012-2017

Internship Experience

July-October 2016, University College London, Research Assistant

July 2019-July 2020, Ibn Haldun University Psychotherapy Application and Research Center